

austyle architectural hardware















opening doors in au**STYLE** www.austyle.com.au





Search



Product information, ordering and finishes	Page 4
Door Handles / Passage, Privacy & Entrance Sets	Page 5
· · · · · · · · · · · · · · · · · · ·	-
Feature Entrance Handles	Page 15
Security	Page 29
<i>,</i>	
Bathroom Locks and Accessories	Page 40
Flush Pull Handles	Page 42
Joinery Kitchen Cupboard Handles	Page 44
·	
Hinges	Page 52
Flush, Panic, Door / Window Bolts	Page 55
	5
Numbers and Alphabet	Page 59
Door Stops and Catches	Page 61
	_







auSTYLE architectural hardware



The austyle philosophy demonstrates how good ideas become reality.

Every austyle product is designed and manufactured with an emphasis on quality raw materials, practical functionality and unique designs.

Whether the product is 304 or 316 stainless steel or solid virgin brass, strength in foundation through the use of high grade raw materials ensures austyle products can withstand the tolerances required in all commercial or domestic, internal or external applications.

Austyle products are manufactured to exceed ISO9000 international quality standards and are mechanically and practically functional as well as simple and easy to install.

Our in house design team develops products that reflect current market styles and trends and many of our unique designs have design registrations and mechanical patents to protect their individuality.

Welcome to the austyle range of quality architectural hardware and a new approach in design innovation.



auSTYLE Architectural Hardware and Builders Choice Hardware are brands of Superior Brass. Established in 1982 and starting with a traditional range of 10 lever handles, the range now extends to over 3000 products across multiple brands and multiple market segments.

Our hardware range "handles" everything one could possibly require for residential or commercial project.

See opposite page - all brochures are available online.

Product Numbers & Finishes



Prefix = Finish

0 - 7

The prefix digit represent the finish color

Base Product Number

XXXX

The LAST four digits represent the base item number.

Polished Brass

[none]

[4 digit product number]



PVD PVD Brass Finish

50 year Anti-Tarnish

Warranty.



ATO

2

Antique Finish

with Copper Highlight



CP/PSS

Chrome Plate or

Polished Stainless Steel Finish



SC/SSS

Satin Chrome or

4

Satin Stainless Steel Finish



BPC

Matt Black



Copper

Polished Copper Finish

6



Atq.Brnz

Antique Bronze



Icon References

The Ball Bearing is the invisible hero of a friction free operation. The Stainless Steel ball bearing promotes smooth mechanical operation, durability and longevity. The Ball Bearing accompanies a four hour fire rating (Australian Standard # AS1530.4-1997 and BS476.) There are no assembled plastics or nylons in the austyle lever mechanisms.

Many austyle locks have been fire tested in Australia and have passed either 2 and 4 hours in simulated fire conditions. The rating refers to the fire test only. Installers and specifiers should verify and ensure the appropriate lock meets the appropriate operational building code or fire door requirement.

austyle passage sets have a unique tamper proof mechanism. When installed correctly, the external lever will not have a visible screw head under the concealing ring.

This prevents the handle being tampered with and removed from the external side to gain internal access.

The PVD Brass Finish offers a traditional appearance with a 50 Year Anti-Tarnish warranty against, pitting, discolouring and corrosion. If your project/client has a traditional brief/style with all the benefits of modern durable mechanical operation, this is the product for you. (see also www.superiorbrass.com)

Quality is never an accident, it is the result of intention, innovation and skillful execution. When the base materials used in manufacturing are of a high standard, the end product lends itself to comprehensive long term mechanical confidence. Our products will simply work and accompany a 7 year residential warranty.

*** PATENTED Protect your exclusivity

The austyle ball bearing mechanism is patented which protects its exclusivity, individuality and uniqueness. Choosing an austyle lever handle ensures you're

purchasing a product designed in Australia for the Australian market.

All austyle lever handles and heavy duty passage latches have a accompanying long term mechanical warranties. After correct installation, you can relax with long term confidence that our product will simply continue to operate as it did on day one.

Many items in our range are manufactured using 304 or 316 stainless steel where commonly these types of products are usually manufactured by our competitors in zinc or steel. Stainless Steel offers significantly superior durability and reliability whether used as the base material of the product structure or within its mechanism.



Lever Handles













Mechanical Warranty

Material

Stainless Steel Ball Bearing Race Mechanism

Protecting Your

Exclusivity

316 STAINLESS STEEL **ANYTHING ELSE IS A COMPROMISE!**







42318 Includes passage latch with integrated privacy option



42314 Includes passage latch with integrated privacy option



42320 Includes passage latch with integrated privacy option



42310 Includes passage latch with integrated privacy option



42325 Includes passage latch with integrated privacy option

keren

13511 PVD Brass 33511 Polished Chrome

43511 Satin Chrome 53511 Black

Square Adaptor Plate

33539 Polished Chrome 43659 Satin Chrome 53539 Black (to order)





tanya

ilana

13512 PVD Brass

33512 Polished Chrome

43512 Satin Chrome 53512 Black (to order)

Square Adaptor Plate 33539 Polished Chrome

43659 Satin Chrome 53539 Black (to order)





Forged Solid Brass

Forged Solid Brass

13514 PVD Brass

33514 Polished Chrome

42314 316 SSS

53514 Black (to order)

Square Adaptor Plate 33539 Polished Chrome 43659 Satin Chrome 53539 Black (to order)



Accessories Passage Door Latch 9031 29031 39031 49031 60mm backset 69031 Magnetic Passage Door Latch 49024 sc **Dummy Fixing Spindle** 9822 for single side fixing installation Spare Spindle Screws Kit 9821 Spare Parts Kit 2 x Sprung spindles 2 x Tie Bolt Fixing screws 1 set with concealed head



The austyle difference is as simple as 1,2,3!

- The Ball Bearing is the invisible hero of a friction free operation.
- The Stainless Steel ball bearing promotes smooth mechanical operation, durability and longevity.

The Ball Bearing accompanies a four hour fire rating (Australian Standard # AS1530.4-1997 and BS476.) Contact one of our distributors to touch and feel the austyle lever handle difference in store.

Forged Solid Brass

Forged Solid Brass

13518 PVD Brass 33518 Polished Chrome

43518 Satin Chrome

42318 316SSS

53518 Black (to order)

63518 Copper

Square Adaptor Plate 33539 Polished Chrome 43659 Satin Chrome 53539 Black (to order)









talia

13520 PVD Brass 33520 Polished Chrome

42320 Satin Chrome 53520 Black (to order)

Square Adaptor Plate 33539 Polished Chrome 43659 Satin Chrome

53539 Black (to order)





daisy

13516 PVD Brass 33516 Polished Chrome

43516 Satin Chrome 53516 Black (to order)

Square Adaptor Plate 33539 Polished Chrome 43659 Satin Chrome 53539 Black (to order)







Forged Solid Brass

DDA Complient

For buildings used for the provision of a service or employment, the



requiring DDA compliance.



Square cover is fixed by a grub screw which restricts rotation maintaining its linear appearance.



13519 PVD Brass

33519 Polished Chrome 43519 Satin Chrome

53519 Black (to order)

Square Adaptor Plate

33539 Polished Chrome

43659 Satin Chrome

53539 Black (to order)







naomi

Forged Solid Brass

13509 PVD Brass

33509 Polished Chrome

43509 Satin Chrome

42306 316SSS

53509 Black (to order)

63509 Copper

Square Adaptor Plate 33539 Polished Chrome 43659 Satin Chrome

53539 Black (to order)











13510 PVD Brass 33510 Polished Chrome 43510 Satin Chrome 53510 Black (to order)

Adaptor and Retro Fitting Cover Plates

Backing Cover Plates - sit behind back plate and covers pre drilled holes in the door. [63mm]

Round Plate

19816 PVD 39816 CP

SC 49816 59816











Adaptor Cover plates Multi purpose adaptor plate

"Slip over" auSTYLE passage sets to cover pre-existing holes in the door.

43566**M** (mylock p.20)

43566**E** (85mm euro cyl. hole p.33)

43566**A** (47.6mm euro cyl. hole p.32)

Chrome or Black finish available!





316 Marine Grade Stainless Steel

Entrance & Passage

Solid Stainless Steel investment casting and moulding.



4 Hour Fire Rating









Bearing Race Mechanism



Protecting Your Exclusivity









[Entrance Set -Suits 85mm Locks] [Entrance Set Suits myLOCK please specify LH/RH]



Includes passage latch and integrated privacy option



Passage Set: 42310 & 42329 Square Cover Privacy Set: 42310 & 42329P Square Privacy Cover





42350E

[Entrance Set -Suits 85mm Locks]

42350M [Entrance Set Suits myLOCK please specify LH/RH]



Includes passage latch and integrated privacy option



Passage Set: 42320 & 42329 Square Cover Privacy Set: 42320 & 42329P Square Privacy Cover



🥑 "E" = Entrance Sets can be used with all high security entrance locks @ 85mm centres. Refer security section.



"L" = Suits oval cylinders with a reversed lever set up.

myLOCK The all in one integrated escape, privacy & dead bolt entrance lock




"M" = Entrance Set can be used conjunction with myLOCK high security entrance locks. Refer security section. For myLOCK entrance sets - please specify LH/RH handing.

HANDING > the INTERNAL side (where the snib sits) needs to be specified and denoted as "LH or RH"

316 STAINLESS STEEL **ANYTHING ELSE IS A COMPROMISE!**









Includes passage latch and integrated privacy option



Passage Set: 42314 & 42329 Square Cover Privacy Set: 42314 & 42329P Square Privacy Cover

316 Marine Grade Stainless Steel **Entrance & Passage** Solid Stainless Steel investment casting and moulding. Protecting Your Exclusivity Material Stainless Steel Ball Bearing Race Mechanism 42348M 43658 + Square cover passage set: 43659 [Entrance Set -Suits 85mm Locks] [Entrance Set Suits myLOCK please specify LH/RH] [Passage Set] + Square cover privacy set: 43659P Passage Sets available mid 2019 42348L/SSS/Oval Cyl. 42304 42334E 42334M 42334 [Entrance Set Suits myLOCK please specify LH/RH] [Entrance Set -Suits 85mm Locks] [Passage Set] Includes passage latch and integrated Passage Set: 42304 & 42329 Square Cover Passage Sets available mid 2019 privacy option Privacy Set: 42304 & 42329P Square Privacy Cover

42334L/Oval Cvl.

②

"E" = Entrance Sets can be used with all high security entrance locks @ 85mm centres. Refer security section.

"L" = Suits oval cylinders with a reversed lever set up.

myLOCK The all in one integrated escape, privacy & dead bolt entrance lock



"M" = Entrance Set can be used conjunction with myLOCK high security entrance locks. Refer security section. For myLOCK entrance sets - please specify LH/RH handing.

HANDING > the INTERNAL side (where the snib sits) needs to be specified and denoted as "LH or RH"


316 STAINLESS STEEL ANYTHING ELSE IS A COMPROMISE!






DDA Complient

For buildings used for the provision of a service or employment, the Disability Discrimination Act 2005 (DDA) gives disabled people important rights of access to everyday services.





The all in one high security entrance lock with integrated Latch, Privacy, Privacy Escape & Dead Lock functions.



43659P

Entrance & Passage Sets

Material: Zinc

Long Plates:

225x32mm - 55mm Projection Passage / Entrance / Privacy & MyLock Options

Passage Sets:

52mm Square/Round


















Entrance Sets

Material: Forged Brass

Commercial, aluminium & timber applications.




















43610**E** 85mm euro cyl. hole p.(22) 43610**A** 47.6mm euro cyl. hole (p.21) 43610**K** 57mm old style skeleton key [not pictured]



43610**M** [mylock p.20) cylinder - 49144 lock - 49219



43610P bathroom privacy locks

42320 lever passage set [refer p 5-6]



43611 passage set - 200x32mm



43611**E** 85mm euro cyl. hole p.(221 43611**A** 47.6mm euro cyl. hole (p.21) 43611**K** 57mm old style skeleton key



43611**M** [mylock p.20) cylinder - 49144 lock - 49219



43611P bathroom privacy locks #49022



43511 lever passage set [refer p 5-6]



43614 passage set - 200x32mm



43614**E** 85mm euro cyl. hole p.(22) 43614**A** 47.6mm euro cyl. hole (p.21) 43614**K** 57mm old style skeleton key



43614**M** [mylock p.20) cylinder - 49144 lock - 49219



43614P bathroom privacy locks #49022



42314 lever passage set [refer p 5-6]



43618 passage set - 200x32mm



43618**E** 85mm euro cyl. hole p.(22) 43618**A** 47.6mm euro cyl. hole (p.21) 43618**K** 57mm old style skeleton key



43618M [mylock p.20) cylinder - 49144 lock - 49219



43618P bathroom privacy locks #49022



42318 lever passage set [refer p 5-6]





For MyLock entrance sets - please specify LH/RH handing. For handing, the INTERNAL side (where the snib sits) needs to be specified by "LH or RH"

Minimal Range Black Finish Available To Order







sara



dafna





eden

43603 SC



orli

33605 **CP** 43605 **SC**



esther

43578 SC



dina

43576 **SC**



miriam

43577 SC













Bearing Race Mechanism

Protecting Your Exclusivity














Hand Crafted



 $\#3950 \; \hbox{\tiny [Pair back-to-back]}$

Timber Grain / Satin SS legs









#43862 [Pair back-to-back]


Solid Oak

Length: 800mm
Centres: 400mm
Widest: 60mm
Project: 75mm
Fixing Screws: M8
Fitting Holes: 10mm diam

[Pair back-to-back]

#3946 - 600mm #3948 - 900mm


Blackbutt Hardwood



[Pair back-to-back]

#3942 - 300mm #3944 - 600mm

Blackbutt Hardwood



Blackbutt hardwood timber handles above: are supplied as raw unfinished timber allowing you the option to stain, varnish or clear coat the timber to achieve and compliment your desired styling theme.










Hand Crafted

 $\#\ 53958\ {\tiny [Pair\ back-to-back]}$

Rustic - Black Textured




A: B: C:




53956 [Pair back-to-back]

Rustic - Black Textured



Solid Cast 304 Stainless Steel







Antique Copper - Textured



53954 [Pair back-to-back]

Matt Black





Solid Cast 304 Stainless Steel








33954 [Pair back-to-back]

Polished Chrome



 A:
 350mm

 B:
 400mm

 C:
 24x84mm

 D:
 80mm

 Fixing Screws: M8

 Fitting Holes: 10mm diam

Manufactured by Solid Investment Casting 304 Stainless Steel Each pair weights 6kgs



316 Stainless Steel







Satin Stainless Steel

Polished Stainless Steel

Matt Black
Copper


316 SATIN STAINLESS STEEL MATERIAL

	Details	L	С	D	Р	
43885	1pc Single	300	275	25x50	65	
43886	2pcs Back-to-back	300	275	25x50	65	
43887	1pc Single	500	475	25x50	65	
43888	2pcs Back-to-back	500	475	25x50	65	
43890	2pcs Back-to-back	800	775	25x50	65	
43890C	2pcs Back-to-back	1800	1775	25x50	65	

	Details	L	C	D	Р
33886	2pcs Back-to-back	300	275	25x50	65
33887	1pc Single	500	475	25x50	65
33888	2pcs Back-to-back	500	475	25x50	65
53888	2pcs Back-to-back	500	475	25x50	65
63888	2pcs Back to Back	500	475	25x50	65

20 www.austyle.com.au





59217 - MyLock Entrance Lock



49217 - MyLock Entrance Lock

myL**0**CK

ALL IN ONE integrated entrance roller lock privacy and dead lock functionality.

All escutcheon snibs are used inconjunction with the myLOCK roller entrance lock for a clean external appearance. See page 38 & 39 for further information.

39217 - MyLock Entrance Lock



69217 - MyLock Entrance Lock





#53955

Matt Black Single Side



#59217 myLOCK roller entrance lock #53736 Escutcheon Snib Cover #59144 Double Cylinder 65mm

Matt Black







Off-Set Single Handle - 400mm

#3953 Polished Brass #23953 Antique Copper #33953 Polished Chrome #43953 Satin chrome #53953 Matt Black




Aluminium







43966
[Pair back-to-back]
Aluminium




A: 210mm B: 250mm C: 35mm D: 65mm



43964

[Pair back-to-back]

Aluminium



A: 210mm B: 250mm C: 38mm D: 65mm

Glass



Tempered Clear Glass

	Details		C	D	Р
43933	1pc Single	550x55	495	12	54
43934	2pcs Back-to-back	550x55	495	12	54



Tempered Clear Glass

	Details		C	D	Р
43931	1pc Single	170x170	100	15	55
43932	2pcs Back-to-back	170x170	100	15	55

304 Stainless Steel





13972 [Pair back-to-back]

PVD (Polished) Brass

A: 573mm
B: 600mm
C: 38mm
D: 75mm

Fixing Screws: M8
Fitting Holes: 10mm diam
Glass Doors: 16mm diam

63972 [Pair back-to-back]


Striking Red

53972 [Pair back-to-back]

Matt Black


304 Stainless Steel





#53968 [Pair back-to-back]

Matt Black



Pictured:

53736 Snib Escutcheon Set59144 Double Cylinder 65mm

49217 Roller Lock





#53702 52mm ROUND Escutcheon #53726 40x40mm SQUARE Escutcheon

#59144 Double Cylinder 65mm

304/316 Stainless Steel







316 SATIN STAINLESS STEEL MATERIAL

	Details	L	С	D	Р				
43823	1pc Single	400	370	30x15	65				
43824	2pcs Back-to-back	400	370	30x15	65				
43827	1pc Single	800	770	30x15	65				
43828	2pcs Back-to-back	800	770	30x15	65				
SATIN STA	SATIN STAINLESS STEEL FINISH								





Offset Designs

304 SATIN STAINLESS STEEL MATERIAL

TUBE Offset (57mm offset) Details L C D P 43921 1pc Single 350 220 32 80 43922 2pcs Back-to-back 350 220 32 80					
TUBE O	ffset (57mm offset)				
	Details		С	D	
43921	1pc Single	350	220	32	80
43922	2pcs Back-to-back	350	220	32	80
43924	2pcs Back-to-back	600	400	32	80
SATIN STA	INLESS STEEL FINISH				
316 SA	ATIN STAINLESS	STEEL	_ MATE	RIAL	

SQUAR	E Offset				
33829	1pc Single	600	575	25x25	67
33830	2pcs Back-to-back	600	575	25x25	67
POLISHI	ED STAINLESS STEEL FINISH				
43829	1pc Single	600	575	25x25	67
43830	2pcs Back-to-back	600	575	25x25	67
CATINI					





304 SATIN STAINLESS STEEL MATERIAL


	Details	L	С	D	Р
43910	2pcs Back-to-back	600	575	45	63
Oak Cent	re, Polished Ends				

	Details	L	C I	D I)
43916	2pcs Back-to-back	600	575	45	63
SATIN STA	AIN LESS STEEL		-	_	_

26 www.austyle.com.au

316 Stainless Steel





Pictured:

43820 Handle

43707 Escutcheon

49144 Double Cylinder 65mm

49207 Roller Lock

316 SATIN STAINLESS STEEL MATERIAL

	Details	L	С	D	Р
43815	1pc Single	300	250	30x15	80
43816	2pcs Back-to-back	300	250	30x15	80
43817	1pc Single	600	400	30x15	80
43818	2pcs Back-to-back	600	400	30x15	80
43819	1pc Single	900	700	30x15	80
43820	2pcs Back-to-back	900	700	30x15	80
SATIN STA	AINLESS STEEL FINISH				



	Details	L	C	D	Р
43807	1pc Single	450	300	25x25	67
43808	2pcs Back-to-back	450	300	25x25	67
43809	1pc Single	600	400	25x25	67
43810	2pcs Back-to-back	600	400	25x25	67
43811	1pc Single	900	600	25x38	75
43812	2pcs Back-to-back	900	600	25x38	75
43813	1pc Single	1200	900	25x38	75
43814	2pcs Back-to-back	1200	900	25x38	75
SATIN STA	INLESS STEEL FINISH				





316 SATIN STAINLESS STEEL MATERIAL

	Details	L	C	D	Р
43869	1pc Single	300	150	20	78
43870	2pcs Back-to-back	300	150	20	78
43873	1pc Single	600	400	25	90
43874	2pcs Back-to-back	600	400	25	90
43876	2pcs Back-to-back	900	600	25	125
SATIN STA	SATIN STAINLESS STEEL				



304 SATIN STAINLESS STEEL MATERIAL

	Details			D	
43881	1pc Single	350	325	25	67
43882	2pcs Back-to-back	350	325	25	67
43883	1pc Single	600	562	38	88
43884	2pcs Back-to-back	600	562	38	88
CATINI STAI	CATIN CTAINI ECC CTEEI				



3103	Details		C	D	P
43865	1pc Single	450	220	25	77
43866	2pcs Back-to-back	450	220	25	77
43867	1pc Single	600	400	32	77
43868	2pcs Back-to-back	600	400	32	77
SATIN STAINLESS STEEL					



304 SATIN STAINLESS STEEL MATERIAL

	Details	L	С	D	Р
43895	1pc Single	900	700	45	82
43896	2pcs Back-to-back	900	700	45	82
43897	1pc Single	1800	1500	45	82
43898	2pcs Back-to-back	1800	1500	45	82
SATIN STAI	NLESS STEEL				



316 SATIN STAINLESS STEEL MATERIAL

	Details			D	
43846	2pcs Back-to-back	450	300	32	72
43848	2pcs Back-to-back	600	400	38	77
43850	2pcs Back-to-back	900	600	38	77
43852 SATIN STAIR	2pcs Back-to-back	1200	900	38	77



Offset Designs

	Details			D	
43833	1pc Single	300	268	32	77
43834	2pcs Back-to-back	300	268	32	77
43843	1pc Single	1300	1268	32	81
43844	2pcs Back-to-back	1300	1268	32	81
SATIN STA	SATIN STAINLESS STEEL				



316 SATIN STAINLESS STEEL MATERIAL

	Details	L	С	D	Р
43863	1pc Single	600	400	38	80
43864	2pcs Back-to-back	600	400	38	80
SATIN STAINLESS STEEL					



304 SATIN STAINLESS STEEL MATERIAL

	Details	L	C	D	Р
43902	2pcs Back-to-back	600	400	38	72
43905	1pc Single	1200	900	38	72
43906	2pcs Back-to-back	1200	900	38	72
SATIN STAINLESS STEEL					





Upgrade & Improve Your Entrance Security Without Changing Your Door.

The new stainless steel body is designed to retro fit into older style 85mm entrance mortice locks. Upgrade the security in your home without the need to change your door.



304 Stainless Steel anything else is a compromise

With front adjustable roller tension.





304 Stainless Steel

The casing, privacy & dead bolts, roller latch, spindle follower, internal components, face plates and striker plates are manufactured in 304 high grade stainless steel for superior durability.

29217 ATQ Copper 39217 Pol. SS 49217 Satin SS 59217 Black 69217 Copper (Face/Striker)

19217 PVD Brass





Keyless Locking

Using the snib when home will prevent anyone opening the door and walking in. It's a quick and simple locking function for every day use and works independently of the dead bolt.

The Indicator Snib

The direction of the snib provides a visual reference to indicate whether the privacy bolt (and the door) is in the locked or unlocked position.



High Security Dead Bolt

Engage the dead bolt for the ultimate level of security when you're out of the house or away on holiday. A solid brass bolt that is 40mm high and 10mm thick and extends 85mm across the door jamb and back into the case will give you security and piece of mind.

Adjustable SS Heavy Duty Roller Latch

After installation from the front of the roller latch; easily adjust the spring tension and projection of the roller to suit your desired opening tension.



2 Hour Fire Rated Cylinders



Independent CAM Cylinder & Integrated keylock

The independent CAM cylinder allows you to leave your key in the cylinder while still allowing its use from the outside of the door. Using your key to enter will simultaneously disengage both the privacy and dead bolt so you can enter in auSTLYE.



How to order: 4 SIMPLE STEP

The 4 Step process helps you combine the Roller Lock with the appropriate au STYLE product to create a modern, clean entrance design.

1. myLOCK Roller Lock x9217

Rebate Adaptor Kit [ff required] 9220 PVD Brass 29220 ATQ 39220 CP 49220 SC 59220 Black





2. Choose your Entrance Feature Handle

or download Entrance Handle Catalogue from www.austyle.com.au



PAGE 15

3. Choose your Snib Escutcheon Design







PAGE 39

4. Choose your Cylinder



PAGE 36

myLocks require a double cylinder only



Upgrade & Improve Your Entrance Security Without Changing Your Door.

The new stainless steel body is designed to retro fit into older style 85mm entrance mortice locks. Upgrade the security in your home without the need to change your door.



304 Stainless Steel anything else is a compromise

AUTO EXIT ESCAPE FUNCTION

Quick release privacy escape function. Exit without the need for keys!



19219 PVD Brass 29219 ATQ Copper

39219 Pol. SS 49219 Satin SS

59219 Black



304 Stainless Steel

The casing, privacy & dead bolts, latch, spindle follower, internal components, face plates and striker plates are manufactured in 304 high grade stainless steel for superior durability.



Kevless Locking

Using the snib when home will prevent anyone opening the door and walking in. It's a quick and simple locking function for every day use and works independently of the dead bolt.

The Indicator Snib

 $The {\it direction} \, of the snib \, provides \, a \, visual \, reference \, to \, indicate \, whether \,$ the privacy bolt (and the door) is in the locked or unlocked position.



Quick Release Escape Function

Using the lever handle to open the door automatically disengages the privacy bolt for a quick keyless exit.

High Security Dead Bolt

Engage the dead bolt for the ultimate level of security when you're out of the house or away on holiday. A solid brass bolt that is 40mm high and 10mm thick and extends 85mm across the door jamb and back into the case will give you security and piece of mind.



2 Hour Fire Rated Lock

2 Hour Fire Rated Cylinders



Independent CAM Cylinder & Integrated keylock

The independent CAM cylinder allows you to leave your key in the cylinder while still allowing its use from the outside of the door. Using your key to enter will simultaneously disengage both the privacy and dead bolt so you can enter in auSTLYE.



How to order: 3 SIMPLE STEPS

The 3 Step process helps you combine the Latching lock with au STYLE products to create a modern, clean entrance design.

1. myLOCK Lever Lock x9219

Rebate Adaptor Kit





2. Choose your Entrance Lever Handle Set



PAGE 6 > 13

3. Choose your Cylinder



PAGE 36

myLocks require a double cylinder only

Security Locks **Hinged Doors**

- Designed and Engineered in Australia
- Meavy duty case and internal mechanical components.
- Non combustible components

residential security locks

- Simultaneously retracts latch when unlocking the door for a quick exit
- Mardened steel rolling pins in bolt resist hacksawing 24mm throw!
- Reversible latch for either LH / RH opening doors

45mm I	Back Set
9000	PB
29000	ATQ
39000	CP
49000	SC
59000	Black
60mm E	Back Set
9001	PB
29001	ATQ
39001	CP
49001	SC

Black

59001

Rebate Adaptor Kit		
9004	РВ	
29004	ATQ	
39004	CP	
49004	SC	
59004	Black	





external doors.

snib turn from inside.

for quick, single handed entry.





EXTERNAL / ENTRY DOORS

Create a clean minimal entrance using the new snibs &

escutcheon sets to operate high security locks for front/

The snib operates the lock in the same way a conventional lever handle functions opening the door with the

Externally, use an entrance handle and the the latch retracts simultaneously when turning the key to unlock

Entrance Snib Set

120x40mm #43735 suits all 47.6mm C-to-C locks

(1)

External

304 Stainless Steel Plates

Quick Release

Escape Function

Emergency

[Cylinder sold separately -P.36]

commercial Dead Latching Locks (47.6mm centres)

- Simultaineously retracts latch (and bolt) when unlocking the door for a quick exit austyle 49300 locks have an emergency release function retracting the bolt for a quick emergency escape at any exit point. The presence of a bolt may be an issue on some fire rated doors. Please check the relevant building code to ensure compliance.
- Reversible latch for either LH / RH opening doors
- Stainless steel latch/case/springs/internal components/face & striker plates







[suitable for commerical fire door compliance] [compatible for use with most electric strikers] [Separate Rebate Adaptor Kit to Suit #49004]

304 Stainless Steel anything else is a compromise

Dead Latching Function



Why are austyle 304 Stainless Steel security locks better?

Simply put, stainless steel offers significantly better durability and strength when compared with commonly available zinc or steel structured locks. Stainless steel contains higher levels of nickle providing superior corrosive resistance. Our locks are ideal for heavy duty, commercial applications and whenever superior quality and reliability is a significant consideration.

32 www.austyle.com.au






residential security locks (85mm centres)

- simultaneously retracts latch when unlocking the door for a quick exit
- Reversible latch for either LH / RH opening doors

45mm Back Set		
9208	РВ	
39208	CP	
49208	SC	

60mm Back Set		
9209	РВ	
39209	CP	
49209	SC	
59209	Black	










children safety/screen door latch

- Narrow 30mm back set / 42mm overall depth.
- Self latching snib latch for aluminium / timber doors
- Stainless steel latch / Satin Chrome (brass material) snibs







latch for use with any austyle lever handle sets.



Extended Striker Plates



Suits all 85mm locks

49840 85 mm (60mm extention lip)

49841 125 mm (100mm extention lip)

49842 (suits Roller Locks 49217) 125 mm (100mm extention lip)

Generic Extention Striker

49839 100x25 mm 304 Stainless Steel



Roller Latch Security





roller latch and dead bolt

- Adjustable roller spring tension
- Supplied with both LH and RH striker plates
- Used in conjunction with entry handles, cylinders and escutcheons

57mm Back Set		
9015	PB	
29015	ATQ	
39015	CP	
49015	SC	
59015	Black	
69015	Copper	





commercial narrow backset

- Adjustable spring tension
- Heavy duty aluminium or timber door commercial applications
- Supplied with both LH and RH striker plates



304 Stainless Steel anything else is a compromise

self latching snib latch [SLIDING doors]

- Ideal for all ALUMINIUM or timber self closing/latching sliding doors
- Residental or commercial applications





disabled & child safety latch
[install at 1800mm from floor
to prevent children opening doors]

self latching snib latch [HINGED doors]

- Ideal for all self closing/latching hinged doors
- Residental or commercial applications

60mm Back Set		
19018	PB	
39018	PSS	
49018	SSS	
59018	Black	













Includes 2 snibs (40mm diam.)



dead bolt heavy duty

- Heavy duty steel backing plate for additional strength and security
- Euro Cylinder Lock 60mm Back set (49143 cylinder / 43702 escutcheon sold separately)
- Suitable for either LH or RH opening doors







Cavity Sliding Doors Security

- Designed and Engineered in Australia
- Heavy duty case and internal mechanical components.
- Non combustible components
- Heavy duty steel backing plate for additional strength and security
- 2 x Locating Pins guide the door into correct position when closing
- 45mm back set (Cylinder/escutcheon sold separately)

pictured







NEW ELONGATED STRIKER PLATE HOLES to allow for movement in the door



Using the 43745E flush pulls (together with a 49140 42mm cylinder) on a cavity sliding door will allow the door to recess back into a cavity without compromising on security.

door edge pull use the edge pull to retrieve the door from its cavity



4456 PB 34456 CP 44456 SC 54456 Black 115x25mm

Heavy Duty Pull Handle





flush pull 43754E SS 53754E Blk 220x55mm

> cylinder 49140 SC 59140 Blk 3pin/42mm



Security Cylinders













keyed cylinder barrels

- C4 euro profile
- Available keyed alike free of charge (ex stock SC only)
- Approved for master keying
- S/Steel internal springs for durability and reliability










ALL CYLINDERS HAVE INDEPENDENT CAM so you can use a key simultaneously on both sides!







Ideal for recessed cavity sliding doors that require high secutiy locking. Refer bottom p.35





60mm Double 5Pin		
9143	PB	
19143	PVD	
29143	ATQ	
39143	CP	
49143	SC	
59143	Black	















turn snib & key cylinder barrels





65mm Turn snib 5Pin		
9145	PB	
29145	ATQ	
39145	CP	
49145	SC	
59145	Black	



Choose the appropriate cover plate design that matches your handle style. SEE PAGE 38


70mm Turn snib 6Pin 49149 SC 59149 Black

65mm Snib & Release

49146SC / 59146Black







36 www.austyle.com.au

Security - Passage Latches





passage latches - heavy duty

1		
	60mm	Back Set - Single Spring
	9031	РВ
	29031	ATQ
	39031	СР
	49031	SC
	59031	Black
	69031	Copper (Face/Striker)

60mm [Back Set - Double Spring	
9030	РВ	
29030	ATQ	
39030	СР	
49030	SC	
59030	Black	







passage latch - general purpose

60mm l	Back Set	- Light Duty - Single Spring (Split Follower)
9017	PB	
39017	CP	project series
49017	SC	project series



passage latch - S/Steel heavy duty



304 Stainless Steel anything else is a compromise




separate rebate adaptor kit

suits all	austyle latches and privacy bolts
9025	PB
29025	ATQ
39025	CP
49025	SC
59025	Black



magnetic latch



For a clean door edge.
The magnet ejects &
retracts automatically
with the operation of the handle
Includes box striker for a neat
professional finish.



ball catch/latch

roller catch / latch


Black (Face/Striker)

39026

49026

59026

magnetic door catch



Adjustable Tension 3731 PB 33731 CP 43731 SC 53731 Black

Escutcheon / Cylinder Covers



cylinder barrels sold separately p.25

40x40 mm Square SOLID BRASS 53726 Black 33726 CP 43726 SC 73726 Atq Bronze 8 mm projection





70x30mm	Rectangular
13724	PVD
33724	PSS
43724	SSS
53724	Black
10 mm proje	ection

70x30m	ım	Oval
13725	PVD	
33725	PSS	
43725	SSS	
53725	Black	
10 mm pro	jection	







13702 **PVD Brass**



52mm

33700

43700

53700

8 mm projection

CP

SC

Black



Square edged



304 Stainless Steel



PVD

CP

SC

Black

13703

33703

43703

53703

8 mm projection



		1	
1			
	11		



23702	ATQ	33702	CP
43702	SC	53702	Black
63702	Copper		
8 mm proj	ection		
40mm	Square	edged	
13700	PVD		

45mm	Square edged
13701	PVD
33701	CP
43701	SC
53701	Black
9 mm proje	ection

Rounded edge







52mm Square edged
43704 SSS
53704 Black
8 mm projection

304 Stainless Steel anything else is a compromise




52mm	Square edged
13707	PVD
33707	CP
43707	SC
53707	Black
8 mm proje	ection

40mm	Square edged	
13705	PVD	
33705	CP	
43705	SC	
53705	Black	
8 mm projection		

52 mm	Rounded edge
13708	PVD
33708	CP
43708	SC
53708	Black
8 mm proje	ction

45mm	Square edged
13706	PVD
33706	CP
43706	SC
53706	Black
8 mm proje	ection





38 www.austyle.com.au

Integrated Snib Plate Locking Options for external Doors

For use with general high security entrance locks [ref p.30]





Create a clean minimal entrance using the new snib & escutcheon sets to operate high security locks for front/external doors.

The snib operates the lock in the same way a conventional lever handle functions opening the door with the snib turn from inside.

Externally, use an entrance handle and the the latch retracts simultaneously when turning the key to unlock for quick, single handed entry.

Suits all 47.6mm C-to-C Locks Recommended lock 49300 or 49001 & cylinder 49144 sold separately.



For use with myLOCK integrated roller, privacy and dead bolt high security entrance lock [ref p.28]





When used in conjunction with a feature entrance handle, the MyLOCK roller latch enables push/pull "passage" function.

Adjustable spring tension in the roller latch to suit your desired opening tension

Use the snib function for quick, day-to-day keyless locking.

Use the double cylinder dead bolt function for operating the dead bolt.

Using the key will simultaneously disengage both the privacy and dead bolts from either side of the door for single handed entry/exit.

Snib & Escutcheon Set Options:

 $304\,Stainless\,Steel\,Plates\,-120x40mm\ , includes\,external\,escutcheon\,plate\,/\,cylinders\,sold\,separately\,[ref\,p.34]$



Bathroom Locking Options

a

cavity sliding doors - fully recessed doors integrated privacy flush pull



Fully Recessed Cavity Sliding Door?

Ideally used in situations where the cavity door recesses all the way back inside the door frame.

These flush pulls are recessed into the door face allowing the door to fully recess into its cavity.

Matching flush pulls for lockable and passage doors available on page 41 for asthetic consistency.




cavity sliding door - fully recessed doors

sliding door recessed flush turn snibs



concealed fixing 40mm diam.				
9040	PB			
39040	CP			
49040	SC			
59040	Black			
used in cor	njunction with sliding door latch below			

sliding door latch




cavity sliding door - partially recessed doors

- Ideal for all ALUMINIUM or timber self closing/latching sliding doors
- Residental or commercial applications

I	30mm Back Set					
	19027	PB	Latch S/Steel Snibs SC (brass)			
	39027	PSS	SHIDS SC (DIASS)			
	49027	SSS				
	59027	Black				

cavity sliding door - fully recessed doors



Latch		
9049	РВ	
29049	ATQ	
39049	CP	
49049	SC	







With locating pin which guides the door into its correct position when closing.




Refer p.35 for other recessed sliding door options





40 www.austyle.com.au

hinged bathroom / privacy doors







snib & release euro cylinder

65mm Snib & Release

9146PB / 39146CP / 49146SC / 59146Black

used in conjunction with locks page p21-24



commercial bathroom indicator bolt

Indicator Snib & Release

9014PB /39014CP / 49014SC



Snib Styles

• ideal for hinged or sliding doors / concealed & thru fix options / Ideal for SLIDING doors that sit slightly





40x40mm 39046 CP 49046 SC 59046 Black



9037 PB 39037 CP 49037 SC 59037 Black





9038/PB 35mm



39038/CP 35mm





52x52mm 43531CL SC





52x52mm 53531CL Black



49038/SC 35mm



59038/Black 35mm





52x52mm 43530CL SC





52x52mm 53530CL SBlack



69038/Copper 35mm



29038/ATQ 35mm

Recessed / Flush Design

9040 PB / 39040 CP / 49040 SC / 59040 Black

Rectangle Design

29034 ATQ / 39034 CP / 49034 SC / 59034 Black

Round Design

9035 PB / 29035 ATQ / 39035 CP / 49035 SC / 59035 Black













accessories - double snibs

Round Snib Set 35mm diam 9044 PB / 39044 CP / 49044 SC / 59044 Black Square Snib set 40x40mm 49045 SC / 59045 Black Adaptor Spindle 9809 - Privacy/Lever handle adaptor spindle





Use the conversion adaptor spindle to adapt any snibs for use with locks, latches or lever handle sets.





NEW

304 Stainless Steel anything else is a compromise

Flush Pulls



- 304 Stainless Steel
- Ideal for all bi-fold
- Sliding or cavity doors



304 Stainless Steel

Satin Stainless Steel

43745 100x50x14mm 43749 150x50x14mm 43752 220x55x12mm 43753 320x55x12mm

Polished Stainless Steel


33745 100x50x14mm

Matt Black

150x50x14mm 53749 53752 220x55x12mm 53753 320x55x12mm








Matt Black

53750 70x70x12mm 53751 50x50x12mm









304 Satin Stainless Steel

43742 70x70x14mm

Matt Black

70x70x14mm 53742



304 Stainless Steel 220x55mm Depth.10mm [Sold lin pairs]

43754E SSS - with cylinder hole 53754E Black - with cylinder hole

43754 SSS - without cylinder hole 53754 Black - without cylinder hole



304 Satin Stainless Steel

43741 65mm diam /12mm depth

Matt Black

53741 65mm /12mm depth



304 Stainless Steel

33747 Polished SS 43747 Satin SS



304 Satin Stainless Steel

90mm diam /19mm depth 43743

Matt Black

53743 90mm /19mm depth



304 Satin Stainless Steel

43746 (76mm diam./14mm depth)

Used in conjuncion with passage latch (49031) and most 60mm backset locks.














304 Satin Stainless Steel

(order as pictured left to right)

43739	100x50x12mm Concealed Fixing Satin SS
43740	120x40x12mm Exposed Fixing Satin SS
43744	120x40x12mm Concealed Fixing Satin SS
33744	120x40x12mm Concealed Fixing Polished SS
53744	120x40x12mm Concealed Fixing Matt Black




Coated Kitchen Handles

Most styles can now be powder coated upon request

304 Stainless Steel anything else is a compromise












12x12mm Square					
	L	C	D	Р	
48784	115	55	10x20	30	
48785	160	100	10x20	30	
48786	210	150	10x20	30	
48787	260	200	10x20	30	
48788	360	300	10x20	30	
48789	460	400	10x20	30	
48790	560	500	10x20	30	
48791	660	600	10x20	30	
48792	860	700	10x20	30	
Satin Stra	inless Steel	Finish			



8x8mm	Square			
	L	C	D P	
48690	113	63	8x8	38
48691	146	96	8x8	38
48692	196	146	8x8	38
48693	260	210	8x8	38
48694	356	306	8x8	38
48695	452	402	8x8	38
48696	500	450	8x8	38
Satin Stair	nless Steel	Finish		





12x12mm Square						
		C	D	Р		
48699	120	108	12x12	30		
48700	170	158	12x12	30		
48701	212	200	12x12	30		
48704	512	500	12x12	30		
48706	812	800	12x12	30		
Satin Stainless Steel Finish						



10mm Diameter						
	L	C D	Р			
48750	83	74	10	30		
48751	107	98	10	30		
48753	180	171	10	30		
Satin Stainless Steel Finish						

12mm Diameter					
	L	C D	P		
48754	107	98	12	32	
48755	137	126	12	32	
48756	182	171	12	32	
48757	300	287	12	32	
48758	374	362	12	32	
Satin Stainless Steel Finish					



- High Grade 304 Solid Stainless Steel
- Minimal 7.8% Nickle content Strength, Durability and Corrosion resistance

304 Stainless Steel anything else is a compromise



8mm Diameter							
		C D					
48771	152	140	8	33			
48772	185	173	8	33			
48773	232	220	8	33			
48774	327	315	8	33			
Satin Stra	Satin Strainless Steel finish						



8mm Diameter					
		C D	F		
48759	113	106	8	35	
48761	180	154	8	35	
48762	210	182	8	35	
Satin Stainless Steel Finish					





10mm [)iamete	r			
		C D			
48718	146	96	10	30	
48719	196	146	10	30	
48720	210	160	10	30	
48721	250	200	10	30	
48722	300	250	10	30	
48723	350	300	10	30	
48724	400	350	10	30	
48725	450	400	10	30	
Satin Stair	nless Steel	Finish			

12 mm D	iamete	r		
		C D		
48728	146	96	12	30
48729	196	146	12	30
48730	210	160	12	30
48731	250	200	12	30
48732	300	250	12	30
48733	350	300	12	30
48736	550	500	12	30
48737	650	600	12	30
Satin Stainless Steel Finish				



6x12mn	ո Square	5		
		C	D P	
48800	146	80	6x15	30
48801	196	110	6x15	30
48802	210	140	6x15	30
48803	250	180	6x15	30
48804	300	280	6x15	30
SC - Polis	shed ends			

6x20mm	n Square	5		
		С [) Р	
48794	130	110	6x20	30
48795	160	140	6x20	30
48797	300	280	6x20	30
48798	400	380	6x20	30
48799	500	480	6x20	30
SC - Polis	shed ends			

46 www.austyle.com.au



10mm 🛭	Diamete	r		
	L	C D	Р	
48775	83	75	10x20	30
48776	108	106	10x20	30
48777	158	150	10x20	30
48778	208	200	10x20	30
48779	308	300	10x20	30
48780	408	400	10x20	30
48781	508	500	10x20	30
48782	609	600	10x20	30
Satin Stair	nless Steel	Finiah		



"Ask us about Black Powder Coated Options for most handles in the range"



Drawer Pull Handles

Includes 2 x40mm M4 screws with snap off points

96mm Centres				
8531	РВ			

128mm Centres				
38532	CP			
48532	SC			



96mm (entres
38521	CP
48521	SC

128mm Centres				
38522	CP			
48522	SC			



96mm (entres
38528	CP
48528	SC

128mm Centres				
38529	CP			
48529	SC			



96mm (entres	
38518	СР	

128mm	Centres
48519	SC



96mm (entres		
38526	CP		
48526	SC		

128mm	Centres		
38527	СР		





96mm Centres

38534 **CP** 48534 **SC**

128mm Centres 38535 **CP**

96mm Centres

48523 **SC**

60000

96mm Centres

38509 **CP** 48509 **SC**

96mm Centres

38513 **CP** 48513 **SC**

64mm Centres

38503 **CP** 48503 **SC**

96mm Centres

48504 **SC**

64mm Centres

38505 **CP** 48505 **SC** 96mm Centres 38506 **CP**

48506 **SC**

50x20mm

38576 **CP** 48576 **SC**

86x35mm 38577 **CP** 48577 **SC**





43x20mm

48565 **SC**

75x18mm 3286 PB 33286 CP 43286 SC

75x18mm 43293 **SC**

96mm 3285 **PB** 33285 **CP**

96mm 5604 **PB** 35604 **CP**












Concealed Flush Drawer Pull



Overall length / thickness 1.5 mm

Concealed drawer edge pull

 48200
 SSS
 116 mm

 48201
 SSS
 166 mm

 48202
 SSS
 190 mm





20x20mm		
8662	РВ	
38662	CP	
48662	SC	

25x25m	ım	
8663	PB	
38663	CP	

30x30m	ım	
8664	РВ	
38664	CP	
48664	SC	



25x25m	ım	
8567	PB	
38567	CP	

40x23m	ım	
38555	СР	
48555	SC	







buy in bulk and save



35x28m	m	
8575	PB	
38575	CP	
48575	SC	

25x25m	ım	
38677	СР	

30x25m	m	
18678	PVD	
38678	CP	
48678	SC	

35x30m	m	
18679	PVD	
38679	CP	
48679	SC	



25x25mm		
38659	CP	
48659	SC	

28x27mm

38560 **PB**

48560 **CP**

32x32mm			
38660	СР		
48660	SC		

33x27mm

38561 **PB** 48561 **CP**

35x33mm		
38553	CP	





25x30mm		
8667	РВ	
48667	SC	



25x25mm		
18674	PVD	
38674	CP	
48674	SC	

30x27m	m	
18675	PVD	
38675	CP	
48675	SC	

a/	6	1
6		

25x22mm		
18671	PVD	
38671	CP	
48671	SC	

30x28mm		
18672	PVD	
38672	CP	
48672	SC	

(E	
laste !	

22x20mm		
8651	РВ	
38651	CP	
48651	SC	

28x26m	m	
8652	РВ	
38652	CP	
48652	SC	

Aluminium	

16x20mm		
48584	SC	

20x26mm 48585 **SC**

50 www.austyle.com.au



18x25mm 48654 **SC** 21x27mm 38655 **CP** 48655 **SC**

Aluminium

Solid Brass

15x22mm 48580 **SC** Aluminium

20x26mm 48581 **SC** Aluminium

32mm 8601 PB 38601 CP SC 48601

35x20mm 38563 **CP** 48563 **SC** 47X27mm 38564 **CP**

25x30mm 38557 **CP** 48557 **SC**

35x40mm 38558 **CP** 48558 **SC**



















Hinges



Great Saving For Bulk Buys

4 Hour

Rating

316 Marine Grade Stainless Steel

Rand An

45316 100x/5x2.5mm 45317 100x100x25mm

Lapse Pin

100x75x2.5mm 45318

It may test the same on he could be but starts on the traite really mallers.



304 High Grade Stainless Steel Rand An

6K Spidichen

(Della Parent) **45107 616** 1007502.5mm

100x100x2.5mm

Lapse Pin

6709

45 mi On 2 min 45115

45116 100x/5x2.5mm



All hinges include stainless steel Atmos philips head would stress

MS/12mm Metal thread streets available (#9900)

PVD hinges are warminted against turnishing for 50 years. A highly polished bress finish on a clurable stainless steel base provides outstanding strength, long term durability without the warry of corresion.



Rand An

15106 100x/5x2.5mm 15109 100x100x2.5mm

Lapses Pin

PVD Polished Brass British

With Shirt And the

Ę

Bright Polished IN

15117 1 David berram 15116 100x75x2.5mm



Lapse Pin

55116 110x75x2.5mm Rand An

55106 1000502.5 100x100x25mm 25 109

55115 85x60x2mm





Rand Ro

5 KB 100/522.mm БИЯ 100x100x2.5mm

Lapse Pin

35115 45 mi Car2 man 100x75x2.5mm 35116



Antique Copper Anish

Rand Ro

25006 100x/5x2.5mm




45116 100x/5x2.5mm









Heavy Duty 304SS Broad Butt



Great Saving For Bulk Buys



Brushed SS Finish

Fixed Pin

100x**125**x3mm 45112 45111 100x150x3.5mm 45110 100x**175**x3.5mm 45113 100x200x3.5mm



M5/12mm Metal thread screws available (#9900)

without the worry of corrosion.

steel base provides outstanding strength, long term durability

PVD hinges

A highly

PVD Polished Brass

Fixed Pin

are warranted against tarnishing for 50 years.

polished brass finish on a durable stainless

15112 100x**125**x3mm 15111 100x150x3.5mm 15110 100x**175**x3.5mm



Matt Black Finish

Fixed Pin

55112 100x125x3mm 55111 100x150x3.5mm 100x**175**x3.5mm 55110



Polished SS Finish

Fixed Pin

35112 100x125x3mm 35111 100x150x3.5mm 100x**175**x3.5mm 35110




Ball Bearing Flush Hinges 100x47x2.5mm

PVD Polished Brass 15144 45144 304 Satin Stainless Steel 45344 316 Satin Stainless Steel

55144 Matt Black

89x35x2mm

45143 Satin Stainless Steel




76x30x1.5mm 45142 Satin Stainless Steel

Fast Fix Hirline Flush Hinges

- No rebating required. Ideal for timber or aluminium applications
- M5/12mm Metal thread screws available (#9900)
- Heavy Duty Stainless Steel Ball Bearings
- Now available in 316 Stainless Steel [#45344]

It may look the same on the outside but what's on the inside really matters.

316 STAINLESS STEEL HINGES ANYTHING ELSE IS A COMPROMISE!



100x75x2.5mm

45132 LEFT HAND - Satin S/S 45133 RIGHT HAND - Satin S/S


89x60x2.5mm

LEFT HAND - Satin S/S 45130 45131 RIGHT HAND - Satin S/S

LEFT HAND - PVD Polished Brass 15130 RIGHT HAND - PVD Polished Brass 15131

Lift Off Hinge

- Required for all domestic/commercial bathroom door installations
- 2 12mm pin length (lift off distance) for quick and easy lifting
- M5/12mm Metal thread screws available (#9900)



100x75x2.5mm

LEFT HAND - Satin S/S 45134 RIGHT HAND - Satin S/S 45135

Self Closing Rising Hinge

- Suits all domestic/commercial bathroom door installations
- 2 12mm pin length (lift off distance) for guick and easy lifting
- M5/12mm Metal thread screws available (#9900)

Flush, Panic, Door / Window Bolts 55



Flush, Panic, Door Window Bolts



panic bolt - heavy duty

- Reinforced solid saddle for additional strength
- Solid brass and heavy duty fixings
- Concealed fixing

255mm		
5025 35025	PB CP	
45025	SC	

450mm	
5027	PB
35027	CP
45027	SC

300mm	
5026	PB
35026	CP
45026	SC

600mm	ı	
5028	РВ	
35028 45028	CP SC	
13020	50	

Offset Bolt 300mm		
5046	РВ	
35046	CP	
45046	SC	



Lockable High Security Flush Bolt

- Supplied with interchangable buttons for both hinged doors or stackable sliding doors
- C4 Cylinder profile can be re-keyed to match existing cylinders
- Meavy Duty Solid Brass material





Additional interchangable "flush" button (1mm) is supplied for stackable sliding doors



spring loaded window or door bolt

- Concealed design & upgraded spring mechanism
- C4 cylinder key
- Spring loaded bolt release

40x42mm (31 mm projection)		
39112	СР	
49112	SC	

135x42	mm	(31 mm projection)
39111	СР	








spring loaded barrel bolt - heavy duty

Push button operation







Flush Bolts







streamline flush mount "reverse" barrel bolt

- 12mm straight route rebate for easy installation
- Bolt is neatly boxed at rear
- Smooth Slide button operation

Wide M 100x32		
5178	PB	
25178	ATQ	
35178	CP	
45178	SC	
55178	Black	

Wide Mo 150x32r		(45 mm bolt throw)
5179 25179 35179 45179 55179	PB ATQ CP SC Black	

Slim Mo 75x19m	ount nm (34 mm bolt throw)
5181	РВ
35181	CP
45181	SC
55181	Black

Slim M 150x19	ount 9mm (34 mm bolt throw)
5180	PB
35180	CP
45180	SC
55180	Black



heavy duty barrel bolt

75x32m	ım	(25 mm bolt throw)
4267	PB	
24267	ATQ	
34267	CP	
44267	SC	
54267	Blac	k

100x33	mm	(25 mm bolt throw)
4268	PB	
24268	ATQ	
34268	CP	
44268	SC	
54268	Blacl	(

150x33	mm	(25 mm bolt throw)
4269	PB	
24269	ATQ	
34269	CP	
44269	SC	
54269	Blac	k

I	100x30mm (50mm EXTENDED bolt throw)		
	4263	PB	
	24263	ATQ	
	34263	CP	
	44263	SC	
	54263	Black	

150x30mm (50mm EXTENDED bolt throw)		
4264	PB	
24264	ATQ	
34264	CP	
44264	SC	
54264	Black	

200x30mm (50mm EXTENDED bolt throw)		
4265	PB	
24265	ATQ	
34265	СР	
44265	SC	
54265	SC	



Offset E	Bolt
100x30	mm (20 mm bolt throw)
4271	PB
24271	ATQ
34271	CP
44271	SC
54271	Black

Offset Bo	lt
150x30m	m (20 mm bolt throw)
4272	PB
24272	ATQ
34272	СР
44272	SC
54272	Black




easy fix - heavy duty flush bolt

- Reinforced guide behind bolt for additional strength
- Minimal rebate for installation
- Push button operation







450x22mm		(25 mm bolt throw)
5185	РВ	
35185	CP	
45185	SC	

200x19 mm		(25 mm bolt throw)
5183	РВ	
25183	ATQ	
35183	CP	
45183	SC	










standard all purpose - flush bolt

Reinforced guide behind the face for additional bolt strength




200x19i	mm (25 mm bolt throw)
5031	РВ
35031	CP



concealed fixing - heavy duty flush bolt

Reinforced solid saddle for additional strength







General Accessories

Cylindrical ferrule keepers

9849 PB 39849 CP



Flat Keeper [please specify particular bolt]

9850 PB 29850 ATQ CP SC 39850 49850 59850 Black



Barrel bolt raised keeper [please specify particular bolt]

9863 PB 29863 **ATQ** 39863 CP 49863 SC 59863 Black





Numbers and Alphabet

316 Stainless Steel EVERYTHING ELSE IS A COMPROMISE!



$0123456789 \\ 0123456789 \\ 0123456789$

ABCDEFGHIJKLM NOPQRSTUVWXYZ

ABCDEFGHIJKLM NOPQRSTUVWXYZ

316 Stainless Steel

Font: Arial

Satin Stainless Steel

130mm 4891+ [#0-9] 150mm 4892+ [#0-9] 225mm 4893+ [#0-9]

Polished Stainless Steel

130mm 3891+ [#0-9] 150mm 3892+ [#0-9]

Matt Black

130mm 5891+ [#0-9] 150mm 5892+ [#0-9] 225mm 5893+ [#0-9]

Font: Arial

304 Satin Stainless Steel

150mm 48104"A".....

Matt Black

150mm 58104 "A".....

abcd abcd abcd

Font: Arial

304 Satin Stainless Steel -55mm

48100/a 48101/b 48102/c 48103/d

Polished Stainless Steel-55mm

38100/a 38101/b 38102/c 38103/d

Matt Black-55mm

58100/a 58101/b 58102/c 58103/d

AB&CTOZ

Font: Times New Roman Polished Brass

Polished Brass

75mm 3064 "A"..... 150mm 3065 "A".....

Polished Chrome

75mm 33064 "A"..... 150mm 33065 "A".....

12345 67890

PVD Polished Brass

25mm 1881+ [#0-9] 50mm 1882+ [#0-9] 75mm 1883+ [#0-9] 100mm 1884+ [#0-9] 150mm 1885+ [#0-9]

Polished Stainless Steel

50mm 3882+ [#0-9] 75mm 3883+ [#0-9] 100mm 3884+ [#0-9] 150mm 3885+ [#0-9] 12345 67890

PVD Polished Brass

75mm 1887+ [#0-9] 100mm 1888+ [#0-9]

Polished Stainless Steel

75mm 3887+ [#0-9] 100mm 3888+ [#0-9]



Door Stops



304 Stainless Steel anything else is a compromise



- Includes expansion bolt & wood screw fixings
- Some black items are plated to order

wall mounted

Round Tube	Length: 75mm Diam.: 17mm
13717	PVD
33717	PSS
43717	SSS
53717	BPC
63717	Copper [plated to order]

Square	Length: 85mm Diam.: 25x25mm
13711	PVD
33711	CP
43711	SC
53711	Black

floor mounted

Square	Length: 45mm Diam.: 25x25mm	
13710	PVD	
33710	PSS	
43710	SSS	
53710	Black	

Flat Top	Length: 40mm Diam.: 30mm
33714	PSS
43714	SSS
53714	Black

Round Top	Length: 50mm Diam.: 25mm
33713	PSS
43713	SSS
53713	Black


Thin Rubber	Length: 40mm Diam.: 25mm
43712	SSS
53712	Black

Heavy Rubber	Length: 40mm Diam.: 30mm
13715	PVD
33715	PSS
43715	SSS
53715	black

Half Moon Stainless Steel	Diam.: 45mm
3080	РВ
23080	Ant.Copr
33080	PSS
43080	SSS
53080	Black
63080	Copper

Square	Length: 40mm
33718	СР
43718	SC
53718	Black

Triangle	Diam.: 45mm
33728	CP
43728	SC
53728	Black
























Door Stop & Catch



door/skirting mounted door catch - heavy duty

Base: 65mm projection Catch: 55mm projection					
3320	РВ				
33320	CP				
43320	SC				

Base: 32x25mm Catch: 32mm projection FLOOR MOUNT			
3321	РВ		
33321	CP		
43321	SC		

Base: 65mm projection Catch: 38mm projection		
3322	PB	
33322	СР	
43322	SC	
53322	Black	









magnetic catch

L/W: 45x37	7mm	L/W: 53x34mm	Risen Ba L/W: 45x			ight: 75m se: 48x48ı	
43727	SC	3722 PB	13723	PB	33	729	CP
		33722 CP	33723	CP	43	729	SC
		43722 SC	43723	SC			











Mounted Square Design

foot operated door catch

H/W: 145x27mm / 55mm throw (door mounted)		
34099	CP	
44099	SC	

door closer

Adjustable closing tension

H/W: 115x30mm (spring loaded - modern concealed fix)		
43730	SC	recommended for internal doors





Keep the door open...

Keep the door closed...



Theme & Styling Options



TIP: REMEMBER TO MATCH WITH YOUR FRONT DOOR FEATURE ENTRANCE HANDLE (PAGE 13) FOR UNIFORMITY

Hinges











15108 PVD Brass

35108 Polished SS

45108 Satin SS

55118 Matt Black

25008 ATQ Copper

Flush Pulls





220x55mm

Door Stops: Wall & Floor Mount



63717/CPR 75mm

43717/SSS

75mm

33717/PSS 75mm

13717/PB 75mm

53717/Black 75mm



43080/SC 75mm



63080/CPR 75mm



33080/CP 75mm



3080/PB 75mm



53080/Black 75mm

Privacy & Bathroom Doors



220x55mm



9038/PB 35mm



39038/CP 35mm



49038/SC 35mm



29035/ATQ 35mm





69038/Copper 35mm





43531CL/SC 52mm



43530CL /SC 52mm



Integrated Privacy 49016A / SC 69016A/Copper (Copper Face/Striker with SC latch tongue)



53531CL/Black 52mm




53530CL/Black 52mm



Polished Copper: 69032 Antique Copper: 29032

Theme & Styling Options





Passage Latches



69031 (Face/Striker Copper)



9031/PB









innovative integration





Purchase Austyle products through Access Hardware to earn 1 Qantas Point per \$1 spent for your business*. Find out more by calling Access Hardware customer service on 1800 555 600 or visit accesshardware.com.au

'A business must be a Qantas Business Rewards member to earn Qantas points for business. Membership and Qantas Points are subject to Qantas Business Rewards Terms and Conditions at qantasbusinessrewards.com/terms and Access Hardware Terms and Conditions at www.accesshardware.com.au/qbr

Customer Service **1800 555 600**Locksmithing **1800 555 700**



Service Supply & Support Since 1982