



COMMERCIAL - FIRE RATED

COMMERCIAL
FIRE RATED

fire rated

TRIO commercial



What is fire rated?

- To achieve maximum integrity of a fire door, the door furniture must withstand extreme heat conditions without fail. The Trio range has passed a 2 hour fire rating.

When is fire rated used?



- The Building Code of Australia requires that new commercial building construction have fire rating measures in place (either passive or active) to prevent the spread of flames and to minimise structural damage.

Why use Trio?

- The Trio fire rated range has been tested to Australian / New Zealand Standard 1905, Part 1 - 2005 and BS 476: Part 22 - 1987 and has a 2 hour passed rating.
- Trio's reputation and success has been based on delivering the highest level of quality products for the past 40 years.
- Suitable to suit all fire door sizes and designs.
- The Trio designs suit commercial applications, where maximum application durability is required, while also providing stylish designs.
- Available in Retail and Trade packaging to accommodate different market users.



lock range



features

- Cylindrical chassis knob set
- Fire Rated 2 hours to AS1905.1-1997
- Commercial Heavy Duty - Grade 2



specifications

- Satin Stainless Steel Finish
- CL series spherical knob set
- 70mm Backset (optional 60mm or 127mm)
- For door thickness: 35-50mm
- **Cylinder Keyway:** C4 6 Pin standard - Construction and Master keyable - Brass Cylinder and Plug - 2 keys supplied
- **Compliance:** AS 1428: 1 - 2009 Compliance with access and mobility code

range and function

R21-K307SS
Function: Entrance
Outside knob will become locked when inside button is pushed. To unlock, key must be used on outside knob which will release the inside knob. Inside knob is always unlocked providing emergency exit.
R21-K3062SS
Function: Storeroom
Outside knob always remains locked, requiring key opening to operate. Inside knob is always unlocked providing emergency exit.
R21-K3082SS
Function: Passage
Both outside and inside knobs always remain unlocked.
R21-KL3007
Function: Entrance / Knob / Lever
Outside knob will become locked when inside lever button is pushed. To unlock, key must be used on the outside knob which releases inside lever.

lever range



features

- Cylindrical chassis lever set
- Fire Rated 2 hours to AS1905.1-1997
- Commercial Heavy Duty - Grade 2

specifications

- High quality Satin Chrome finish
- 70mm Backset (optional 60mm or 127mm)
- For door thickness: 35-50mm
- **Cylinder Keyway:** C4 6 Pin standard - Construction and Master keyable - Brass Cylinder and Plug - 2 keys supplied
- **Compliance:** AS 1428: 1 - 2009 Compliance with access and mobility code

range and function

R21-L8000SC

Function: **Entrance**

Outside lever becomes locked when inside button is pushed. To unlock, key must be used on outside lever which releases inside lever. Inside lever is always unlocked providing emergency exit.

R21-L8012SC

Function: **Classroom**

Outside lever is locked or unlocked by key. When locked, a key must be used from the outside to unlock the lockset. The inside lever is always unlocked providing emergency exit.

R21-L8052SC

Function: **Connecting Room**

Deadlocking latchbolt operates from the inside only. Blank plate outside.

R21-L8062SC

Function: **Storeroom**

Outside lever always remains locked, requiring key to operate. Inside lever is always unlocked providing emergency exit.

R21-L8082SC

Function: **Passage**

Both outside and inside levers always remain unlocked.

R21-L8030SC

Function: **Privacy Set**

Lever is locked via the push button on the inside, but can open by the emergency release on the outside. Regardless of the mode, the inside lever is always unlocked providing emergency exit.

Images for illustrative purposes only.

trioaustralia.com.au



5.03

door closer range

features

- Adjustable closing force, closing speed and latching action
- Adjustable backcheck
- Suitable for left and right hand doors
- Parallel arm bracket included


fixing

- Suitable for standard fixing on the pull side and transom fixing on the push
- Suitable for parallel arm installation

range and specifications


DC 3050

Max door leaf width 955mm
Max door height 2000-2200mm
Door weight up to 40-65kg
Max door opening angle approx 180 degrees
Adjustable closing speed
Adjustable latching speed
With back check function
Closer spring size 3




DC 4080

Max door leaf width 1100mm
Max door height 2000-2200mm
Door weight up to 25-85kg
Max door opening angle approx 180 degrees
Adjustable closing speed
Adjustable latching speed
With back check function
With delay action function
Closer spring size 2-4



DC 5120

Max door leaf width 1400mm
Max door height 2000-2200mm
Door weight up to 40-150kg
Max door opening angle approx 180 degrees
Adjustable closing speed
Adjustable latching speed
With back check function
With delay action function
Closer spring size 3-6




Pull Handles




Description	Size spec 1	Size spec 2	Finish	Pack type	Code	Barcode
Round pull handle	600mm	Diameter: 30mm	stainless steel	retail	BR13-R30600SS	
Square pull handle	600mm	25mm x 25mm	stainless steel	retail	BR13-S25600SS	
D Handle with plates	Diameter 19mm	Length 180mm	stainless steel	bulk	R13-19178D/WP	
Rectangular pull handle	Centre to centre 400mm	Length 420mm	stainless steel	bulk	R13-S40420SS	
C Handle	Diameter 32mm	Length 300mm	stainless steel	bulk	R13-32300PHSS	


Round Pull Handle
600mm




Square Pull Handle
600mm




D Handle with plates



Rectangular Pull Handle



C Handle



Images for illustrative purposes only.



Grab Rails



Description	Size	Finish	Pack type	Qty per carton	Code	Barcode
Grab rail concealed	300mm x 32mm	stainless steel	trade	16	18006CR	
Grab rail concealed	450mm x 32mm	stainless steel	trade	16	18007CR	
Grab rail concealed	600mm x 32mm	stainless steel	trade	16	18008CR	
Grab rail knurled	300mm x 32mm	stainless steel	trade	16	18003KR	
Grab rail knurled	450mm x 32mm	stainless steel	trade	16	18004KR	
Grab rail knurled	600mm x 32mm	stainless steel	trade	16	18005KR	
Heavy duty rail	300mm x 25mm	stainless steel	trade	16	18000HR	
Heavy duty rail	450mm x 25mm	stainless steel	trade	16	18001HR	
Heavy duty rail	600mm x 25mm	stainless steel	trade	16	18002HR	



Grab rail concealed

18006CR





Grab rail knurled

18003KR



Heavy duty rail

18000HR




Images for illustrative purposes only.

Lever Sets | Tie Bolt




Product Name	Description	Finish	Qty per pack	Code	Barcode
Chesapeake	Entrance Adjustable Latch 60-70mm	satin chrome	6	WCL400SCC	
Chesapeake	Privacy Adjustable Latch 60-70mm	satin chrome	6	WCL300SCC	
Chesapeake	Passage Adjustable Latch 60-70mm	satin chrome	6	WCL200SCC	
Chesapeake	Dummy	satin chrome	6	WCL100SCC	
Chesapeake	Entrance Adjustable Latch 60-70mm	chrome plated	6	WCL400CPC	
Chesapeake	Privacy Adjustable Latch 60-70mm	chrome plated	6	WCL300CPC	
Chesapeake	Passage Adjustable Latch 60-70mm	chrome plated	6	WCL200CPC	
Chesapeake	Dummy	chrome plated	6	WCL100CPC	


Chesapeake
ENTRANCE




Chesapeake
PRIVACY



Chesapeake
PASSAGE



Chesapeake
DUMMY



Images for illustrative purposes only.

trioaustralia.com.au




5.07

Knob Sets | Tie Bolt



Product Name	Description	Finish	Qty per pack	Code	Barcode
Titan	Entrance Set - Knob & Deadbolt Key Alike Adjustable Latch 60-70mm	satín stainless steel	6	WLK/WDB65SSSC	
Titan	Entrance Adjustable Latch 60-70mm	satín stainless steel	6	WLK400SSSC	
Titan	Privacy Adjustable Latch 60-70mm	satín stainless steel	6	WLK300SSSC	
Titan	Passage Adjustable Latch 60-70mm	satín stainless steel	6	WLK200SSSC	
Titan	Dummy	satín stainless steel	6	WLK100SSSC	
Titan	Entrance Set - Knob & Deadbolt Key Alike Adjustable Latch 60-70mm	polished stainless steel	6	WLK/WDB65PSSC	
Titan	Entrance Adjustable Latch 60-70mm	polished stainless steel	6	WLK400PSSC	
Titan	Privacy Adjustable Latch 60-70mm	polished stainless steel	6	WLK300PSSC	
Titan	Passage Adjustable Latch 60-70mm	polished stainless steel	6	WLK200PSSC	
Titan	Dummy	polished stainless steel	6	WLK100PSSC	


Titan
ENTRANCE SET




Titan
ENTRANCE




Titan
PRIVACY



Titan
PASSAGE



Titan
DUMMY



Images for illustrative purposes only.

Knob Sets | Tie Bolt


**BUILDER
LOCK**

Product Name	Description	Finish	Qty per pack	Code	Barcode
Builderlock	Entrance Adjustable Latch 60-70mm	black	6	WUK400BL	 9 13 2 8 8 7 9 1 1 3 7 3 9
Builderlock	Privacy Adjustable Latch 60-70mm	black	6	WUK300BL	 9 13 2 8 8 7 9 1 1 3 7 4 6
Builderlock	Passage Adjustable Latch 60-70mm	black	6	WUK200BL	 9 13 2 8 8 7 9 1 1 3 7 5 3
Builderlock	Dummy	black	6	WUK100BL	 9 13 2 8 8 7 9 1 1 3 7 6 0


Builderlock DEADBOLT




Builderlock ENTRANCE




Builderlock PRIVACY



Builderlock PASSAGE



Builderlock DUMMY




Images for illustrative purposes only.

trioaustralia.com.au



5.09


Butt Hinge Architectural SS



Finish	Pin type	Pack type	Qty inner	Qty outer	Material	Code	Barcode
Size: 100 x 75 x 2.5mm							
satin stainless steel	fixed	trade	20	80	304 stainless steel	R1-175F	
satin stainless steel	loose	trade	20	80	304 stainless steel	R1-175L	
polished stainless steel	fixed	trade	20	80	304 stainless steel	R1-175FPS	
polished stainless steel	loose	trade	20	80	304 stainless steel	R1-175LPS	

Size: 100 x 100 x 2.5mm							
satin stainless steel	fixed	trade	20	80	304 stainless steel	R1-1100F	
satin stainless steel	loose	trade	20	80	304 stainless steel	R1-1100L	
polished stainless steel	fixed	trade	20	80	304 stainless steel	R1-1100FPS	

Butt Hinge Architectural Ball Bearing SS




Finish	Pin type	Pack type	Qty inner	Qty outer	Material	Code	Barcode
Size: 100 x 75 x 2.5mm							
satin stainless steel	fixed	trade	20	80	304 stainless steel	R1-175BBF	
Size: 100 x 100 x 2.5mm							
satin stainless steel	fixed	trade	20	80	304 stainless steel	R1-1100BBF	

Quick Fit Flat Hinge Architectural SS




Finish	Pin type	Pack type	Qty inner	Qty outer	Material	Code	Barcode
Size: 100 x 70 x 2.5mm Timber Fix							
satin stainless steel	fixed	trade	20	80	304 stainless steel	R3-170TSS	
Size: 90 x 65 x 2.5mm Timber Fix							
satin stainless steel	fixed	trade	20	80	304 stainless steel	R3-965TSS	
Size: 100 x 70 x 2.5mm Aluminium Fix							
satin stainless steel	fixed	trade	20	80	304 stainless steel	R3-170ASS	


Quick Fit Architectural SS
100 x 70 x 2.5mm | TIMBER FIX



Quick Fit Architectural SS
90 x 65 x 2.5mm | TIMBER FIX



Quick Fit Architectural SS
100 x 70 x 2.5mm | ALUMINIUM FIX



Size: 100 x 65 x 2.0mm | Timber Fix

satin stainless steel	fixed	trade	20	80	304 stainless steel	R1-W7165F
-----------------------	-------	-------	----	----	---------------------	-----------



Size: 90 x 53 x 1.8mm | Timber Fix

satin stainless steel	fixed	trade	20	80	304 stainless steel	R1-W790F
-----------------------	-------	-------	----	----	---------------------	----------




Size: 75 x 44 x 1.6mm | Timber Fix


satin stainless steel	fixed	trade	20	80	304 stainless steel	R1-W775F
-----------------------	-------	-------	----	----	---------------------	----------




Quick Fit Architectural SS
100 x 65 x 2.0mm | TIMBER FIX



Quick Fit Architectural SS
90 x 53 x 1.8mm | TIMBER FIX




Quick Fit Architectural SS
75 x 44 x 1.6mm | TIMBER FIX



Images for illustrative purposes only.

Butt Hinge Heavy Duty



Finish	Pin type	Pack type	Qty inner	Qty outer	Material	Code	Barcode
--------	----------	-----------	-----------	-----------	----------	------	---------

Size: 100 x 75 x 3.2mm Ball Bearing

satin stainless steel	fixed	trade	20	80	304 stainless steel	T717532FPSSB	
-----------------------	-------	-------	----	----	---------------------	--------------	--

Size: 100 x 100 x 3.2mm

satin stainless steel	fixed	trade	20	80	304 stainless steel	T710032FPSS	
-----------------------	-------	-------	----	----	---------------------	-------------	--

satin stainless steel	loose	trade	20	80	304 stainless steel	T710032LPSS	
-----------------------	-------	-------	----	----	---------------------	-------------	--

Size: 100 x 100 x 3.2mm Ball Bearing

satin stainless steel	fixed	trade	20	80	304 stainless steel	T710032FPSSB	
-----------------------	-------	-------	----	----	---------------------	--------------	--


Size: 127 x 89 x 2.5mm

satin stainless steel	fixed	trade	20	80	304 stainless steel	T71275FPSS	
-----------------------	-------	-------	----	----	---------------------	------------	--

Size: 152 x 101 x 4.0mm

satin stainless steel	fixed	trade	20	80	304 stainless steel	T715240FPSSB	
-----------------------	-------	-------	----	----	---------------------	--------------	--

Butt Hinge Architectural



Finish	Pin type	Pack type	Qty inner	Qty outer	Material	Code	Barcode
--------	----------	-----------	-----------	-----------	----------	------	---------



Size: 85 x 60 x 2.0mm

satin stainless steel	loose	trade	20	80	304 stainless steel	R1-T8520L	
-----------------------	-------	-------	----	----	---------------------	-----------	--



Images for illustrative purposes only.


Customised Hinge



Finish	Pin type	Pack type	Qty inner	Qty outer	Material	Code	Barcode
--------	----------	-----------	-----------	-----------	----------	------	---------


316 stainless steel hinges

satin stainless steel	fixed	trade	20	80	316 stainless steel	R1-175F316	
satin stainless steel	fixed	trade	20	80	stainless steel	R1-1100F316	



stainless steel split hinges

satin stainless steel	fixed	trade	20	80	304 stainless steel	R1-SPLITHINGE	
-----------------------	-------	-------	----	----	---------------------	---------------	---



stainless steel spring hinges: 100 x 75 x 2.5mm


satin stainless steel	fixed spring	trade	10	40	304 stainless steel	R1-175SASH	
-----------------------	--------------	-------	----	----	---------------------	------------	---

Images for illustrative purposes only.

trioaustralia.com.au




Butt Hinge Architectural




Finish	Pin type	Pack type	Qty inner	Qty outer	Material	Code	Barcode
Size: 100 x 75 x 2.5mm							
zinc plated	fixed	trade	20	80	steel	R2-175ZPF	9 3 288 79 11 552 8
zinc plated	loose	trade	20	80	steel	R2-175ZPL	9 3 288 79 11 553 5
satin chrome	fixed	trade	20	80	steel	R2-175SCF	9 3 288 79 10 405 23
satin chrome	loose	trade	20	80	steel	R2-175SCL	9 3 288 79 10 405 30
chrome plated	fixed	trade	20	80	steel	R2-175CPF	9 3 288 79 10 732 62
chrome plated	loose	trade	20	80	steel	R2-175CPL	9 3 288 79 10 732 79
gold plated	fixed	trade	20	80	steel	R2-175CGF	9 3 288 79 10 732 86
gold plated	loose	trade	20	80	steel	R2-175CGL	9 3 288 79 10 732 93
black	fixed	trade	20	80	steel	R2-175BLF	9 3 288 79 11 687 7

Butt Hinge Architectural



Finish	Pin type	Pack type	Qty inner	Qty outer	Material	Code	Barcode
Size: 100 x 100 x 2.5mm							
zinc plated	fixed	trade	20	80	steel	R2-1100ZPF	9 13 2 8 8 7 9 11 0 4 0 4 2 4
zinc plated	loose	trade	20	80	steel	R2-1100ZPL	9 13 2 8 8 7 9 11 0 4 0 4 3 1
satin chrome	fixed	trade	20	80	steel	R2-1100SCF	9 13 2 8 8 7 9 11 0 4 0 4 0 0
chrome plated	fixed	trade	20	80	steel	R2-1100CPF	9 13 2 8 8 7 9 11 0 7 3 2 2 4
gold plated	fixed	trade	20	80	steel	R2-1100CGF	9 13 2 8 8 7 9 11 0 7 3 2 4 8
black	fixed	trade	20	80	steel	R2-1100BLF	9 13 2 8 8 7 9 11 1 6 8 6 0



Butt Hinge Radius



Finish	Pin type	Pack type	Qty inner	Qty outer	Material	Code	Barcode
Size: 89 x 58 x 1.6mm							
black	loose	trade	20	100	steel	PBTRB8916LPBL	9 13 2 8 8 7 9 11 1 6 9 2 1

Images for illustrative purposes only.

Butt Hinge Security Stud



Finish	Pin type	Pack type	Qty inner	Qty outer	Material	Code	Barcode
--------	----------	-----------	-----------	-----------	----------	------	---------


Size: 100 x 75 x 2.5mm Ball Bearing

satin stainless steel	fixed	trade	20	80	304 stainless steel	S717525FPSSB	
-----------------------	-------	-------	----	----	---------------------	--------------	---

Size: 100 x 100 x 2.5mm Ball Bearing

satin stainless steel	fixed	trade	20	80	304 stainless steel	S710025FPSSB	
-----------------------	-------	-------	----	----	---------------------	--------------	---

Prison Hinge



Finish	Pin type	Pack type	Qty inner	Qty outer	Material	Code	Barcode
--------	----------	-----------	-----------	-----------	----------	------	---------

Size: 100 x 75 x 2.5mm Ball Bearing

satin stainless steel	fixed	trade	20	80	304 stainless steel	R1-175BBF-PH	
-----------------------	-------	-------	----	----	---------------------	--------------	---

Size: 100 x 100 x 2.5mm Ball Bearing

satin stainless steel	fixed	trade	20	80	304 stainless steel	R1-1100BBF-PH	
-----------------------	-------	-------	----	----	---------------------	---------------	---


Size: 100 x 75 x 3.0mm Ball Bearing

satin stainless steel	fixed	trade	20	80	304 stainless steel	T717532FPSSB-PH	
-----------------------	-------	-------	----	----	---------------------	-----------------	---

Size: 100 x 100 x 3.0mm Ball Bearing

satin stainless steel	fixed	trade	20	80	304 stainless steel	T710032FPSSB-PH	
-----------------------	-------	-------	----	----	---------------------	-----------------	---

Butt Hinge Heavy Duty Wide Throw




Finish	Pin type	Pack type	Qty inner	Qty outer	Material	Code	Barcode
Size: 100 x 125 x 3.2mm							
stainless steel	fixed	trade	20	80	304 stainless steel	R4-1125SSF	9 13 2 8 8 7 9 11 0 7 3 3 6 1
Size: 100 x 150 x 3.2mm							
stainless steel	fixed	trade	20	80	304 stainless steel	R4-1150SSF	9 13 2 8 8 7 9 11 0 7 3 4 3 9
Size: 100 x 175 x 3.2mm							
stainless steel	fixed	trade	20	80	304 stainless steel	R4-1175SSF	9 13 2 8 8 7 9 11 0 7 3 5 0 7
Size: 100 x 200 x 3.2mm							
stainless steel	fixed	trade	20	80	304 stainless steel	R4-1200SSF	9 13 2 8 8 7 9 11 0 7 3 5 7 6
Size: 100 x 125 x 3.2mm Ball Bearing							
satin stainless steel	fixed	trade	20	80	304 stainless steel	R4-1125SBBF	9 13 2 8 8 7 9 11 0 7 3 5 4 1
Size: 100 x 150 x 3.2mm Ball Bearing							
satin stainless steel	fixed	trade	20	80	304 stainless steel	R4-1150SBBF	9 13 2 8 8 7 9 11 0 7 3 4 2 2
Size: 100 x 175 x 3.2mm Ball Bearing							
satin stainless steel	fixed	trade	20	80	304 stainless steel	R4-1175SBBF	9 13 2 8 8 7 9 11 0 7 3 4 9 1
Size: 100 x 200 x 3.2mm Ball Bearing							
satin stainless steel	fixed	trade	20	80	304 stainless steel	R4-1200SBBF	9 13 2 8 8 7 9 11 0 7 3 5 1 4

Images for illustrative purposes only.

trioaustralia.com.au




Butt Hinge Hospital Hinge



Finish	Pin type	Pack type	Qty inner	Qty outer	Material	Code	Barcode
Size: 100 x 35 x 30 x 3.0mm							
satin stainless steel	fixed	trade	1	40	304 stainless steel	T714432FPSSH	
satin stainless steel	fixed	trade	1	40	304 stainless steel	T714432FPSSHB	

Butt Hinge Architectural Square



Finish	Pin type	Pack type	Qty inner	Qty outer	Material	Code	Barcode
Size: 115 x 100 x 4.0mm							
chrome plated	fixed	trade	20	80	brass	R6-11504FPCP	
satin chrome	fixed	trade	20	80	brass	R6-11504FPSC	




Images for illustrative purposes only.

Butt Hinge Lift Off - Universal




Finish	Pin type	Pack type	Qty inner	Qty outer	Material	Code	Barcode
Size: 100 x 74 x 3.0mm							
satin stainless steel	lift off	trade	20	80	steel	R1-WLO7165	 9 3 2 8 8 7 9 1 1 3 8 4 5
zinc plated	lift off	trade	20	80	steel	WLO7165ZP	 9 3 2 8 8 7 9 1 1 3 6 1 6



Butt Hinge Lift Off - Universal






Finish	Pin type	Pack type	Qty inner	Qty outer	Material	Code	Barcode
Size: 100 x 42 x 2.5mm							
satin stainless steel	lift off	trade	20	80	304 stainless steel	AX-C10042LOF	 9 1 3 2 8 8 7 9 1 1 2 1 8 3 1



Images for illustrative purposes only.

Butt Hinge Lift Off - Stainless Steel




Finish	Pin type	Pack type	Qty inner	Qty outer	Material	Code	Barcode
Size: 100 x 75 x 2.5mm							
satin stainless steel	lift off	trade	20	80	304 stainless steel	R1-175LLOH	
satin stainless steel	lift off	trade	20	80	304 stainless steel	R1-175LORH	
satin stainless steel	lift off	trade	20	80	304 stainless steel	R1-175RLOH	
satin stainless steel	lift off	trade	20	80	304 stainless steel	R1-175RLOH	



Size: 100 x 75 x 1.6mm							
zinc plated	lift off	trade	50	200	steel	T100LHZPLO20	
zinc plated	lift off	trade	50	200	steel	T100RHZPLO20	

Images for illustrative purposes only.

Butt Hinge Lift Off - Steel




Finish	Pin type	Pack type	Qty inner	Qty outer	Material	Code	Barcode
Size: 85 x 60 x 1.6mm							
zinc plated	lift off	trade	20	80	steel	T8516RHZPLO20	9 13 2 8 8 7 9 10 7 8 5 9 5
chrome plated	lift off	trade	20	80	steel	T8516RHCPLO20	9 13 2 8 8 7 9 10 7 8 7 6 2
brass plated	lift off	trade	20	80	steel	T8516RHEBLO20	9 13 2 8 8 7 9 10 7 8 7 7 9
satin stainless steel	lift off	trade	20	80	304 stainless steel	T8516RHSSLO20	9 13 2 8 8 7 9 10 7 8 7 8 6
satin stainless steel	lift off	trade	20	80	304 stainless steel	T8516LHSSLO20	9 13 2 8 8 7 9 10 7 8 7 5 1
zinc plated	lift off	trade	20	80	steel	T8516LHZPLO20	9 13 2 8 8 7 9 10 7 8 6 0 1
chrome plated	lift off	trade	20	80	steel	T8516LHCPLO20	9 13 2 8 8 7 9 10 7 8 7 3 1
brass plated	lift off	trade	20	80	steel	T8516LHEBLO20	9 13 2 8 8 7 9 10 7 8 7 4 8



Size: 89 x 58 x 1.6mm							
satin chrome	lift off	trade	50	200	steel	T8916RHLOSCF	9 13 2 8 8 7 9 11 1 2 4 2 8
satin chrome	lift off	trade	50	200	steel	T8916LHLOSCF	9 13 2 8 8 7 9 11 1 2 4 1 1

Images for illustrative purposes only.

Solid Polished Brass Parliament Hinge




Finish	Pin type	Pack type	Qty inner	Qty outer	Material	Code	Barcode
--------	----------	-----------	-----------	-----------	----------	------	---------

Size: 100 x 100 x 3.2mm

polished brass	loose	trade	20	80	brass	R6-1100PBR	
----------------	-------	-------	----	----	-------	------------	--



Steel Parliament Hinge



Finish	Pin type	Pack type	Qty inner	Qty outer	Material	Code	Barcode
--------	----------	-----------	-----------	-----------	----------	------	---------



Size: 100 x 125 x 3.0mm

steel	fixed	trade	20	80	steel	R5-1125PAR	
-------	-------	-------	----	----	-------	------------	--



Images for illustrative purposes only.

Butt Hinge One Leaf Plain



Finish	Pin type	Pack type	Qty inner	Qty outer	Material	Code	Barcode
--------	----------	-----------	-----------	-----------	----------	------	---------

Size: 100 x 75 x 1.6mm | Left hand

zinc plated	loose	trade	50	200	steel	T9751LPZPLH	
-------------	-------	-------	----	-----	-------	-------------	--




Size: 100 x 75 x 1.6mm | Right hand

zinc plated	loose	trade	50	200	steel	T9751LPZPRH	
-------------	-------	-------	----	-----	-------	-------------	--



Trap Door Hinge



Finish	Pin type	Pack type	Qty inner	Qty outer	Material	Code	Barcode
--------	----------	-----------	-----------	-----------	----------	------	---------

Size: 89 x 76mm

zinc plated	N/A	trade	10	40	steel	T100ZI	
-------------	-----	-------	----	----	-------	--------	--



Images for illustrative purposes only.

trioaustralia.com.au




5.23

Offset Screen Door Hinge




Finish	Pin type	Pack type	Qty inner	Qty outer	Material	Code	Barcode
Size: 76 x 51 x 1.6mm							
zinc plated	loose	trade	60	60	steel	T3030ZI	 9 3 2 8 8 7 9 1 0 2 3 3 3 9




Chest Handle Hinge



Finish	Pack type	Qty inner	Qty outer	Material	Code	Barcode
Size: 100mm						
zinc plated	trade	10	50	steel	WCHESTZP	 9 3 2 8 8 7 9 1 1 3 4 4 9




Continuous Hinges



Width	Thickness	Length	Pin diameter	Knuckle	Code
-------	-----------	--------	--------------	---------	------

Stainless Steel


127	2.0	2160	6.3	40	T012720SS2160K40
25	1.2	1800	3.2	20	T02512SS1800K20
32	1.2	1800	3.2	20	T03212SS1800K20
38	1.2	1800	3.2	30	T03812SS1800K30
38	1.6	1800	4.5	40	T03816SS1800K40
50	1.6	1800	4.5	40	T05016SS1800K40
57	1.6	1800	5	40	T05716SS1800K40
57	1.6	2200	5.0	40	T05716SS2200K40
63	1.6	1800	5.0	40	T06316SS1800K40
63	2.0	1800	6.3	20	T06320SS1800K20
76	1.6	2160	5.0	40	T07616SS2160K40



Images for illustrative purposes only.





Continuous Hinges



Width	Thickness	Length	Pin diameter	Knuckle	Code
Polished Stainless Steel					
32	0.9	1800	3.2	20	T03209PS1800K20
32	1.2	1800	3.2	20	T03212PS1800K20
50	1.2	1800	3.2	30	T05012PS1800K30
Galvanised					
127	2.0	2100	6.3	20	T012720GV2100K20
127	2.5	2160	6.3	40	T012725GV2160K40
127	2.5	2160	6.3	40	T012730GV2160K40
127	2.5	2400	6.3	40	T012725GV2400K40
127	3.0	3000	6.3	40	T012730GV3000K40
25	1.2	1800	3.2	20	T02512GV1800K20
32	1.2	1800	3.2	20	T03212GV1800K20
38	1.2	1800	3.2	30	T03812GV1800K30
38	1.6	1800	4.5	40	T03816GV1800K40
50	1.2	1800	3.2	30	T05012GV1800K30



Continuous Hinges



Width	Thickness	Length	Pin diameter	Knuckle	Code
-------	-----------	--------	--------------	---------	------

Galvanised (continued)

50	1.6	1800	4.5	40	T05016GV1800K40
57	1.6	2160	5.0	40	T05716GV2160K40
63	1.6	2160	5	40	T06316GV2160K40
63	2.0	2160	6.3	40	T06320GV2160K40
76	1.6	2160	5.0	40	T07616GV2160K40
77/52	2.5	2100	6.3	50	T0775225GV2100K50

Bright Steel

25	1.0	1800	3.2	12	T02512BS1800K12
32	1.2	1800	3.2	20	T03212BS1800K20
38	1.2	1800	3.2	30	T03812BS1800K30
38	1.6	1800	4.5	40	T03816BS1800K40
50	1.2	1800	3.2	30	T05012BS1800K30
50	1.6	1800	4.5	40	T05016BS1800K40
57	1.6	2160	5.0	40	T05716BS2160K40
80	4.0	600	10.0	35	T08040BS600K35

Aluminium

44	1.2	1800	3.2	12	T04412AL1800K12
63	2.0	2400	6.3	20	T06320AL2400K20

Images for illustrative purposes only.

trioaustralia.com.au



5.27