

# Rose Door Handles



We take the worry out of  
protecting what's valuable to you.  
**Lockwood:** *no worries®*

**LOCKWOOD**

**ASSA ABLOY**

**25YEAR**

**MECHANICAL  
WARRANTY**

[www.lockweb.com.au](http://www.lockweb.com.au)



## Robert Watson Series

Door Handles and  
Accessories

page 3



## 1220 Symphony Series

Round Rose  
Door Handles

page 12



## 1420 Symphony Series

Square Rose  
Door Handles

page 32



## 1360 Series

Round Rose  
Door Handles

page 52



## 1370 Series

Round Rose  
Door Handles

page 71



## 260 Artefact Series

Round Rose  
Door Handles

page 90



## 260SQ Series

Square Rose  
Door Handles

page 92



## Velocity® Series

Large Rose  
Door Furniture

page 95



## Velocity® Series

Small Rose  
Door Handles

page 100



## Vivid® Collection

Internal Door  
Lever sets

page 108



## Finishes

page 114

# Robert Watson Series Door Handles



The Robert Watson Collection of door furniture consists of three lever designs and a range of complementing escutcheons, turnknobs and emergency release sets. The roseless design of the furniture is unprecedented and the innovation and lateral thinking involved in the development of the products has led to them being patent protected and design registered.

## Application

The Robert Watson range is suitable for commercial as well as residential use.

### It can be fitted with:

- Lockwood Selector 3770 Series Mortice Locks
- Lockwood Synergy 3570 Series Mortice Locks
- Lockwood 6780 and 6580 Mortice Locks (38mm backset, metal doors only)
- Lockwood 531 Latches and 6260 Tubular Bolts

## Fixing

Furniture is fixed to Selector 3770 or Synergy 3570 Series Mortice Locks using a specially developed pair of steel adaptor plates that are secured through the lock case using screws.

Robert Watson furniture may also be fitted with a Lockwood 531 Latch using a steel adaptor which locates over the body of the latch.

A special adaptor for fixing Robert Watson furniture to 6780 and 6580 Narrow Style Mortice Locks in hollow aluminium door sections is also available.

## Product Details

<b>Dimensions</b>	Body: 36mm diameter. Projection from door: 62.5mm.
<b>Materials</b>	Furniture body: aluminium. Mounting stock and other internal components: stainless steel, steel and brass.
<b>Door Thickness</b>	Selector 3770 and Synergy 3570 Series: 32mm to 50mm Selector 6780 and Synergy 6580 Series: 32mm to 50mm Lockwood 531 Latches: 35mm to 50mm  For Mortice Lock installation on doors 51mm to 62mm thick, use accessory pack RW00-42.
<b>Finishes</b>	Satin Anodised (SA) Powdercoat (PC)

## Standards and Compliance



Robert Watson Series has been successfully tested up to 4 hours with a fire rated Lockwood mortice lock on fire door assemblies (depending on type of doorset) in accordance with Australian Standard AS1905.1:2005, Fire Resistant Doorsets

**D8**



Robert Watson Series lever sets have been successfully tested to conform with Level D8 (500,000 cycles) under Australian Standard AS4145.2-2008, Locksets and hardware for doors and windows


Robert Watson Series in satin anodised finish has been successfully tested to conform with Level C10 (1000 hours) under Australian Standard AS4145.2-2008, Locksets and hardware for doors and windows

Robert Watson Series is designed, assembled and customised in Australia to suit the requirements of the Australian Market

# Robert Watson Levers


## Tangent - Lever A1

<b>Length</b>	143 mm
<b>Projection</b>	62.5 mm
<b>Finger Clearance</b>	44.5 mm




## Centre - Lever A2

<b>Length</b>	143 mm
<b>Projection</b>	62.5 mm
<b>Finger Clearance</b>	44.5 mm



## Centre D - Lever A3

<b>Length</b>	143 mm
<b>Projection</b>	62.5 mm
<b>Finger Clearance</b>	44.5 mm





# Robert Watson Series Escutcheons





These escutcheons are designed to be fitted with Lockwood oval cylinders and the Robert Watson range of turnknobs and emergency turns. Fitted using a grub screw, they ensure that the accessories they are fitted with are aesthetically pleasing.

Use with Lockwood Mortice Locks and 6260 Bolts. The escutcheons are available in different sizes for suitability to different door thicknesses.

**Note:** Escutcheons must be ordered separately for use with oval cylinders, turnknobs and emergency release turns.

## Escutcheons

Part Numbers	Door Thickness	(A) Dimension
<b>RW06/38</b>	35–38mm thick	17mm
<b>RW06/44</b>	39–44mm thick	14mm
<b>RW06/50</b>	45–50mm thick	11mm
<b>RW06/56</b>	51–56mm thick*	8mm
<b>RW06/62</b>	57–62mm thick*	5mm




\*Extended door accessory pack required if levers are to be installed on doors of this thickness.

# Robert Watson Series Accessories

## Turnknob


**Part Number** RW07

\*Accessories—use with Selector 3770 and 6780 Series or Synergy 3570 and 6580 Series Mortice Locks.



## Privacy Indicating Turnknob


**Part Number** RW08




## Turnknob and Emergency Release Set

**Part Number** RW09

\*Accessories—use with Selector 3770 and 6780 Series or Synergy 3570 and 6580 Series Mortice Locks.



Exterior




Interior

# Robert Watson Series Accessories


## Turnknob and Privacy Indicating Emergency Release Set

**Part Number** RW10

\*Accessories—use with Selector 3770 and 6780 Series or Synergy 3570 and 6580 Series Mortice Locks.



Exterior




Interior


## Privacy Indicating Turnknob and Privacy Indicating Emergency Release Set

**Part Number** RW11

\*Accessories—use with Selector 3770 and 6780 Series or Synergy 3570 and 6580 Series Mortice Locks.



Exterior




Interior

# Robert Watson Series Accessories


## Turnknob and Emergency Release Set

**Part Number** RW13

\*Accessories—use with Lockwood 6260 Tubular Bolt.



Exterior




Interior

## Privacy Indicating Emergency Release

**Part Number** RW14

\*Accessories—use with Selector 3770 and 6780 Series or Synergy 3570 and 6580 Series Mortice Locks.



Exterior

## Accessories—Latch Kits

**Part Numbers** (Backset) Dimension

RW531/60SC 60mm

RW531/70SC 70mm

RW531/127SC 127mm

\*Latch kits are supplied with adaptors required to fit Robert Watson Levers.



# Robert Watson Series Accessories

Standard turn adaptors supplied with Selector 3770 Series Mortice Locks can be used with Robert Watson turnknobs, no special adaptors needed. Simply remove the plastic insert of the turn adaptors during installation. Refer to the list below for Selector Series turn adaptors.

## Selector 3770 Series Mortice Lock Turn Adaptors


Function	Adaptor
Locking Function	3772-ADAPTOR
Latching Function	3770-ADAPTOR



Special adaptors are required when using Robert Watson turnknobs with Synergy Series Mortice Locks. These can be ordered as spare parts. Refer to the list below.

## Synergy 3570 Series Mortice Lock Turn Adaptors

Function	Adaptor	Function	Adaptor
3570XTR	SP3570-6050	3572WTR	SP3572-6250
3570XTL	SP3570-6050	3572WTL	SP3572-6250
3570-TR	SP3570-6050	3572XAR	SP3572-6250
3570-TL	SP3570-6050	3572XAL	SP3572-6250
3571WTR	SP3571-6050	3573WTR	SP3571-6050
3571WTL	SP3571-6050	3573WTL	SP3571-6050
3571-TR	SP3571-6050	3573-TR	SP3571-6050
3571-TL	SP3571-6050	3573-TL	SP3571-6050
3572XTR	SP3572-6250	3574WTR	SP3572-6250
3572XTL	SP3572-6250	3574WTL	SP3572-6250
3572-TR	SP3572-6250	3574ETR	SP3572-6250
3572-TL	SP3572-6250	3574ETL	SP3572-6250



## Installation Fixtures

Part Numbers	Description
RW98	Template for Lockwood 6780/6580 Series Mortice Locks (metal doors only)
RW99	Template for Lockwood 3770/ 3570 Series Mortice Locks

This stainless steel fixture makes installation easy. It is ideal when fitting furniture for large projects.

**Note:** Paper templates are supplied with all furniture.

# Robert Watson Ordering Procedure

## Ordering Procedure–Lever Sets

Sample part number RW70/01/A1LSA is made up of several sections. Choose your product by selecting an option from each section.

### Robert Watson Collection

Product	Use	Function	Lever	Handing	Finish
RW	70	01	A1	L	SA

Product	Use	Function	Lever	Handing	Finish
Robert Watson	RW	Operating Full Set 00	Tangent® A1	Left Handed L	Satin Anodised SA
		Operating Half Set 01	Centre A2	Right Handed R	Powdercoat PC
		Fixed Full Set 02	Centre D A3	* Half sets only.	
		Fixed Half Set 03			
<p><b>Note:</b> Latch kits are ordered separately to lever sets. i.e. for RW30/00/A1LSA as RW531/60SC is also required.</p> <p>These include additional mounting hardware to suit lever sets and are not the same as a standard 530 latch.</p>					
<p>If intended to fit using Lockwood 530 Latch 30</p> <p>If intended to fit using Lockwood 3770 and 3570 Series Mortice Locks 70</p> <p>If intended to fit using Lockwood 6780 and 6580 Narrow Style Mortice Lock (metal door only) 80</p> <p>If intended to fit to a metal door without lock 10</p> <p>If intended to fit to a timber door without lock 20</p>					

## Escutcheons - Accessories

Product	Use	Thickness	Finish
RW	06	50	SA

Product	Use	Function	Finish
Robert Watson	06	Doors 57mm – 62mm 62	Satin Anodised SA
		Doors 51mm – 56mm 56	Powdercoat PC
		Doors 45mm – 50mm 50	
		Doors 39mm – 44mm 44	
		Doors 35mm – 38mm 38	

**Note:** Refer to the decorative finishes section at the end of this catalogue for images of the full metal finishes and powder coat colour range available.

# Robert Watson Ordering Procedure

## Turnknobs and Emergency release turns - Accessories (For use with Lockwood Mortice Locks)

Product	Use	Finish
RW	07	SA

Product	Function	Finish
Robert Watson RW	Turnknob 07	Satin Anodised SA
	Privacy Indicating Turnknob 08	Powdercoat PC
	Turn Knob and Emergency Release Set 09	
	Turnknob/Privacy Indicating Emergency Release Set 10	
	Privacy Indicating Turnknob and Privacy Indicating Emergency Release Set 11	
	Privacy Indicating Emergency Release 14	

## Turnknob and Emergency Release Turns - Accessories (For use with Lockwood 6260 Tubular Bolts)

Product	Function	Finish
RW	13	SA

Product	Function	Finish
Robert Watson RW	Turnknob and Emergency Release Set 13	Satin Anodised SA
		Powdercoat PC

## Latch Kits - Accessories

Product	Latch	Backset	Finish
RW	531	60	SC

Product	Latch	Function	Finish
Robert Watson RW	Plain Latch 531	60mm backset 60	Satin Chrome SC
		70mm backset 70	
		127mm backset 127	

Latch Kits are supplied with adaptor to enable use with Robert Watson Furniture.

**Note:** Refer to the decorative finishes section at the end of this catalogue for images of the full metal finishes and powder coat colour range available.

# 1220 Symphony Series Brass Door Handles



Lockwood Symphony Series door furniture is manufactured from high quality solid brass. The comprehensive lever range matched with concealed screw fixings by way of threaded rose trims, provides a stylish look for the most elegant interiors.

The accessory range includes cylinder escutcheons, emergency turnknob and disabled accessible turnknobs. For installers, the unique turn mechanism adjusts to suit the thickness of the door and removes the need to cut tailbars to length.

A full range of finishes from satin chrome through to a range of brass finishes and polyester powder coat provides all the options for matching to interior designs.

Proudly Australian Made at our factory in Oakleigh to the highest quality standards for strength, durability and corrosion resistance.

## Product Details

<b>Dimensions</b>	53mm diameter x 11.6mm.
<b>Handing</b>	A removable stop screw allows all symmetrically designed levers (e.g. Cadenza) to be handed on site. Levers of asymmetrical design (e.g. Veloce) cannot be reversed. Specify left or right handed when ordering.
<b>Materials</b>	All Lockwood roses and levers contained in the 1220 series are of solid brass construction.
<b>Fixing</b>	Fully concealed on both sides.
<b>Door Thickness</b>	Selector 3770 and Synergy 3570 Series: 32mm to 50mm Lockwood 5260 Latches: 33mm to 50mm
<b>Decorative Finishes</b>	<p><b>Standard Finish:</b> Satin Chrome Brushed (SC)</p> <p><b>Non-Standard Finish:</b> Chrome Plate (CP) Polished Brass (PB) Polyester Powdercoat (PC)</p> <p><b>Special Finish:</b> Architectural Bronze (AZ) Architectural Bronze Unlacquered (AU) Antique Copper (AC) Polished Brass Unlacquered (BU) Satin Brass (SB) Oil Rubbed Bronze (ORB) Satin Brass Unlacquered (SBU)</p>
<b>Privacy</b>	Privacy function for Symphony Round Rose Furniture is achieved using the 3890 privacy adaptor and the Symphony 1321 interior rose. See ordering procedure for details.

## Standards and Compliance



1220 Series has been successfully tested up to 4 hours with a fire rated Lockwood mortice lock on fire door assemblies (depending on type of doorset) in accordance with Australian Standard AS1905.1:2005, Fire Resistant Doorsets

**D8**

1220 Series lever sets have been successfully tested to conform with Level D8 (500,000 cycles) under Australian Standard AS4145.2-2008, Locksets and hardware for doors and windows



1220 Series lever sets in satin chrome finish has been successfully tested to AS 4145.2 2008 for Neutral Salt Spray – with SC Finish passing C10 1000 Hours - Extreme Corrosion Resistance. Suitable for coastal applications



1220 Series includes levers and turns (as shown) that meet the requirements of AS1428.1-2009, Design for access and mobility

Lockwood Brass Door Furniture is designed, assembled and customised in Australia to suit the requirements of the Australian Market.





# 1220 Symphony Series Brass Door Handles

## BRASS CORE

The Symphony Series rose furniture features a 53mm solid brass rose with horizontal screw fixings, concealed on both sides by a threaded rose trim.

### Supplied with:


2 x M4 x 65mm Stainless Steel Screws (SP1220-119)  
1 x Instructions (1220-221)



## AS1428.1 Compliant Levers


### Lever 102

<b>Length</b>	134.3mm
<b>Projection</b>	57.5mm
<b>Finger clearance</b>	40mm




### Lever 111

<b>Length</b>	130mm
<b>Projection</b>	48.5mm
<b>Finger clearance</b>	40mm



### Lever 112

<b>Length</b>	130.5mm
<b>Projection</b>	48mm
<b>Finger clearance</b>	40mm




# 1220 Symphony Series Brass Door Handles

## AS1428.1 Compliant Levers


### Lever 115

<b>Length</b>	140.4mm
<b>Projection</b>	60mm
<b>Finger clearance</b>	40mm




### Lever 116

<b>Length</b>	140.5mm
<b>Projection</b>	58mm
<b>Finger clearance</b>	40mm




### Lever 118

<b>Length</b>	128mm
<b>Projection</b>	58mm
<b>Finger clearance</b>	40mm



### Lever 124

<b>Length</b>	130.5mm
<b>Projection</b>	59mm
<b>Finger clearance</b>	40mm




# 1220 Symphony Series Brass Door Handles

## AS1428.1 Compliant Levers


### Lever 131

<b>Length</b>	134.5mm
<b>Projection</b>	53mm
<b>Finger clearance</b>	40mm




### Lever 132

<b>Length</b>	130mm
<b>Projection</b>	57.5mm
<b>Finger clearance</b>	40mm




### Lever 133

<b>Length</b>	130mm
<b>Projection</b>	53.5mm
<b>Finger clearance</b>	40mm



### Lever 142

<b>Length</b>	130.5mm
<b>Projection</b>	55mm
<b>Finger clearance</b>	40mm




# 1220 Symphony Series Brass Door Handles

## AS1428.1 Compliant Levers


### Lever 144

<b>Length</b>	128.8mm
<b>Projection</b>	57.5mm
<b>Finger clearance</b>	40mm




### Lever 145

<b>Length</b>	130mm
<b>Projection</b>	58.5mm
<b>Finger clearance</b>	40mm




### Lever 155

<b>Length</b>	129.3mm
<b>Projection</b>	57.5mm
<b>Finger clearance</b>	40mm



### Lever 166

<b>Length</b>	130mm
<b>Projection</b>	48mm
<b>Finger clearance</b>	40mm




# 1220 Symphony Series Brass Door Handles

## AS1428.1 Compliant Levers


### Lever 180

<b>Length</b>	123.5mm
<b>Projection</b>	53.1mm
<b>Finger clearance</b>	40mm




### Lever 47

<b>Length</b>	120mm
<b>Projection</b>	49.6mm
<b>Finger clearance</b>	40mm




### Lever 59

<b>Length</b>	121mm
<b>Projection</b>	47mm
<b>Finger clearance</b>	39.5mm



### Lever 70

<b>Length</b>	121mm
<b>Projection</b>	53mm
<b>Finger clearance</b>	37mm




# 1220 Symphony Series Brass Door Handles

## AS1428.1 Compliant Levers


### Lever 74

<b>Length</b>	120mm
<b>Projection</b>	53mm
<b>Finger clearance</b>	45mm




### Lever 76

<b>Length</b>	125mm
<b>Projection</b>	48.5mm
<b>Finger clearance</b>	40mm




### Lever 77

<b>Length</b>	121mm
<b>Projection</b>	51mm
<b>Finger clearance</b>	48.3mm



### Lever 90

<b>Length</b>	118.5mm
<b>Projection</b>	51.6mm
<b>Finger clearance</b>	44mm




# 1220 Symphony Series Brass Door Handles

## Non compliant lever/knob types


### Lever 101

<b>Length</b>	130mm
<b>Projection</b>	48.5mm
<b>Finger clearance</b>	40mm




### Lever 104

<b>Length</b>	133.8mm
<b>Projection</b>	57.5mm
<b>Finger clearance</b>	40mm




### Lever 106

<b>Length</b>	130mm
<b>Projection</b>	48mm
<b>Finger clearance</b>	40mm



### Lever 123

<b>Length</b>	130.5mm
<b>Projection</b>	59mm
<b>Finger clearance</b>	40mm




# 1220 Symphony Series Brass Door Handles

## Non compliant lever/knob types


### Lever 178

<b>Length</b>	130mm
<b>Projection</b>	63.6mm
<b>Finger clearance</b>	42mm




### Lever 97

<b>Length</b>	120mm
<b>Projection</b>	50.5mm
<b>Finger clearance</b>	34.6mm



### Knob 20

<b>Diameter</b>	50mm
<b>Projection</b>	73mm



20 Knob can be used on outside rose only.




# 1220 Symphony Series Brass Door Handles

## Handed Levers

### Lever 41


<b>Length</b>	130mm
<b>Projection</b>	61.5mm
<b>Finger clearance</b>	40.5mm

\* Lever is an asymmetrical design and therefore must be handed.




### Lever 122

<b>Length</b>	130.5mm
<b>Projection</b>	59mm
<b>Finger clearance</b>	40mm



### Lever 153

<b>Length</b>	120mm
<b>Projection</b>	70.6mm
<b>Finger clearance</b>	43mm



# 1220 Symphony Through Fix Escutcheon Kits

Through fix kits are optimised for use with Selector Series Mortice Locks.  
Supplied with two M4 64mm stainless screws for through fix installation.


## Double Oval Cylinder Escutcheons Kit

**Part Number** 1226/6


### Escutcheons supplied

**Outside:** Oval Cylinder Escutcheon

**Inside:** Oval Cylinder Escutcheon



Outside



Inside


## Oval Cylinder and Turnknob Escutcheons Kit

**Part Number** 1226/7N


### Escutcheons supplied

**Outside:** Oval Cylinder Escutcheon

**Inside:** Turnknob Escutcheon



Outside



Inside

# 1220 Symphony Through Fix Escutcheon Kits

## Privacy Indicating Emergency Turn and Disabled Accessible Turnknob Escutcheons Kit



**Part Number** 1228/9P

### Escutcheons supplied

**Outside:** Privacy Indicating Emergency Turn Escutcheon

**Inside:** Privacy Indicating Disabled Accessible Turnknob Escutcheon

**Door thickness:** Suitable for 32 - 45mm doors.  
Extended tail bars available for thicker doors.



### Note:

Common kit configurations are shown, for other kit variations please refer to the ordering procedure at the end of this section.

# 1220 Symphony Cylinder & Turn Escutcheons

Surface mounted escutcheons are optimised for use with Synergy Series Mortice Locks.


## Oval Cylinder Escutcheon

**Part Number** 1226/I

### Supplied with

2x Short & 2x Medium Wood Screws (SP1226-219)

(Replaces 1226)



## Turnknob Escutcheon

**Part Number** 1227/IN

### Supplied with


2 x Short & 2 x Medium Wood Screws (SP1226-219)

1 x Short, Medium & Long Tail Bars and Spring (SP1227-219)

1 x Flat Tail Bar & Split Pin (SP12227-319)

1 x Instructions (1220-321)

(Replaces 1227)



## Privacy Indicating Turnknob Escutcheon

**Part Number** 1227/IP

### Supplied with


2 x Short & 2 x Medium Wood Screws (SP1226-219)

1 x Short, Medium & Long Tail Bars and Spring (SP1227-219)

1 x Flat Tail Bar & Split Pin (SP12227-319)

1 x Instructions (1220-321)

(Replaces 1227P)



## Emergency Turn Escutcheon


**Part Number** 1228/IN

### Supplied with

2 x Short & 2 x Medium Wood Screws (SP1226-219)

1 x Emergency Tail Bar (SP1227-119)

(Replaces 1228)



# 1220 Symphony Cylinder & Turn Escutcheons


## Privacy Indicating Emergency Turn Escutcheon

**Part Number** 1228/IP

### Supplied with

2 x Short & 2 x Medium Wood Screws (SP1226-219)  
1 x Emergency Tail Bar (SP1227-119)

(Replaces 1228P)




## Disabled Accessible Turnknob

**Part Number** 1229/IN

### Supplied with

2 x Short & 2 x Medium Wood Screws (SP1226-219)  
1 x Short, Medium & Long Tail Bars and Spring (SP1227-219)  
1 x Instructions (1220-321)

(Replaces 1227DT)




## Disabled Accessible Privacy Indicating Turnknob

**Part Number** 1229/IP

### Supplied with


2 x Short & 2 x Medium Wood Screws (SP1226-219)  
1 x Short, Medium & Long Tail Bars and Spring (SP1227-219)  
1 x Instructions (1220-321)



**Door thickness:** Suitable for 32 - 45mm doors.  
Extended tail bars available for thicker doors.

# 1220 Symphony Privacy Adaptor

Privacy Adaptor	
Part Number	3890
Dimensions	52mm x 11.6mm
Supplied with	2 x M4 x 77mm Stainless Steel Screws (SP0655MBK) 1 x Spindle 7.6mm x 90mm 1 x Instructions (3890-121)
Finishes	Satin Chrome (SC) Chrome Plate (CP) Powder Coat (PC) Not available in brass finishes



The 3890 Privacy Adaptor has a patented built in clutching mechanism which allows the engaged mode to be overridden by use of specified force applied in a single downward action on the lever. This will allow entry in an emergency situation without the use of any type of tool.

The privacy adaptor can be installed onto any existing Lockwood lever set and standard 5260 Tubular Latch.

# 1220 Symphony Series Ordering Procedure

Sample part number 1220/1221/41LCP is made up of several sections. Choose your product by selecting an option from each section.

## Half Set

**Note:** Choose one rose only, exterior or interior.

Exterior Rose	Lever/ Knob	Handing	Finish
1220	41	L	CP

## Full Set

Exterior Rose	Interior Rose	Lever/ Knob	Handing	Finish
1220	1221	41	L	CP

Exterior Rose Type	
Exterior Rose	1220
Exterior Blank Rose	1222
Exterior Fixed Rose	1224

Interior Rose Type	
Interior Rose	1221
Interior Blank Rose	1223
Interior Fixed Rose	1225
Interior Rose to suit 3890 Privacy Adaptor <small>*Only available in SC, CP and PC</small>	1321

### AS1428.1 Compliant Lever Types

102	111	112
115	116	118
124	131	132
133	142	144
145	155	166
47	59	70
74	76	77
90		

### Non compliant lever/knob types

101	104	123
178	97	20

### Handed Levers

41	122	153
----	-----	-----

Handing	
Right Handed	R
Left Handed	L
NB: Omit if non-handed	

Finish	
Satin Chrome Brushed	SC
Chrome Plate	CP
Polished Brass	PB
Polyester Powdercoat	PC

### Special Finishes

Polished Brass Unlacquered	BU
Satin Brass	SB
Satin Brass Unlacquered	SBU
Architectural Bronze	AZ
Architectural Bronze Unlacquered	AU
Antique Copper	AC
Oil Rubbed Bronze	ORB

**Note:** Refer to the decorative finishes section at the end of this catalogue for images of the full metal finishes and powder coat colour range available.

# 1220 Symphony Series Ordering Procedure

## Escutcheon Kits

Through fix kits are optimised for use with Selector Series Mortice Locks. Supplied with two M4 64mm stainless screws for through fix installation.

Sample part number 1226/9NSC is made up of several sections.

The description of this part number is an oval cylinder and disabled accessible turnknob escutcheon kit.

Exterior Function	Interior Function	Privacy Indicator	Finish
1226	9	N	SC

Exterior Function
Oval Cylinder 1226
Emergency Turn 1228

### Notes:

Order 1226/I if only one oval cylinder escutcheon is required. Wood screws will be supplied for surface mounting.

1228/6 Kit is not applicable.

Interior Function
Oval Cylinder 6
Oval Turnknob 7
Disabled Accessible Turnknob 9

Privacy Indicator
Oval Cylinder -
Non Indicating N
Privacy Indicating P

### Note:

Privacy indicator applies for both exterior and interior functions.

Finish
Satin Chrome Brushed SC
Chrome Plate CP
Polished Brass PB
Polyester Powdercoat PC

### Special Finishes

Polished Brass Unlacquered	BU
Satin Brass	SB
Satin Brass Unlacquered	SBU
Architectural Bronze	AZ
Architectural Bronze Unlacquered	AU
Antique Copper	AC
Oil Rubbed Bronze	ORB

**Note:** Refer to the decorative finishes section at the end of this catalogue for images of the full metal finishes and powder coat colour range available.

Refer to page 30 for reference guide.



# 1220 Symphony Series Ordering Procedure

## Surface Mounted Escutcheons

Surface mounted escutcheons are optimised for use with Synergy Series Mortice Locks.

Supplied with wood screws to suit surface mounting on either side of the door.

Escutcheon Type	Fixing	Privacy Indicator	Finish
1229	I	P	SC

Escutcheon Type	
Oval Cylinder	1226
Oval Turnknob	1227
Emergency Turn	1228
Disabled Accessible Turnknob	1229

Fixing	
Wood Screw	
Surface Fixing	I

Privacy Indicator	
Oval Cylinder	-
Non Indicating	N
Privacy Indicating	P

Finish	
Satin Chrome Brushed	SC
Chrome Plate	CP
Polished Brass	PB
Polyester Powdercoat	PC

Special Finishes	
Polished Brass Unlacquered	BU
Satin Brass	SB
Satin Brass Unlaquered	SBU
Architectural Bronze	AZ
Architectural Bronze Unlacquered	AU
Antique Copper	AC
Oil Rubbed Bronze	ORB

**Note:** Refer to the decorative finishes section at the end of this catalogue for images of the full metal finishes and powder coat colour range available.












Refer to page 31 for reference guide.

# 1220 Symphony Series Reference Guide

## Lockwood Brass Turns and Cylinder Escutcheons

Fitting: Through Fix Mounting

Optimized for Selector 3770 Series Mortice Locks

1220 Symphony Series Kits									
Kit Description						Mortice Lock/Bolt Compatibility			
Image	Part Number	Handed	Exterior Function	Interior Function		Synergy 3570 Locks	Selector 3770 Locks	PT Mortice Locks	6260 Privacy Bolt
	1226/6SC	No	Oval Cylinder Escutcheon	Oval Cylinder Escutcheon			✓	✓	
	1226/7NSC	No	Oval Cylinder Escutcheon	Oval Turnknob			✓	✓	
	1226/7PSC	No	Oval Cylinder Escutcheon	Privacy Indicating Oval Turnknob			✓	✓	
	1226/9NSC	No	Oval Cylinder Escutcheon	Disabled Accessible Turnknob			✓	✓	
	1226/9PSC	No	Oval Cylinder Escutcheon	Privacy Indicating Disabled Accessible Turnknob			✓	✓	
	1228/7NSC	No	Emergency Turn	Oval Turnknob			✓	✓	✓
	1228/7PSC	No	Privacy Indicating Emergency Turn	Privacy Indicating Oval Turnknob			✓	✓	✓
	1228P/7NSC	No	Privacy Indicating Emergency Turn	Oval Turnknob			✓	✓	✓
	1228/9NSC	No	Emergency Turn	Disabled Accessible Turnknob			✓	✓	✓
	1228/9PSC	No	Privacy Indicating Emergency Turn	Privacy Indicating Disabled Accessible Turnknob			✓	✓	✓
	1228P/9NSC	No	Privacy Indicating Emergency Turn	Disabled Accessible Turnknob			✓	✓	✓









# 1220 Symphony Series Reference Guide

## Lockwood Brass Turns and Cylinder Escutcheons

Fitting: Surface Mounting

Optimized for Synergy 3570 Series Mortice Locks

### 1220 Symphony Series Surface Mounted Escutcheons

Image	Part Number	Handed	Description	Mortice Lock/Bolt Compatibility				Replaced Codes	
				Synergy 3570 Locks	Selector 3770 Locks	PT Mortice Locks	6260 Privacy Bolt	Previous Surface Mounted Turns	Previous Pentagon External Turns
	1226/ISC	No	Oval Cylinder Escutcheon	✓	✓	✓		1226SC	1226/ESC
	1227/IPSC	No	Privacy Indicating Oval Turnknob Escutcheon	✓	✓	✓	✓	1227PSC	1227/EPSC
	1227/INSC	No	Non- Indicating Oval Turnknob Escutcheon	✓	✓	✓	✓	1227SC	1227/ENSC
	1228/INSC	No	Non - Indicating Emergency Turn Escutcheon	✓	✓	✓	✓	1228SC	1228/ENSC
	1228/IPSC	No	Privacy Indicating Emergency Turn Escutcheon	✓	✓	✓	✓	1228PSC	1228/EPSC
	1229/INSC	No	Non- Indicating Disabled Accessible Turnknob Escutcheon	✓		✓	✓	1227DT	1229/ENSC
	1229/IPSC	No	Privacy Indicating Disabled Accessible Turnknob Escutcheon	✓		✓	✓		1229/EPSC
	1226ESC	No	Euro Profile Cylinder Escutcheon	✓	✓	✓		-	-

# 1420 Symphony Series Square Rose Door Handles



Lockwood Symphony Series door furniture is manufactured from high quality solid brass material. The comprehensive lever range matched with concealed screw fixings by way of threaded rose trims, provides a stylish look for the most elegant interiors.

The accessory range includes cylinder escutcheons, emergency turnknobs and disabled accessible turnknobs. For installers, the unique turn mechanism adjusts to suit the thickness of the door and removes the need to cut tailbars to length.

A full range of finishes from satin chrome through to a range of brass finishes and polyester powder coat provides all the options for matching to interior designs.

Proudly Australian Made at our factory in Oakleigh to the highest quality standards for strength, durability and corrosion resistance.

## Product Details

<b>Dimensions</b>	58mm x 58mm x 11.6mm.
<b>Handing</b>	A removable stop screw allows all symmetrically designed levers (e.g. Cadenza) to be handed on site. Levers of asymmetrical design (e.g. Veloce) cannot be reversed. Specify left or right handed when ordering.
<b>Materials</b>	All Lockwood roses and levers contained in the 1420 series are of solid brass construction.
<b>Fixing</b>	Fully concealed on both sides.
<b>Door Thickness</b>	Selector 3770 and Synergy 3570 Series: 32mm to 50mm Lockwood 5260 Latches: 33mm to 50mm
<b>Decorative Finishes</b>	<b>Standard Finish:</b> Satin Chrome Brushed (SC)
	<b>Non-Standard Finish:</b> Chrome Plate (CP) Polished Brass (PB) Polyester Powdercoat (PC)
	<b>Special Finish:</b> Architectural Bronze (AZ) Architectural Bronze Unlacquered (AU) Antique Copper (AC) Polished Brass Unlacquered (BU) Satin Brass (SB) Oil Rubbed Bronze (ORB) Satin Brass Unlacquered (SBU)
<b>Privacy</b>	Privacy function for Symphony Square Rose Furniture is achieved using the 3690 privacy adaptor and standard Symphony 1421 interior rose.

## Standards and Compliance



1420 Series has been successfully tested up to 4 hours with a fire rated Lockwood mortice lock on fire door assemblies (depending on type of doorset) in accordance with Australian Standard AS1905.1:2005, Fire Resistant Doorsets.

**D8**

1420 Series lever sets have been successfully tested to conform with Level D8 (500,000 cycles) under Australian Standard AS4145.2-2008, Locksets and hardware for doors and windows.



1420 Series lever sets in satin chrome finish has been successfully tested to AS 4145.2 2008 for Neutral Salt Spray – With SC Finish passing C10 1000 Hours - Extreme Corrosion Resistance. Suitable for coastal applications.



1420 Series includes levers and turns (as shown) that meet the requirements of AS1428.1-2009, Design for access and mobility.

Lockwood Brass Door Furniture is designed, assembled and customised in Australia to suit the requirements of the Australian Market.


# 1420 Symphony Series Square Rose Door Handles

## BRASS CORE

The Symphony Series square rose furniture features a 58mm solid brass rose with horizontal screw fixings, concealed on both sides by a grub screw fixed, square rose trim.

### Supplied with:


2 x M4 x 65mm Stainless Steel Screws (SP1220-119)  
1 x Instructions (1220-221)



## AS1428.1 Compliant Levers


### Lever 102

Length	134.3mm
Projection	57.5mm
Finger clearance	40mm




### Lever 111

Length	130mm
Projection	48.5mm
Finger clearance	40mm



### Lever 112

Length	130.5mm
Projection	48mm
Finger clearance	40mm




# 1420 Symphony Series Square Rose Door Handles

## AS1428.1 Compliant Levers


### Lever 115

<b>Length</b>	140.4mm
<b>Projection</b>	60mm
<b>Finger clearance</b>	40mm




### Lever 116

<b>Length</b>	140.5mm
<b>Projection</b>	58mm
<b>Finger clearance</b>	40mm




### Lever 118

<b>Length</b>	128mm
<b>Projection</b>	58mm
<b>Finger clearance</b>	40mm



### Lever 124

<b>Length</b>	130.5mm
<b>Projection</b>	59mm
<b>Finger clearance</b>	40mm




# 1420 Symphony Series Square Rose Door Handles

## AS1428.1 Compliant Levers


### Lever 131

<b>Length</b>	134.5mm
<b>Projection</b>	53mm
<b>Finger clearance</b>	40mm




### Lever 132

<b>Length</b>	130mm
<b>Projection</b>	57.5mm
<b>Finger clearance</b>	40mm




### Lever 133

<b>Length</b>	130mm
<b>Projection</b>	53.5mm
<b>Finger clearance</b>	40mm



### Lever 142

<b>Length</b>	130.5mm
<b>Projection</b>	55mm
<b>Finger clearance</b>	40mm




# 1420 Symphony Series Square Rose Door Handles

## AS1428.1 Compliant Levers


### Lever 144

<b>Length</b>	128.8mm
<b>Projection</b>	57.5mm
<b>Finger clearance</b>	40mm




### Lever 145

<b>Length</b>	130mm
<b>Projection</b>	58.5mm
<b>Finger clearance</b>	40mm




### Lever 155

<b>Length</b>	129.3mm
<b>Projection</b>	57.5mm
<b>Finger clearance</b>	40mm



### Lever 166

<b>Length</b>	130mm
<b>Projection</b>	48mm
<b>Finger clearance</b>	40mm






# 1420 Symphony Series Square Rose Door Handles

## AS1428.1 Compliant Levers


### Lever 180

<b>Length</b>	123.5mm
<b>Projection</b>	53.1mm
<b>Finger clearance</b>	40mm




### Lever 47

<b>Length</b>	120mm
<b>Projection</b>	49.6mm
<b>Finger clearance</b>	40mm




### Lever 59

<b>Length</b>	121mm
<b>Projection</b>	47mm
<b>Finger clearance</b>	39.5mm



### Lever 70

<b>Length</b>	121mm
<b>Projection</b>	53mm
<b>Finger clearance</b>	37mm




# 1420 Symphony Series Square Rose Door Handles

## AS1428.1 Compliant Levers


### Lever 74

<b>Length</b>	120mm
<b>Projection</b>	53mm
<b>Finger clearance</b>	45mm




### Lever 76

<b>Length</b>	125mm
<b>Projection</b>	48.5mm
<b>Finger clearance</b>	40mm




### Lever 77

<b>Length</b>	121mm
<b>Projection</b>	51mm
<b>Finger clearance</b>	48.3mm



### Lever 90

<b>Length</b>	118.5mm
<b>Projection</b>	51.6mm
<b>Finger clearance</b>	44mm




# 1420 Symphony Series Square Rose Door Handles

## Non compliant lever/knob types


### Lever 101

<b>Length</b>	130mm
<b>Projection</b>	48.5mm
<b>Finger clearance</b>	40mm




### Lever 104

<b>Length</b>	133.8mm
<b>Projection</b>	57.5mm
<b>Finger clearance</b>	40mm




### Lever 106

<b>Length</b>	130mm
<b>Projection</b>	48mm
<b>Finger clearance</b>	40mm



### Lever 123

<b>Length</b>	130.5mm
<b>Projection</b>	59mm
<b>Finger clearance</b>	40mm




# 1420 Symphony Series Square Rose Door Handles

## Non compliant lever/knob types


### Lever 178

<b>Length</b>	130mm
<b>Projection</b>	63.6mm
<b>Finger clearance</b>	42mm




### Lever 97

<b>Length</b>	120mm
<b>Projection</b>	50.5mm
<b>Finger clearance</b>	34.6mm



### Knob 20

<b>Diameter</b>	50mm
<b>Projection</b>	73mm



20 Knob can be used on outside rose only.


# 1420 Symphony Series Square Rose Door Handles

## Handed Levers

### Lever 41


<b>Length</b>	130mm
<b>Projection</b>	61.5mm
<b>Finger clearance</b>	40.5mm

\* Lever is an asymmetrical design and therefore must be handed.




### Lever 122

<b>Length</b>	130.5mm
<b>Projection</b>	59mm
<b>Finger clearance</b>	40mm



### Lever 153

<b>Length</b>	120mm
<b>Projection</b>	70.6mm
<b>Finger clearance</b>	43mm



# 1420 Symphony Through Fix Escutcheon Kits

Through fix kits are optimised for use with Selector Series Mortice Locks. Supplied with two M4 64mm stainless screws for through fix installation.


## Double Oval Cylinder Escutcheons Kit

**Part Number** 1426/6


### Escutcheons supplied

**Outside:** Oval Cylinder Escutcheon

**Inside:** Oval Cylinder Escutcheon



Outside



Inside


## Oval Cylinder and Turnknob Escutcheons Kit

**Part Number** 1426/7N


### Escutcheons supplied

**Outside:** Oval Cylinder Escutcheon

**Inside:** Turnknob Escutcheon



Outside



Inside

# 1420 Symphony Through Fix Escutcheon Kits

## Privacy Indicating Emergency Turn and Disabled Accessible Turnknob Escutcheons Kit


**Part Number** 1428/9P

### Escutcheons supplied


**Outside:** Privacy Indicating Emergency Turn Escutcheon

**Inside:** Privacy Indicating Disabled Accessible Turnknob Escutcheon

**Door thickness:** Suitable for 32 - 45mm doors.  
Extended tail bars available for thicker doors.



Outside



Inside

**Note:**  
Common kit configurations are shown, for other kit variations please refer to the ordering procedure at the end of this section.

# 1420 Symphony Cylinder & Turn Escutcheons

Surface mounted escutcheons are optimised for use with Synergy Series Mortice Locks.


## Oval Cylinder Escutcheon

**Part Number** 1426/I

### Supplied with

2 x Short & 2 x Medium Wood Screws (SP1226-219)

(Replaces 1426)



## Turnknob Escutcheon

**Part Number** 1427/IN

### Supplied with


2 x Short & 2 x Medium Wood Screws (SP1226-219)

1 x Short, Medium & Long Tail Bars and Spring (SP1227-219)

1 x Flat Tail Bar & Split Pin (SP12227-319)

1 x Instructions (1220-321)

(Replaces 1427)



## Privacy Indicating Turnknob Escutcheon

**Part Number** 1427/IP

### Supplied with


2 x Short & 2 x Medium Wood Screws (SP1226-219)

1 x Short, Medium & Long Tail Bars and Spring (SP1227-219)

1 x Flat Tail Bar & Split Pin (SP12227-319)

1 x Instructions (1220-321)

(Replaces 1427P)



## Emergency Turn Escutcheon


**Part Number** 1428/IN

### Supplied with

2 x Short & 2 x Medium Wood Screws (SP1226-219)

1 x Emergency Tail Bar (SP1227-119)

(Replaces 1428P)





# 1420 Symphony Cylinder & Turn Escutcheons


## Privacy Indicating Emergency Turn Escutcheon

**Part Number** 1428/IP

### Supplied with

2 x Short & 2 x Medium Wood Screws (SP1226-219)  
1 x Emergency Tail Bar (SP1227-119)

(Replaces 1428P)




## Disabled Accessible Turnknob

**Part Number** 1429/IN

### Supplied with

2 x Short & 2 x Medium Wood Screws (SP1226-219)  
1 x Short, Medium & Long Tail Bars and Spring (SP1227-219)  
1 x Flat Tail Bar & Split Pin (SP1227-319)  
1 x Instructions (1220-321)

(Replaces 1427DT)




## Disabled Accessible Privacy Indicating Turnknob

**Part Number** 1429/IP

### Supplied with

2 x Short & 2 x Medium Wood Screws (SP1226-219)  
1 x Short, Medium & Long Tail Bars and Spring (SP1227-219)  
1 x Flat Tail Bar & Split Pin (SP1227-319)  
1 x Instructions (1220-321)




**Door thickness:** Suitable for 32 - 45mm doors.  
Extended tail bars available for thicker doors.

# 1420 Symphony Privacy Adaptor

Privacy Adaptor 3690	
Part Number	3690
Dimensions	58mm x 11.6mm
Supplied with	2 x M4 x 77mm Stainless Steel Screws (SP0655MBK) 1 x Spindle 7.6mm x 90mm 1 x Instructions (3890-121)
Finishes	Satin Chrome (SC) Chrome Plate (CP) Powder Coat (PC) Not available in brass finishes

The 3690 Privacy Adaptor has a patented built in clutching mechanism which allows the engaged mode to be overridden by use of specified force applied in a single downward action on the lever. This will allow entry in an emergency situation without the use of any type of tool.

The privacy adaptor can be installed onto any existing Lockwood lever set and standard 5260 Tubular Latch.



# 1420 Symphony Series Ordering Procedure

## Ordering Procedure

Sample part number 1420/1421/41LCP is made up of several sections. Choose your product by selecting an option from each section.

## Half Set

**Note:** Choose one rose only, exterior or interior.

Exterior Rose	Lever/ Knob	Handing	Finish
1420	41	L	CP

## Full Set

Exterior Rose	Interior Rose	Lever/ Knob	Handing	Finish
1420	1421	41	L	CP

Exterior Rose Type	
Exterior Rose	1420
Exterior Blank Rose	1422
Exterior Fixed Rose	1424

Interior Rose Type	
Interior Rose	1421
Interior Blank Rose	1423
Interior Fixed Rose	1425

AS1428.1 Compliant Lever Types		
102	111	112
115	116	118
124	131	132
133	142	144
145	155	166
47	59	70
74	76	77
90		

Non compliant lever/knob types		
101	104	123
178	97	20

Handed Levers		
41	122	153

Handing	
Right Handed	R
Left Handed	L
NB: Omit if non-handed	

Finish	
Satin Chrome Brushed	SC
Chrome Plate	CP
Polished Brass	PB
Polyester Powdercoat	PC

Special Finishes	
Polished Brass Unlacquered	BU
Satin Brass	SB
Satin Brass Unlaquered	SBU
Architectural Bronze	AZ
Architectural Bronze Unlacquered	AU
Antique Copper	AC
Oil Rubbed Bronze	ORB

**Note:** Refer to the decorative finishes section at the end of this catalogue for images of the full metal finishes and powder coat colour range available.

# 1420 Symphony Series Ordering Procedure

## Escutcheon Kits

Through fix kits are optimised for use with Selector Series Mortice Locks.  
Supplied with two M4 64mm stainless screws for through fix installation.

Sample part number 1426/9NSC is made up of several sections. The description of this part number is an oval cylinder and disabled accessible turnknob escutcheon kit.

Exterior Function	Interior Function	Privacy Indicator	Finish
1426	9	N	SC

Exterior Function	
Oval Cylinder	1426
Emergency Turn	1428

### Notes:

Order 1426/I if only one oval cylinder escutcheon is required. Wood screws will be supplied for surface mounting.

1428/6 Kit is not applicable.

Interior Function	
Oval Cylinder	6
Oval Turnknob	7
Disabled Accessible Turnknob	9

Privacy Indicator	
Oval Cylinder	-
Non Indicating	N
Privacy Indicating	P

### Note:

Privacy indicator applies for both exterior and interior functions.

Finish	
Satin Chrome Brushed	SC
Chrome Plate	CP
Polished Brass	PB
Polyester Powdercoat	PC

### Special Finishes

Polished Brass Unlacquered	BU
Satin Brass	SB
Satin Brass Unlacquered	SBU
Architectural Bronze	AZ
Architectural Bronze Unlacquered	AU
Antique Copper	AC
Oil Rubbed Bronze	ORB

**Note:** Refer to the decorative finishes section at the end of this catalogue for images of the full metal finishes and powder coat colour range available.

Refer to page 50 for reference guide.

# 1420 Symphony Series Ordering Procedure

## Surface Mounted Escutcheons

Surface mounted escutcheons are optimised for use with Synergy Series Mortice Locks.

Supplied with wood screws to suit surface mounting on either side of the door.

Escutcheon Type	Fixing	Privacy Indicator	Finish
1429	I	P	SC

Escutcheon Type	Fixing	Privacy Indicator	Finish
Oval Cylinder	Wood Screw	Oval Cylinder	Satin Chrome Brushed
Oval Turnknob	Surface Fixing	Non Indicating	Chrome Plate
Emergency Turn		Privacy Indicating	Polished Brass
Disabled Accessible Turnknob			Polyester Powdercoat
			<b>Special Finishes</b>
			Polished Brass Unlacquered
			Satin Brass
			Satin Brass Unlacquered
			Architectural Bronze
			Architectural Bronze Unlacquered
			Antique Copper
			Oil Rubbed Bronze

**Note:** Refer to the decorative finishes section at the end of this catalogue for images of the full metal finishes and powder coat colour range available.












Refer to page 51 for reference guide.

# 1420 Symphony Series Reference Guide

## Lockwood Brass Turns and Cylinder Escutcheons

Fitting: Through Fix Mounting

Optimized for Selector 3770 Series Mortice Locks

1420 Symphony Series Kits									
Kit Description						Mortice Lock/Bolt Compatibility			
Image	Part Number	Handed	Exterior Function	Interior Function		Synergy 3570 Locks	Selector 3770 Locks	PT Mortice Locks	6260 Privacy Bolt
	1426/6SC	No	Oval Cylinder Escutcheon	Oval Cylinder Escutcheon			✓	✓	
	1426/7NSC	No	Oval Cylinder Escutcheon	Oval Turnknob			✓	✓	
	1426/7PSC	No	Oval Cylinder Escutcheon	Privacy Indicating Oval Turnknob			✓	✓	
	1426/9NSC	No	Oval Cylinder Escutcheon	Disabled Accessible Turnknob			✓	✓	
	1426/9PSC	No	Oval Cylinder Escutcheon	Privacy Indicating Disabled Accessible Turnknob			✓	✓	
	1428/7NSC	No	Emergency Turn	Oval Turnknob			✓	✓	✓
	1428/7PSC	No	Privacy Indicating Emergency Turn	Privacy Indicating Oval Turnknob			✓	✓	✓
	1428P/7NSC	No	Privacy Indicating Emergency Turn	Oval Turnknob			✓	✓	✓
	1428/9NSC	No	Emergency Turn	Disabled Accessible Turnknob			✓	✓	✓
	1428/9PSC	No	Privacy Indicating Emergency Turn	Privacy Indicating Disabled Accessible Turnknob			✓	✓	✓
	1428P/9NSC	No	Privacy Indicating Emergency Turn	Disabled Accessible Turnknob			✓	✓	✓









# 1420 Symphony Series Reference Guide

## Lockwood Brass Turns and Cylinder Escutcheons

Fitting: Surface Mounting

Optimized for Synergy 3570 Series Mortice Locks

### 1420 Symphony Series Surface Mounted Escutcheons

Image	Part Number	Handed	Description	Mortice Lock/Bolt Compatibility				Replaced Codes	
				Synergy 3570 Locks	Selector 3770 Locks	PT Mortice Locks	6260 Privacy Bolt	Previous Surface Mounted Turns	Previous Pentagon External Turns
	1426/ISC	No	Oval Cylinder Escutcheon	✓	✓	✓		1426SC	1426/ESC
	1427/IPSC	No	Privacy Indicating Oval Turnknob Escutcheon	✓	✓	✓	✓	1427PSC	1427/EPSC
	1427/INSC	No	Non- Indicating Oval Turnknob Escutcheon	✓	✓	✓	✓	1427SC	1427/ENSC
	1428/INSC	No	Non - Indicating Emergency Turn Escutcheon	✓	✓	✓	✓	1428SC	1428/ENSC
	1428/IPSC	No	Privacy Indicating Emergency Turn Escutcheon	✓	✓	✓	✓	1428PSC	1428/EPSC
	1429/INSC	No	Non- Indicating Disabled Accessible Turnknob Escutcheon	✓		✓	✓	1427DT	1429/ENSC
	1429/IPSC	No	Privacy Indicating Disabled Accessible Turnknob Escutcheon	✓		✓	✓		1429/EPSC
	1426ESC	No	Euro Profile Cylinder Escutcheon	✓	✓	✓		-	-

# 1360 Series Brass Door Handles



Lockwood 1360 Series door furniture is manufactured from high quality solid brass material. The comprehensive lever range matched with ease of installation and compatibility with a wide range of Mortice Locks defines simple and reliable.

The accessory range includes cylinder escutcheons, emergency turns and disabled accessible turnknobs. For installers, the unique turn mechanism adjusts to suit the thickness of the door and removes the need to cut tailbars to length.

A full range of finishes from satin chrome through to a range of brass finishes and polyester powder coat provides all the options for matching to interior designs.

Proudly Australian Made at our factory at Oakleigh to the highest quality standards for strength, durability and corrosion resistance.

## Product Details

<b>Dimensions</b>	65.5mm diameter x 11.6mm.
<b>Handing</b>	A removable stop screw allows all symmetrically designed levers (e.g. Cadenza) to be handed on site. Levers of asymmetrical design (e.g. Veloce) cannot be reversed. Specify left or right handed when ordering.
<b>Materials</b>	All Lockwood roses and levers contained in the 1360 series are of solid brass construction.
<b>Fixing</b>	Roses are designed to fit back to back. If outside rose is specified with concealed fixing, then the inside rose must be visible fixed. Roses numbered 1360, 1362, and 1364 are concealed fixed, roses numbered 1361, 1363 and 1365 are visible fixed.
<b>Door Thickness</b>	Selector 3770 and Synergy 3770 Series: 32mm to 50mm Lockwood 5260 Latches: 33mm to 50mm
<b>Decorative Finishes</b>	<b>Standard Finish:</b> Satin Chrome Brushed (SC)
	<b>Non-Standard Finish:</b> Chrome Plate (CP) Polished Brass (PB) Polyester Powdercoat (PC)
	<b>Special Finish:</b> Architectural Bronze (AZ) Architectural Bronze Unlacquered (AU) Antique Copper (AC) Polished Brass Unlacquered (BU) Satin Brass (SB) Oil Rubbed Bronze (ORB) Satin Brass Unlacquered (SBU)

## Standards and Compliance



1360 Series has been successfully tested up to 4 hours with a fire rated Lockwood mortice lock on fire door assemblies (depending on type of doorset) in accordance with Australian Standard AS1905.1:2005, Fire Resistant Doorsets.

**D8**

1360 Series lever sets have been successfully tested to conform with Level D8 (500,000 cycles) under Australian Standard AS4145.2-2008, Locksets and hardware for doors and windows.



1360 Series lever sets in satin chrome finish has been successfully tested to AS 4145.2 2008 for Neutral Salt Spray – With SC Finish passing C10 1000 Hours - Extreme Corrosion Resistance. Suitable for coastal applications.



1360 Series includes levers and turns (as shown) that meet the requirements of AS1428.1-2009, Design for access and mobility.

Lockwood Brass Door Furniture is designed, assembled and customised in Australia to suit the requirements of the Australian Market.




# 1360 Series Brass Door Handles

## BRASS CORE

The 1360 Series rose furniture features a 65mm solid brass rose with diagonal screw fixings, concealed on the outside and visible on the inside.

### Supplied with:


2 x M4 x 65mm Stainless Steel Screws (SP1220-119)  
1 x Instructions (1220-221)



## AS1428.1 Compliant Levers


### Lever 102

<b>Length</b>	134.3mm
<b>Projection</b>	57.5mm
<b>Finger clearance</b>	40mm




### Lever 111

<b>Length</b>	130mm
<b>Projection</b>	48.5mm
<b>Finger clearance</b>	40mm



### Lever 112

<b>Length</b>	130.5mm
<b>Projection</b>	48mm
<b>Finger clearance</b>	40mm




# 1360 Series Brass Door Handles

## AS1428.1 Compliant Levers


### Lever 115

<b>Length</b>	140.4mm
<b>Projection</b>	60mm
<b>Finger clearance</b>	40mm




### Lever 116

<b>Length</b>	140.5mm
<b>Projection</b>	58mm
<b>Finger clearance</b>	40mm




### Lever 118

<b>Length</b>	128mm
<b>Projection</b>	58mm
<b>Finger clearance</b>	40mm



### Lever 124

<b>Length</b>	130.5mm
<b>Projection</b>	59mm
<b>Finger clearance</b>	40mm




# 1360 Series Brass Door Handles

## AS1428.1 Compliant Levers


### Lever 131

<b>Length</b>	134.5mm
<b>Projection</b>	53mm
<b>Finger clearance</b>	40mm




### Lever 132

<b>Length</b>	130mm
<b>Projection</b>	57.5mm
<b>Finger clearance</b>	40mm




### Lever 133

<b>Length</b>	130mm
<b>Projection</b>	53.5mm
<b>Finger clearance</b>	40mm



### Lever 142

<b>Length</b>	130.5mm
<b>Projection</b>	55mm
<b>Finger clearance</b>	40mm




# 1360 Series Brass Door Handles

## AS1428.1 Compliant Levers


### Lever 144

<b>Length</b>	128.8mm
<b>Projection</b>	57.5mm
<b>Finger clearance</b>	40mm




### Lever 145

<b>Length</b>	130mm
<b>Projection</b>	58.5mm
<b>Finger clearance</b>	40mm




### Lever 155

<b>Length</b>	129.3mm
<b>Projection</b>	57.5mm
<b>Finger clearance</b>	40mm



### Lever 166

<b>Length</b>	130mm
<b>Projection</b>	48mm
<b>Finger clearance</b>	40mm




# 1360 Series Brass Door Handles

## AS1428.1 Compliant Levers


### Lever 180

<b>Length</b>	123.5mm
<b>Projection</b>	53.1mm
<b>Finger clearance</b>	40mm




### Lever 47

<b>Length</b>	120mm
<b>Projection</b>	49.6mm
<b>Finger clearance</b>	40mm




### Lever 59

<b>Length</b>	121mm
<b>Projection</b>	47mm
<b>Finger clearance</b>	39.5mm



### Lever 70

<b>Length</b>	121mm
<b>Projection</b>	53mm
<b>Finger clearance</b>	37mm




# 1360 Series Brass Door Handles

## AS1428.1 Compliant Levers


### Lever 74

<b>Length</b>	120mm
<b>Projection</b>	53mm
<b>Finger clearance</b>	45mm




### Lever 76

<b>Length</b>	125mm
<b>Projection</b>	48.5mm
<b>Finger clearance</b>	40mm




### Lever 77

<b>Length</b>	121mm
<b>Projection</b>	51mm
<b>Finger clearance</b>	48.3mm



### Lever 90

<b>Length</b>	118.5mm
<b>Projection</b>	51.6mm
<b>Finger clearance</b>	44mm




# 1360 Series Brass Door Handles

## Non compliant lever/knob types


### Lever 101

<b>Length</b>	130mm
<b>Projection</b>	48.5mm
<b>Finger clearance</b>	40mm




### Lever 104

<b>Length</b>	133.8mm
<b>Projection</b>	57.5mm
<b>Finger clearance</b>	40mm




### Lever 106

<b>Length</b>	130mm
<b>Projection</b>	48mm
<b>Finger clearance</b>	40mm



### Lever 123

<b>Length</b>	130.5mm
<b>Projection</b>	59mm
<b>Finger clearance</b>	40mm




# 1360 Series Brass Door Handles

## Non compliant lever/knob types


### Lever 178

<b>Length</b>	130mm
<b>Projection</b>	63.6mm
<b>Finger clearance</b>	42mm




### Lever 97

<b>Length</b>	120mm
<b>Projection</b>	50.5mm
<b>Finger clearance</b>	34.6mm



### Knob 20

<b>Diameter</b>	50mm
<b>Projection</b>	73mm



20 Knob can be used on outside rose only.




# 1360 Series Brass Door Handles

## Handed Levers

### Lever 41


<b>Length</b>	130mm
<b>Projection</b>	61.5mm
<b>Finger clearance</b>	40.5mm

\* Lever is an asymmetrical design and therefore must be handed.




### Lever 122

<b>Length</b>	130.5mm
<b>Projection</b>	59mm
<b>Finger clearance</b>	40mm



### Lever 153

<b>Length</b>	120mm
<b>Projection</b>	70.6mm
<b>Finger clearance</b>	43mm



# 1360 Series Through Fix Escutcheon Kits

Through fix kits are optimised for use with Selector Series Mortice Locks. Supplied with two M4 64mm stainless screws for through fix installation.


## Double Oval Cylinder Escutcheons Kit

**Part Number** 1366/6


### Escutcheons supplied

**Outside:** Oval Cylinder Escutcheon

**Inside:** Oval Cylinder Escutcheon



Outside



Inside


## Oval Cylinder and Turnknob Escutcheons Kit

**Part Number** 1366/7N


### Escutcheons supplied

**Outside:** Oval Cylinder Escutcheon

**Inside:** Turnknob Escutcheon



Outside



Inside

# 1360 Series Through Fix Escutcheon Kits

## Privacy Indicating Emergency Turn and Disabled Accessible Turnknob Escutcheons Kit


**Part Number** 1368/9P

### Escutcheons supplied


**Outside:** Privacy Indicating Emergency Turn Escutcheon

**Inside:** Privacy Indicating Disabled Accessible Turnknob Escutcheon

**Door thickness:** Suitable for 32 - 45mm doors.  
Extended tail bars available for thicker doors.



Outside



Inside

### Note:

Common kit configurations are shown, for other kit variations please refer to the ordering procedure at the end of this section.

# 1360 Series Cylinder & Turn Escutcheons

Surface mounted escutcheons are optimised for use with Synergy Series Mortice Locks.


## Oval Cylinder Escutcheon

**Part Number** 1366/E

### Supplied with

- 2 x M4 x 65mm Stainless Steel Screws (SP1220-119)
- 1 x Allen Key (SP1366-14)
- 1 x Grub Screw M4 x 8mm (SPV0272 PBK)

(Replaces 1366)




## Turnknob Escutcheon

**Part Number** 1367/IN

### Supplied with

- 2 x Short & 2 x Medium Wood Screws (SP1226-219)
- 1 x Short, Medium & Long Tail Bars and Spring (SP1227-219)
- 1 x Flat Tail Bar & Split Pin (SP1227-319)
- 1 x Instructions (1220-321)

(Replaces 1367)




## Privacy Indicating Turnknob Escutcheon

**Part Number** 1367/IP

### Supplied with

- 2 x Short & 2 x Medium Wood Screws (SP1226-219)
- 1 x Short, Medium & Long Tail Bars and Spring (SP1227-219)
- 1 x Flat Tail Bar & Split Pin (SP1227-319)
- 1 x Instructions (1220-321)

(Replaces 1367P)




## Emergency Turn Escutcheon

**Part Number** 1368/IN

### Supplied with

- 2 x Short & 2 x Medium Wood Screws (SP1226-219)
- 1 x Emergency Tail Bar (SP1227-119)

(Replaces 1368)



# 1360 Series Cylinder & Turn Escutcheons


## Privacy Indicating Emergency Turn Escutcheon

**Part Number** 1368/IP

### Supplied with

2 x Short & 2 x Medium Wood Screws (SP1226-219)  
1 x Emergency Tail Bar (SP1227-119)

(Replaces 1368P)




## Disabled Accessible Turnknob

**Part Number** 1369/IN

### Supplied with

2 x Short & 2 x Medium Wood Screws (SP1226-219)  
1 x Short, Medium & Long Tail Bars and Spring (SP1227-219)  
1 x Instructions (1220-321)

(Replaces 1367DT)




## Disabled Accessible Privacy Indicating Turnknob

**Part Number** 1369/IP

### Supplied with

2 x Short & 2 x Medium Wood Screws (SP1226-219)  
1 x Short, Medium & Long Tail Bars and Spring (SP1227-219)  
1 x Instructions (1220-321)



**Door thickness:** Suitable for 32 - 45mm doors.  
Extended tail bars available for thicker doors.

# 1360 Series Ordering Procedure

## Ordering Procedure

Sample part number 1360/41LCP is made up of several sections. Choose your product by selecting an option from each section.

## Half Set

**Note:** Choose one rose only, exterior or interior.

Exterior Rose	Lever/ Knob	Handing	Finish
1360	41	L	CP

## Full Set

Exterior Rose	Interior Rose	Lever/ Knob	Handing	Finish
1360	1361	41	L	CP

Exterior Rose Type	Interior Rose Type
Exterior Rose 1360	Interior Rose 1361
Exterior Blank Rose 1362	Interior Blank Rose 1363
Exterior Fixed Rose 1364	Interior Fixed Rose 1365

AS1428.1 Compliant Lever Types		
102	111	112
115	116	118
124	131	132
133	142	144
145	155	166
47	59	70
74	76	77
90		

Non compliant lever/knob types		
101	104	123
178	97	20

Handed Levers		
41	122	153

Handing	
Right Handed	R
Left Handed	L
NB: Omit if non-handed	

Finish	
Satin Chrome Brushed	SC
Chrome Plate	CP
Polished Brass	PB
Polyester Powdercoat	PC

Non - Standard Finishes	
Polished Brass Unlacquered	BU
Satin Brass	SB
Satin Brass Unlacquered	SBU
Architectural Bronze	AZ
Architectural Bronze Unlacquered	AU
Antique Copper	AC
Oil Rubbed Bronze	ORB

**Note:** Refer to the decorative finishes section at the end of this catalogue for images of the full metal finishes and powder coat colour range available.

# 1360 Series Ordering Procedure

## Escutcheon Kits

Through fix kits are optimised for use with Selector Series Mortice Locks. Supplied with two M4 64mm stainless screws for through fix installation.

Sample part number 1366/9NSC is made up of several sections. The description of this part number is an oval cylinder and disabled accessible turnknob escutcheon kit.

Exterior Function	Interior Function	Privacy Indicator	Finish
1366	9	N	SC

Exterior Function	
Oval Cylinder	1366
Emergency Turn	1368

### Notes:

Order 1366/E if only one oval cylinder escutcheon is required. A grub screw will be supplied to allow for concealed fixing.

1368/6 Kit is not applicable.

Interior Function	
Oval Cylinder	6
Oval Turnknob	7
Disabled	
Accessible Turnknob	9

Privacy Indicator	
Oval Cylinder	-
Non Indicating	N
Privacy Indicating	P

### Note:

Privacy indicator applies for both exterior and interior functions.

Finish	
Satin Chrome Brushed	SC
Chrome Plate	CP
Polished Brass	PB
Polyester Powdercoat	PC

Non - Standard Finishes	
Polished Brass Unlacquered	BU
Satin Brass	SB
Satin Brass Unlacquered	SBU
Architectural Bronze	AZ
Architectural Bronze Unlacquered	AU
Antique Copper	AC
Oil Rubbed Bronze	ORB

**Note:** Refer to the decorative finishes section at the end of this catalogue for images of the full metal finishes and powder coat colour range available.

Refer to page 69 for reference guide.

# 1360 Series Ordering Procedure

## Surface Mounted Escutcheons

Surface mounted escutcheons are optimised for use with Synergy Series Mortice Locks.

Supplied with wood screws to suit surface mounting on either side of the door.

Escutcheon Type	Fixing	Privacy Indicator	Finish
1369	I	P	SC

Escutcheon Type	
Oval Cylinder	1366
Oval Turn	1367
Emergency Turn	1368
Disabled Accessible Turn	1369

Fixing	
Wood Screw Surface Fixing	I
Grub Screw Concealed Fixing	E*
<b>Note:</b> *Only applicable when ordering with 1366 Oval Cylinder Escutcheon. The 1366/E will be supplied with a grub screw to allow for concealed fixing.	

Privacy Indicator	
Oval Cylinder	-
Non Indicating	N
Privacy Indicating	P

Finish	
Satin Chrome Brushed	SC
Chrome Plate	CP
Polished Brass	PB
Polyester Powdercoat	PC

Special Finishes	
Polished Brass Unlacquered	BU
Satin Brass	SB
Satin Brass Unlacquered	SBU
Architectural Bronze	AZ
Architectural Bronze Unlacquered	AU
Antique Copper	AC
Oil Rubbed Bronze	ORB

**Note:** Refer to the decorative finishes section at the end of this catalogue for images of the full metal finishes and powder coat colour range available.

Refer to page 70 for reference guide.














# 1360 Series Reference Guide

## Lockwood Brass Turns and Cylinder Escutcheons

Fitting: Through Fix Mounting

Optimized for Selector 3770 Series Mortice Locks

1360 Series Kits									
Image	Part Number	Handed	Kit Description		Mortice Lock/Bolt Compatibility				
			Exterior Function	Interior Function	Synergy 3570 Locks	Selector 3770 Locks	PT Mortice Locks	6260 Privacy Bolt	
	1366/6SC	No	Oval Cylinder Escutcheon	Oval Cylinder Escutcheon		✓	✓		
	1366/7NSC	No	Oval Cylinder Escutcheon	Oval Turnknob		✓	✓		
	1366/7PSC	No	Oval Cylinder Escutcheon	Privacy Indicating Oval Turnknob		✓	✓		
	1366/9NSC	No	Oval Cylinder Escutcheon	Disabled Accessible Turnknob		✓	✓		
	1366/9PSC	No	Oval Cylinder Escutcheon	Privacy Indicating Disabled Accessible Turnknob		✓	✓		
	1368/7NSC	No	Emergency Turn	Oval Turnknob		✓	✓	✓	
	1368/7PSC	No	Privacy Indicating Emergency Turn	Privacy Indicating Oval Turnknob		✓	✓	✓	
	1368P/7NSC	No	Privacy Indicating Emergency Turn	Oval Turnknob		✓	✓	✓	
	1368/9NSC	No	Emergency Turn	Disabled Accessible Turnknob		✓	✓	✓	
	1368/9PSC	No	Privacy Indicating Emergency Turn	Privacy Indicating Disabled Accessible Turnknob		✓	✓	✓	
	1368P/9NSC	No	Privacy Indicating Emergency Turn	Disabled Accessible Turnknob		✓	✓	✓	









# 1360 Series Reference Guide

## Lockwood Brass Turns and Cylinder Escutcheons

Fitting: Surface Mounting

Optimized for Synergy 3570 Series Mortice Locks

### 1360 Series Surface Mounted Escutcheons

Image	Part Number	Handed	Description	Mortice Lock/Bolt Compatibility				Replaced Codes	
				Synergy 3570 Locks	Selector 3770 Locks	PT Mortice Locks	6260 Privacy Bolt	Previous Surface Mounted Turns	Previous Pentagon External Turns
	1366/ESC	No	Oval Cylinder Escutcheon	✓	✓	✓		1366SC	1366/ESC
	1367/IPSC	No	Privacy Indicating Oval Turnknob Escutcheon	✓	✓	✓	✓	1367PSC	1367/EPSC
	1367/INSC	No	Non- Indicating Oval Turnknob Escutcheon	✓	✓	✓	✓	1367SC	1367/ENSC
	1368/INSC	No	Non - Indicating Emergency Turn Escutcheon	✓	✓	✓	✓	1368SC	1368/ENSC
	1368/IPSC	No	Privacy Indicating Emergency Turn Escutcheon	✓	✓	✓	✓	1368PSC	1368/EPSC
	1369/INSC	No	Non- Indicating Disabled Accessible Turnknob Escutcheon	✓	✓	✓	✓	1367DT	1369/ENSC
	1369/IPSC	No	Privacy Indicating Disabled Accessible Turnknob Escutcheon	✓	✓	✓	✓		1369/EPSC
	1366ESC	No	Euro Profile Cylinder Escutcheon	✓	✓	✓		-	-

# 1370 Series Brass Door Handles



Lockwood 1370 Series door furniture is manufactured from high quality solid brass material. The comprehensive lever range matched with ease of installation and compatibility with a wide range of Mortice Locks defines simple and reliable.

The accessory range includes cylinder escutcheons, emergency turns and disabled accessible turnknobs. For installers, the unique turn mechanism adjusts to suit the thickness of the door and removes the need to cut tailbars to length.

A full range of finishes from satin chrome through to a range of brass finishes and polyester powder coat provides all the options for matching to interior designs.

Proudly Australian Made at our factory at Oakleigh to the highest quality standards for strength, durability and corrosion resistance.

## Product Details

<b>Dimensions</b>	62.5mm diameter x 11.6mm.
<b>Materials</b>	All Lockwood roses and levers contained in the 1370 series are of solid brass construction.
<b>Fixing</b>	Roses are designed to fit back to back. If outside rose is specified with concealed fixing, then the inside rose must be visible fixed. Roses numbered 1370, 1372 and 1374 are concealed fixed, roses numbered 1371, 1373 and 1375 are visible fixed.
<b>Door Thickness</b>	Selector 3770 and Synergy 3570 Series: 32mm to 50mm Lockwood 5260 Latches: 33mm to 50mm
<b>Decorative Finishes</b>	<b>Standard Finish:</b> Satin Chrome Brushed (SC) <b>Non-Standard Finish:</b> Chrome Plate (CP) Polished Brass (PB) Polyester Powdercoat (PC) <b>Special Finish:</b> Architectural Bronze (AZ) Architectural Bronze Unlacquered (AU) Antique Copper (AC) Polished Brass Unlacquered (BU) Satin Brass (SB) Oil Rubbed Bronze (ORB) Satin Brass Unlacquered (SBU)

## Standards and Compliance



1370 Series has been successfully tested up to 4 hours with a fire rated Lockwood mortice lock on fire door assemblies (depending on type of doorset) in accordance with Australian Standard AS1905.1:2005, Fire Resistant Doorsets.

**D8**

1370 Series lever sets have been successfully tested to conform with Level D8 (500,000 cycles) under Australian Standard AS4145.2-2008, Locksets and hardware for doors and windows.



1370 Series lever sets in satin chrome finish has been successfully tested to AS 4145.2 2008 for Neutral Salt Spray – With SC Finish passing C10 1000 Hours - Extreme Corrosion Resistance. Suitable for coastal applications.



1370 Series includes levers and turns (as shown) that meet the requirements of AS1428.1-2009, Design for access and mobility.

Lockwood Brass Door Furniture is designed, assembled and customised in Australia to suit the requirements of the Australian Market.


# 1370 Series Brass Door Handles

## BRASS CORE

The 1370 Series rose furniture features a 62mm solid brass rose with diagonal screw fixings, concealed on the outside and visible on the inside.

### Supplied with:


2 x M4 x 65mm Stainless Steel Screws (SP1220-119)  
1 x Instructions (1220-221)



## AS1428.1 Compliant Levers


### Lever 102

<b>Length</b>	134.3mm
<b>Projection</b>	57.5mm
<b>Finger clearance</b>	40mm




### Lever 111

<b>Length</b>	130mm
<b>Projection</b>	58mm
<b>Finger clearance</b>	40mm



### Lever 112

<b>Length</b>	130.5mm
<b>Projection</b>	48mm
<b>Finger clearance</b>	40mm




# 1370 Series Brass Door Handles

## AS1428.1 Compliant Levers


### Lever 115

<b>Length</b>	140.4mm
<b>Projection</b>	60mm
<b>Finger clearance</b>	40mm




### Lever 116

<b>Length</b>	140.5mm
<b>Projection</b>	47.6mm
<b>Finger clearance</b>	40mm




### Lever 118

<b>Length</b>	128mm
<b>Projection</b>	58mm
<b>Finger clearance</b>	40mm



### Lever 124

<b>Length</b>	130.5mm
<b>Projection</b>	59mm
<b>Finger clearance</b>	40mm




# 1370 Series Brass Door Handles

## AS1428.1 Compliant Levers


### Lever 131

<b>Length</b>	134.5mm
<b>Projection</b>	53mm
<b>Finger clearance</b>	40mm




### Lever 132

<b>Length</b>	130mm
<b>Projection</b>	57.5mm
<b>Finger clearance</b>	40mm




### Lever 133

<b>Length</b>	130mm
<b>Projection</b>	53.5mm
<b>Finger clearance</b>	40mm



### Lever 142

<b>Length</b>	130.5mm
<b>Projection</b>	55mm
<b>Finger clearance</b>	40mm




# 1370 Series Brass Door Handles

## AS1428.1 Compliant Levers


### Lever 144

<b>Length</b>	128.8mm
<b>Projection</b>	57.5mm
<b>Finger clearance</b>	40mm




### Lever 145

<b>Length</b>	130mm
<b>Projection</b>	58.5mm
<b>Finger clearance</b>	40mm





### Lever 155

<b>Length</b>	129.3mm
<b>Projection</b>	57.5mm
<b>Finger clearance</b>	40mm



### Lever 166

<b>Length</b>	130mm
<b>Projection</b>	48mm
<b>Finger clearance</b>	40mm




# 1370 Series Brass Door Handles

## AS1428.1 Compliant Levers


### Lever 180

<b>Length</b>	123.5mm
<b>Projection</b>	53.1mm
<b>Finger clearance</b>	40mm




### Lever 47

<b>Length</b>	120mm
<b>Projection</b>	49.6mm
<b>Finger clearance</b>	40mm




### Lever 59

<b>Length</b>	121mm
<b>Projection</b>	47mm
<b>Finger clearance</b>	39.5mm



### Lever 70

<b>Length</b>	121mm
<b>Projection</b>	53mm
<b>Finger clearance</b>	37mm






# 1370 Series Brass Door Handles

## AS1428.1 Compliant Levers


### Lever 74

<b>Length</b>	120mm
<b>Projection</b>	53mm
<b>Finger clearance</b>	45mm




### Lever 76

<b>Length</b>	125mm
<b>Projection</b>	48.5mm
<b>Finger clearance</b>	40mm




### Lever 77

<b>Length</b>	121mm
<b>Projection</b>	51mm
<b>Finger clearance</b>	48.3mm



### Lever 90

<b>Length</b>	118.5mm
<b>Projection</b>	51.6mm
<b>Finger clearance</b>	44mm




# 1370 Series Brass Door Handles

## Non compliant lever/knob types


### Lever 101

<b>Length</b>	130mm
<b>Projection</b>	48.5mm
<b>Finger clearance</b>	40mm




### Lever 104

<b>Length</b>	133.8mm
<b>Projection</b>	57.5mm
<b>Finger clearance</b>	40mm




### Lever 106

<b>Length</b>	130mm
<b>Projection</b>	48mm
<b>Finger clearance</b>	40mm



### Lever 123


<b>Length</b>	130.5mm
<b>Projection</b>	59mm
<b>Finger clearance</b>	40mm




# 1370 Series Brass Door Handles

## Non compliant lever/knob types


Lever 178	
Length	130mm
Projection	63.6mm
Finger clearance	42mm



Lever 97	
Length	120mm
Projection	50.5mm
Finger clearance	34.6mm



Knob 20	
Diameter	50mm
Projection	73mm



20 Knob can be used on outside rose only.


# 1370 Series Brass Door Handles

## Handed Levers

### Lever 41


<b>Length</b>	130mm
<b>Projection</b>	61.5mm
<b>Finger clearance</b>	40.5mm

\* Lever is an asymmetrical design and therefore must be handed.




### Lever 122

<b>Length</b>	130.5mm
<b>Projection</b>	59mm
<b>Finger clearance</b>	40mm



### Lever 153

<b>Length</b>	120mm
<b>Projection</b>	70.6mm
<b>Finger clearance</b>	43mm



# 1370 Series Through Fix Escutcheon Kits

Through fix kits are optimised for use with Selector Series Mortice Locks. Supplied with two M4 64mm stainless screws for through fix installation.


## Double Oval Cylinder Escutcheons Kit

**Part Number** 1376/6


### Escutcheons supplied

**Outside:** Oval Cylinder Escutcheon

**Inside:** Oval Cylinder Escutcheon



Outside



Inside


## Oval Cylinder and Turnknob Escutcheons Kit

**Part Number** 1376/7N


### Escutcheons supplied

**Outside:** Oval Cylinder Escutcheon

**Inside:** Turnknob Escutcheon



Outside



Inside

# 1370 Series Through Fix Escutcheon Kits

## Privacy Indicating Emergency Turn and Disabled Accessible Turnknob Escutcheons Kit


**Part Number** 1378/9P

### Escutcheons supplied


**Outside:** Privacy Indicating Emergency Turn Escutcheon

**Inside:** Privacy Indicating Disabled Accessible Turnknob Escutcheon

**Door thickness:** Suitable for 32 - 45mm doors.  
Extended tail bars available for thicker doors.



Outside



Inside

### Note:

Common kit configurations are shown, for other kit variations please refer to the ordering procedure at the end of this section.

# 1370 Series Cylinder & Turn Escutcheons

Surface mounted escutcheons are optimised for use with Synergy Series Mortice Locks.


## Oval Cylinder Escutcheon

**Part Number** 1376/E

### Supplied with

2 x M4 x 65mm Stainless Steel Screws (SP1220-119)  
1 x Allen Key (SP1366-14)  
1 x Grub Screw M4 x 8mm (SPV0272 PBK)

(Replaces 1376)




## Turnknob Escutcheon

**Part Number** 1377/IN

### Supplied with

2 x Short & 2 x Medium Wood Screws (SP1226-219)  
1 x Short, Medium & Long Tail Bars and Spring (SP1227-219)  
1 x Flat Tail Bar & Split Pin (SP1227-319)  
1 x Instructions (1220-321)

(Replaces 1377)




## Privacy Indicating Turnknob Escutcheon

**Part Number** 1377/IP

### Supplied with

2 x Short & 2 x Medium Wood Screws (SP1226-219)  
1 x Short, Medium & Long Tail Bars and Spring (SP1227-219)  
1 x Flat Tail Bar & Split Pin (SP1227-319)  
1 x Instructions (1220-321)

(Replaces 1377P)




## Emergency Turn Escutcheon

**Part Number** 1378/IN

### Supplied with

2 x Short & 2 x Medium Wood Screws (SP1226-219)  
1 x Emergency Tail Bar (SP1227-119)

(Replaces 1378)



# 1370 Series Cylinder & Turn Escutcheons


## Privacy Indicating Emergency Turn Escutcheon

**Part Number** 1378/IP

### Supplied with

2 x Short & 2 x Medium Wood Screws (SP1226-219)  
1 x Emergency Tail Bar (SP1227-119)

(Replaces 1378P)




## Disabled Accessible Turnknob

**Part Number** 1379/IN

### Supplied with

2 x Short & 2 x Medium Wood Screws (SP1226-219)  
1 x Short, Medium & Long Tail Bars and Spring (SP1227-219)  
1 x Instructions (1220-321)

(Replaces 1377DT)




## Disabled Accessible Privacy Indicating Turnknob

**Part Number** 1379/IP

### Supplied with

2 x Short & 2 x Medium Wood Screws (SP1226-219)  
1 x Short, Medium & Long Tail Bars and Spring (SP1227-219)  
1 x Instructions (1220-321)



**Door thickness:** Suitable for 32 - 45mm doors.  
Extended tail bars available for thicker doors.



# 1370 Series Ordering Procedure

Sample part number 1370/1371/41LCP is made up of several sections. Choose your product by selecting an option from each section.

## Half Set

**Note:** Choose one rose only, exterior or interior.

Exterior Rose	Lever/ Knob	Handing	Finish
1370	41	L	CP

## Full Set

Exterior Rose	Interior Rose	Lever/ Knob	Handing	Finish
1370	1371	41	L	CP

Exterior Rose Type	Interior Rose Type
Exterior Rose 1370	Interior Rose 1371
Exterior Blank Rose 1372	Interior Blank Rose 1373
Exterior Fixed Rose 1374	Interior Fixed Rose 1375

AS1428.1 Compliant Lever Types		
102	111	112
115	116	118
124	131	132
133	142	144
145	155	166
47	59	70
74	76	77
90		

Non compliant lever/knob types		
101	104	123
178	97	20

Handed Levers		
41	122	153

Handing	
Right Handed	R
Left Handed	L
NB: Omit if non-handed	

Finish	
Satin Chrome Brushed	SC
Chrome Plate	CP
Polished Brass	PB
Polyester Powdercoat	PC

Non - Standard Finishes	
Polished Brass Unlacquered	BU
Satin Brass	SB
Satin Brass Unlaquered	SBU
Architectural Bronze	AZ
Architectural Bronze Unlacquered	AU
Antique Copper	AC
Oil Rubbed Bronze	ORB

**Note:** Refer to the decorative finishes section at the end of this catalogue for images of the full metal finishes and powder coat colour range available.

# 1370 Series Ordering Procedure

## Escutcheon Kits

Through fix kits are optimised for use with Selector Series Mortice Locks. Supplied with two M4 64mm stainless screws for through fix installation.

Sample part number 1376/9NSC is made up of several sections. The description of this part number is an oval cylinder and disabled accessible turnknob escutcheon kit.

Exterior Function	Interior Rose	Privacy Indicator	Finish
1376	9	N	SC

Exterior Function	
Oval Cylinder	1376
Emergency Turn	1378

### Notes:

Order 1376/E if only one oval cylinder escutcheon is required. A grub screw will be supplied to allow for concealed fixing.

1378/6 Kit is not applicable.

Interior Function	
Oval Cylinder	6
Oval Turnknob	7
Disabled Accessible Turnknob	9

Privacy Indicator	
Oval Cylinder	-
Non Indicating	N
Privacy Indicating	P

### Note:

Privacy indicator applies for both exterior and interior functions.

Finish	
Satin Chrome Brushed	SC
Chrome Plate	CP
Polished Brass	PB
Polyester Powdercoat	PC

Special Finishes	
Polished Brass Unlacquered	BU
Satin Brass	SB
Satin Brass Unlacquered	SBU
Architectural Bronze	AZ
Architectural Bronze Unlacquered	AU
Antique Copper	AC
Oil Rubbed Bronze	ORB

**Note:** Refer to the decorative finishes section at the end of this catalogue for images of the full metal finishes and powder coat colour range available.

Refer to page 88 for reference guide.

# 1370 Series Ordering Procedure

## Surface Mounted Escutcheons

Surface mounted escutcheons are optimised for use with Synergy Series Mortice Locks.

Supplied with wood screws to suit surface mounting on either side of the door.

Escutcheon Type	Fixing	Privacy Indicator	Finish
1379	I	P	SC

Escutcheon Type	
Oval Cylinder	1376
Oval Turn	1377
Emergency Turn	1378
Disabled Accessible Turn	1379

Fixing	
Wood Screw Surface Fixing	I
Grub Screw Concealed Fixing	E*

### Note:

\*Only applicable when ordering with 1376 Oval Cylinder Escutcheon. The 1376/E will be supplied with a grub screw to allow for concealed fixing.

Privacy Indicator	
Oval Cylinder	-
Non Indicating	N
Privacy Indicating	P

Finish	
Satin Chrome Brushed	SC
Chrome Plate	CP
Polished Brass	PB
Polyester Powdercoat	PC

Special Finishes	
Polished Brass Unlacquered	BU
Satin Brass	SB
Satin Brass Unlacquered	SBU
Architectural Bronze	AZ
Architectural Bronze Unlacquered	AU
Antique Copper	AC
Oil Rubbed Bronze	ORB

**Note:** Refer to the decorative finishes section at the end of this catalogue for images of the full metal finishes and powder coat colour range available.












Refer to page 89 for reference guide.

# 1370 Series Reference Guide

## Lockwood Brass Turns and Cylinder Escutcheons

Fitting: Through Fix Mounting

Optimized for Selector 3770 Series Mortice Locks

1370 Series Kits									
Image	Part Number	Handed	Kit Description			Mortice Lock/Bolt Compatibility			
			Exterior Function	Interior Function		Synergy 3570 Locks	Selector 3770 Locks	PT Mortice Locks	6260 Privacy Bolt
	1376/6SC	No	Oval Cylinder Escutcheon	Oval Cylinder Escutcheon			✓	✓	
	1376/7NSC	No	Oval Cylinder Escutcheon	Oval Turnknob			✓	✓	
	1376/7PSC	No	Oval Cylinder Escutcheon	Privacy Indicating Oval Turnknob			✓	✓	
	1376/9NSC	No	Oval Cylinder Escutcheon	Disabled Accessible Turnknob			✓	✓	
	1376/9PSC	No	Oval Cylinder Escutcheon	Privacy Indicating Disabled Accessible Turnknob			✓	✓	
	1378/7NSC	No	Emergency Turn	Oval Turnknob			✓	✓	✓
	1378/7PSC	No	Privacy Indicating Emergency Turn	Privacy Indicating Oval Turnknob			✓	✓	✓
	1378P/7NSC	No	Privacy Indicating Emergency Turn	Oval Turnknob			✓	✓	✓
	1378/9NSC	No	Emergency Turn	Disabled Accessible Turnknob			✓	✓	✓
	1378/9PSC	No	Privacy Indicating Emergency Turn	Privacy Indicating Disabled Accessible Turnknob			✓	✓	✓
	1378P/9NSC	No	Privacy Indicating Emergency Turn	Disabled Accessible Turnknob			✓	✓	✓









# 1370 Series Reference Guide

## Lockwood Brass Turns and Cylinder Escutcheons

Fitting: Surface Mounting

Optimized for Synergy 3570 Series Mortice Locks

### 1370 Series Surface Mounted Escutcheons

Image	Part Number	Handed	Description	Mortice Lock/Bolt Compatibility				Replaced Codes	
				Synergy 3570 Locks	Selector 3770 Locks	PT Mortice Locks	6260 Privacy Bolt	Previous Surface Mounted Turns	Previous Pentagon External Turns
	1376/ESC	No	Oval Cylinder Escutcheon	✓	✓	✓		1376SC	1376/ESC
	1377/IPSC	No	Privacy Indicating Oval Turnknob Escutcheon	✓	✓	✓	✓	1377PSC	1377/EPSC
	1377/INSC	No	Non- Indicating Oval Turnknob Escutcheon	✓	✓	✓	✓	1377SC	1377/ENSC
	1378/INSC	No	Non - Indicating Emergency Turn Escutcheon	✓	✓	✓	✓	1378SC	1378/ENSC
	1378/IPSC	No	Privacy Indicating Emergency Turn Escutcheon	✓	✓	✓	✓	1378PSC	1378/EPSC
	1379/INSC	No	Non- Indicating Disabled Accessible Turnknob Escutcheon	✓	✓	✓	✓	1377DT	1379/ENSC
	1379/IPSC	No	Privacy Indicating Disabled Accessible Turnknob Escutcheon	✓	✓	✓	✓		1379/EPSC
	1376ESC	No	Euro Profile Cylinder Escutcheon	✓	✓	✓		-	-

# 260 Series Door Handles




The 260 Series door furniture has a 55mm round rose. Concealed fixed plates have studs with internal threads located on the rose, visible roses have corresponding countersunk holes and are fixed back to back through the door.

## Application

Designed for use with Lockwood 3770 and 3570 Series Mortice Latches and with 5260 Tubular Latches.

## Product Details

<b>Dimensions</b>	Lever Rose
	55 x 3mm - aluminium
	55 x 2mm - stainless steel and brass
	Escutcheon Rose
<b>Materials</b>	50 x 3mm - aluminium
	50 x 2mm - stainless steel and brass
	Aluminium, stainless steel or brass
<b>Door Thickness</b>	For use with 3570 Series Mortice Latches: Door thickness 35 to 45mm
	For use with 5260 Tubular Latches: Door thickness 37-45mm
	(Extended screws and packing plates available for installation on thicker and thinner doors.)
<b>Finishes Standard</b>	Stainless Steel (SS)
<b>Finishes Non Standard</b>	Polished Stainless Steel (PS) Powdercoat (PC)



SS/Brass

## Standards and Compliance



260 Series has been successfully tested up to 4 hours with a fire rated Lockwood mortice lock on fire door assemblies (depending on type of doorset) in accordance with Australian Standard AS1905.1:2005, Fire Resistant Doorsets.

## D3

260 Series lever sets have been successfully tested to conform with Level D8 (500,000 cycles) under Australian Standard AS4145.2-2008, Locksets and hardware for doors and windows.



Anti-Corrosion




260 Series includes levers and turns (as shown) that meet the requirements of AS1428.1-2009, Design for access and mobility.


Lockwood Artefact Door Furniture is designed, assembled and customised in Australia to suit the requirements of the Australian Market.

# 260 Series Door Handle Functions


## Rose Furniture 55mm Diameter




260 Operable




261 Operable




262 Blank



263 Blank




264 Fixed




265 Fixed


## Escutcheon Furniture 50mm Diameter



280



281



282

### Functions Legend

Cylinder Hole



Turnknob



Emergency Turn



# 260SQ Series Square Door Rose Door Handles




The 260SQ Series door furniture has a 55mm x 2mm square rose. Concealed fixed plates have studs with internal threads located on the rose, visible roses have corresponding countersunk holes and are fixed back to back through the door.

## Application

Designed for use with Lockwood 3770 and 3570 Series Mortice Latches and with 5260 Tubular Latches.

## Product Details

<b>Dimensions</b>	Lever Rose
	55 x 2mm - stainless steel
	Escutcheon Rose
	50 x 2mm - stainless steel
<b>Materials</b>	Stainless steel only
<b>Door Thickness</b>	For use with 3570 Series Mortice Latches: Door thickness 35 to 45mm
	For use with 5260 Tubular Latches: Door thickness 37-45mm
	(Extended screws and packing plates available for installation on thicker and thinner doors.)
<b>Finishes</b>	
<b>Standard</b>	Stainless Steel (SS)



## Standards and Compliance



260SQ Series has been successfully tested up to 4 hours with a fire rated Lockwood mortice lock on fire door assemblies (depending on type of doorset) in accordance with Australian Standard AS1905.1:2005, Fire Resistant Doorsets.

## D3

260SQ Series lever sets have been successfully tested to conform with Level D8 (500,000 cycles) under Australian Standard AS4145.2-2008, Locksets and hardware for doors and windows.



Anti-Corrosion




260SQ Series includes levers and turns (as shown) that meet the requirements of AS1428.1-2009, Design for access and mobility.

Lockwood Artefact Door Furniture is designed, assembled and customised in Australia to suit the requirements of the Australian Market.




# 260SQ Series Square Door Rose Door Handles


## Levers and Knob to Suit



## Square Furniture 55 x 55mm



## Square Escutcheon Furniture 50 x 50mm



### Functions Legend

Cylinder Hole	
Turnknob	
Emergency Turn	

# 260 Series Ordering Procedure

## Ordering Procedure

Sample part number 260/261/SQ96SS is made up of several sections. Choose your product by selecting an option from each section.

## Half Set

For example:

Exterior Rose	Lever/ Knob	Handing	Finish
260	SQ	96	SS

**Note:** Choose one rose only, exterior or interior.

## 260 Series

Exterior Rose	Interior Rose	Rose Shape	Lever/ Knob	Handing	Finish
260	261	-	96	L	SS

### Exterior Rose Type

Exterior Rose	260
Exterior Blank Rose	262
Exterior Round Rose -Fixed Rose	264

### Interior Rose Type

Interior Rose	261
Interior Blank Rose	263
Interior Fixed Rose	265

### Rose Shape

Round	-
Square	SQ

### AS1428.1 Compliant Lever Types

102	111	112
115	116	118
124	131	132
133	142	144
145	155	166
47	59	70
74	76	77
90		

### Non compliant lever/knob types

101	104	123
178	97	20

### Handed Levers

#### Brass Levers

41	122	153
----	-----	-----

\* Levers 65 and 85 not available in PS or PB

### Handing

Left Handed	L
Right Handed	R

### Finish - 260 Series

Satin Stainless Steel	SS
Powdercoat	PC
Polished Stainless Steel	PS
Aluminium	NT
Polished Brass	PB

### Finish - 260SQ Series

Satin Stainless Steel	SS
-----------------------	----

# Velocity® Series Large Rose Door Furniture




The Velocity Series is a stylish range of door furniture suitable for use in residential dwellings.

Designed to suit common door preparations in the Australian market, Velocity is ideal for both new and retrofit applications.

## Retrofitable

Fits majority of doors with 54mm hole.



## 1 Align 2 Twist 3 Tighten



## Features and Specifications

- All fixings are concealed beneath a removable rose trim providing a crisp and clean presentation desired by the discerning home owner
- Simple twist and tighten fixing method and lever set pre-assembly allows for super easy and super fast installation
- Available in a choice of six lever designs and three finishes
- The rose fits 50mm or 54mm diameter holes making it suitable for retrofit and common door preparations
- Designed in Australia for the specific needs of the Australian market

## Product Details

<b>Rose Dimensions</b>	63mm by 12.5mm.
<b>Materials</b>	All Velocity levers and roses are made from solid zinc die-cast with steel rose trims.
<b>Latches</b>	Passage sets are available both with and without a 60mm backset tubular latch. Privacy sets are supplied with a 60mm backset privacy latch which includes an activating pin for the inside of the door and an external emergency release function. The latch is automatically released when the internal handle is operated and is easily adapted for both open in and open out applications. All latches are supplied with industry standard "D" strikes.
<b>Door Thickness</b>	32mm to 45mm hinged doors
<b>Finishes</b>	Satin Chrome Brushed ( <b>SC</b> ) Satin Chrome Pearl ( <b>SP</b> ) Chrome Plate ( <b>CP</b> )

## Standards and Compliance

### D8

VEL Series lever sets have been successfully tested to conform with Level D8 (500,000 cycles) under Australian Standard AS4145.2-2008, Locksets and hardware for doors and windows.




VEL Series in brushed satin chrome finish has been successfully tested to conform with Level C10 (1000 hours) under Australian Standard AS4145.2-2008, Locksets and hardware for doors and windows.

Not suited to coastal applications

# Velocity® Series Large Rose Door Handles


## Summit® – Lever 1

<b>Length</b>	122mm
<b>Projection</b>	56.5mm
<b>Finger Clearance</b>	34.5mm




## Spire® – Lever 2

<b>Length</b>	124mm
<b>Projection</b>	57.5mm
<b>Finger Clearance</b>	44.5mm




## Element™ – Lever 3

<b>Length</b>	122mm
<b>Projection</b>	54.5mm
<b>Finger Clearance</b>	47.5mm



## Glide™ – Lever 4


<b>Length</b>	121mm
<b>Projection</b>	56.5mm
<b>Finger Clearance</b>	33.5mm



# Velocity® Series Large Rose Door Handles


## Hakea® - Lever 28

<b>Length</b>	121mm
<b>Projection</b>	63mm
<b>Finger Clearance</b>	43mm



## Saltbush® - Lever 34


<b>Length</b>	120mm
<b>Projection</b>	64mm
<b>Finger Clearance</b>	43.5mm



# Velocity® Series Large Rose Accessories


## Square Rose Passage Trim

<b>Part Number</b>	VES1-TRIM
<b>Height</b>	65mm
<b>Depth</b>	12.5mm
<b>Quantity</b>	Pack of 2



## Square Rose Privacy Trim

<b>Part Number</b>	VES2-TRIM
<b>Height</b>	65mm
<b>Depth</b>	12.5mm
<b>Quantity</b>	Pack of 2



# Velocity® Series Large Rose Ordering Procedure

## Ordering Procedure

Sample part number VEL1/L1/SC is made up of several sections. Choose your product by selecting an option from each section.

## Velocity® 63mm Series

Exterior Rose	Function	Lever Type	Latch	Finish	Packaging
VEL	1	L1		SC	

Rose Type	Levers	Latch	Finish	Packaging
63mm Round Rose VEL	Summit® L1	No latch (Passage only) NL	Satin Chrome Brushed SC	Trade -
	Spire® L2		Satin Chrome Pearl SP	Display DP
	Element™ L3		Chrome Plate CP	
	Glide™ L4		Matt Black MBK*	
	Hakea® 28		*MBK finish on Velocity Large Rose is only available with Lever 3	
	Saltbush® 34			

Function	
Passage 1	
Privacy 2	
Dummy Half 3	

## Square Rose Ordering Procedure

Function	Satin Chrome Finish	Chrome Plate Finish	Satin Pearl Finish	Matt Black Finish
Passage Lever Set	VES1-TRIMSC	VES1-TRIMCP	VES1-TRIMSP	VES1-TRIMMBK
Dummy Half Set				
Privacy Lever Set	VES2-TRIMSC	VES2-TRIMCP	VES2-TRIMSP	VES2TRIM-MBK

Square Rose Lever Sets are ordered in the same manner as Round Rose Lever Sets above with the addition of a Square Rose Trim Pack. For example a Passage Lever Set, Lever 4 in Satin Chrome will require both VEL1/L4SC and VES1-TRIMSC.


# Velocity® Series Small Rose Door Handles



The Velocity 55mm Series is a stylish range of door furniture suitable for both residential and semi commercial applications. Designed primarily for new installation on timber doors, the range incorporates functionality for use with Mortice Locks in addition to Passage, Privacy and Dummy Levers.

## Installation

Suits door preparations up to 45mm.



1 **Align** 2 **Twist** 3 **Tighten**



## Features and Specifications

- All fixings are concealed beneath a removable rose trim providing an aesthetically appealing installation.
- Simple twist and tighten fixing method and pre-assembled lever sets allow for super easy and fast installation.
- Lever range includes two AS1428.1 compliant levers and six designer levers.
- Accessories include AS1428.1 compliant turn, standard turn and privacy indicating emergency turns.
- The 55mm rose suits up to 45mm door preparations commonly used with mortice locks or latches.
- Designed in Australia for the specific needs of the Australian market.

## Product Details

<b>Rose Dimensions</b>	55mm by 12.5mm - Round Rose 58mm by 12.5mm - Square Rose
<b>Materials</b>	All Velocity 55mm levers and roses are made from solid zinc die-cast.
<b>Latches</b>	Passage sets are available with a 60mm backset tubular latch. Privacy sets are supplied with a 60mm backset privacy latch which includes a locking pin for the inside of the door and an external emergency release function. The latch is automatically released when the internal handle is operated and is easily adapted for both open in and open out applications. All latches are supplied with industry standard "D" strikes.
<b>Door Thickness</b>	32mm to 45mm hinged doors
<b>Finishes</b>	Satin Chrome Brushed (SC) Chrome Plate (CP) Satin Pearl (SP) Display Pack Range Only

## Standards and Compliance



Successfully tested up to 2 hours on fire door assemblies in accordance with the Australian Standard AS1905.1 2005 - Part 1: Fire Resistant Doorsets

**D8**

VEL Series lever sets have been successfully tested to conform with Level D8 (500,000 cycles) under Australian Standard AS4145.2-2008, Locksets and hardware for doors and windows.



VEL Series in brushed satin chrome finish has been successfully tested to conform with Level C10 (1000 hours) under Australian Standard AS4145.2-2008, Locksets and hardware for doors and windows.



AS1428.1 Compliance. The range includes AS1428.1 compliant levers and turns as shown.



# Velocity® Series Small Rose Door Handles


## AS1428.1 Compliant Levers

### Accession® - Lever 5

<b>Length</b>	121mm
<b>Projection</b>	56.5mm
<b>Finger Clearance</b>	38.4mm



Disabled Accessible  
AS1428.1




### Dianella™ - Lever 8

<b>Length</b>	121mm
<b>Projection</b>	51mm
<b>Finger Clearance</b>	38mm



Disabled Accessible  
AS1428.1




### Gidgee® - Lever 37

<b>Length</b>	120mm
<b>Projection</b>	64mm
<b>Finger Clearance</b>	38.5mm




Disabled Accessible  
AS1428.1



## Standard Levers

### Element™ - Lever 3

<b>Length</b>	122mm
<b>Projection</b>	54.5mm
<b>Finger Clearance</b>	47.5mm




# Velocity® Series Small Rose Door Handles

## Standard Levers


### Hakea® - Lever 28

<b>Length</b>	121mm
<b>Projection</b>	63mm
<b>Finger Clearance</b>	43mm




### Acacia® - Lever 29A

<b>Length</b>	120mm
<b>Projection</b>	64mm
<b>Finger Clearance</b>	41.5mm



### Saltbush® - Lever 34

<b>Length</b>	120mm
<b>Projection</b>	64mm
<b>Finger Clearance</b>	43.5mm




# Velocity® Series Small Round Rose Accessories

## Euro Cylinder Escutcheon

<b>Part Number</b>	VSR5
<b>Height</b>	55mm
<b>Depth</b>	12.5mm


**Supplied with**  
2x Wood Screws



## Oval Cylinder Escutcheon

<b>Part Number</b>	VSR6
<b>Height</b>	55mm
<b>Depth</b>	12.5mm


**Supplied with**  
2x Wood Screws



## Standard Turnknob

<b>Part Number</b>	VSR7
<b>Height</b>	55mm
<b>Depth</b>	12.5mm
<b>Handing</b>	Not required


**Supplied with**  
2x Wood Screws  
1x Short Tail Bar  
1x Medium Tail Bar  
1x Tail Bar Spring  
1x Instructions (1220-321)



## Privacy Indicating Emergency Turn

<b>Part Number</b>	VSR8
<b>Height</b>	55mm
<b>Depth</b>	12.5mm

**Supplied with**  
2x Wood Screws  
1x Emergency Tail Bar  
1x Instructions (1220-321)




# Velocity® Series Small Round Rose Accessories

## Disabled Accessible Turnknob

<b>Part Number</b>	VSR9
<b>Height</b>	55mm
<b>Depth</b>	12.5mm
<b>Turn Snib Length</b>	52mm
<b>Handing</b>	Site handable

### Supplied with


- 2x Wood Screws
- 1x Tail Bar (short)
- 1x Tail Bar (medium)
- 1x Tail Bar Spring
- 1x Instructions (1220-321)



\* VSR9 is not compatible with Selector series mortice locks.


## Round Rose Passage Trim

<b>Part Number</b>	VSR1-TRIM
<b>Height</b>	55mm
<b>Depth</b>	12.5mm
<b>Quantity</b>	Pack of 2



## Round Rose Privacy Trim

<b>Part Number</b>	VSR2-TRIM
<b>Height</b>	55mm
<b>Depth</b>	12.5mm
<b>Quantity</b>	Pack of 2




# Velocity® Series Small Square Rose Accessories

## Euro Cylinder Escutcheon

<b>Part Number</b>	VSS5
<b>Height</b>	58mm
<b>Depth</b>	12.5mm

**Supplied with**  
2x Wood Screws



**Note:** Please ensure clearance between lever trim and escutcheons when used with European Mortice Locks.



## Oval Cylinder Escutcheon

<b>Part Number</b>	VSS6
<b>Height</b>	58mm
<b>Depth</b>	12.5mm


**Supplied with**  
2x Wood Screws



## Standard Turn Snib

<b>Part Number</b>	VSS7
<b>Height</b>	58mm
<b>Depth</b>	12.5mm
<b>Handing</b>	Not required


**Supplied with**  
2x Wood Screws  
1x Short Tail Bar  
1x Medium Tail Bar  
1x Tail Bar Spring  
1x Instructions (1220-321)



## Emergency Indicating Turn

<b>Part Number</b>	VSS8
<b>Height</b>	58mm
<b>Depth</b>	12.5mm
<b>Handing</b>	Not required

**Supplied with**  
2x Wood Screws  
1x Emergency Tail Bar  
1x Instructions (1220-321)




# Velocity® Series Small Square Rose Accessories

## Disabled Accessible Turn Snib

<b>Part Number</b>	VSS9
<b>Height</b>	58mm
<b>Depth</b>	12.5mm
<b>Turn Snib Length</b>	52mm
<b>Handing</b>	Site handable

### Supplied with


2x Wood Screws  
1x Tail Bar (short)  
1x Tail Bar (medium)  
1x Tail Bar Spring  
1x Instructions (1220-321)



\* VSS9 is not compatible with Selector series mortice locks.


## Square Rose Passage Trim

<b>Part Number</b>	VSS1-TRIM
<b>Height</b>	58mm
<b>Depth</b>	12.5mm
<b>Quantity</b>	Pack of 2



## Square Rose Privacy Trim

<b>Part Number</b>	VSS2-TRIM
<b>Height</b>	58mm
<b>Depth</b>	12.5mm
<b>Quantity</b>	Pack of 2



# Velocity® Series Rose Door Handles

Sample part number VSR1/L3SC is made up of several sections. Choose your product by selecting an option from each section.

## Velocity® Small Rose Series - Trade Pack Range

Exterior Rose	Function	Lever Types	Finish		
VSR	1	L3	SC		

Rose Type	Function	Levers	Finish	Packaging
Velocity 55mm Round Rose	Mortice 0	Summit® L1	Satin Chrome Brushed SC	Trade Pack
Velocity 58mm Square Rose	Passage 1	Element™ L3	Chrome Plate CP	
	Privacy 2	Glide™ L4	Matt Black MBK	
	Dummy Half 3	Hakea® 28		
	Euro Escutcheon 5	Acacia® 29A		
	Oval Escutcheon 6	Saltbush® 34		
	Standard Turnknob 7			
	Privacy Indicating Emergency Turn 8			
	Disabled Accessible Turnknob 9			
		AS1428.1 Compliant Levers		
		Accession® L5		
		Dianella™ L8		
		Gidgee® 37		

**Note:** Mortice, Passage, Privacy and Dummy Half Lever Sets only available in Round Rose. See below for ordering procedure

## Velocity® Small Rose Series - Display Pack Range

Rose Type	Function	Lever Types	Finish	Packaging
VSR	1	L3	SC	DP

Rose Type	Function	Levers	Finish	Packaging
Velocity 55mm Round Rose	Passage 1	Summit® L1	Satin Chrome Pearl SP	Display DP
	Privacy 2	Spire® L2	Chrome Plate CP	
		Element™ L3	Satin Chrome Brushed SC	
		Glide™ L4		

### Square Rose Ordering Procedure

Function	Satin Chrome Finish	Chrome Plate Finish	Satin Pearl Finish	Matt Black Finish
Mortice Lever Set				
Passage Lever Set	VSS1-TRIMSC	VSS1-TRIMCP	VSS1-TRIMSP	VSS1-TRIMMBK
Dummy Half Set				
Privacy Lever Set	VSS2-TRIMSC	VSS2-TRIMCP	VSS2-TRIMSP	VSS2-TRIMMBK

Square Rose Lever Sets are ordered in the same manner as Round Rose Lever Sets above with the addition of a Square Rose Trim Pack. For example a Mortice Lever Set, Lever 5 in Satin Chrome will require both VSR0/L5SC and VSS1-TRIMSC.

# Vivid® Collection Internal Door Leversets



*The Lockwood Vivid® Collection is a stylish range of internal door furniture suitable for use in residential dwellings.*

The Vivid® Collection includes three different internal leversets: the Privacy Leverset, Passage Leverset and Half Dummy Lever.

The Privacy Leverset comes with Privacy Tubular Latches and an accessory pack (including spindles, springs, mounting wood screws, through fix screws, privacy pin and a pointed tool), while the Passage Leverset comes with tubular latches and a different accessory pack (including spindles, springs, mounting wood screws, and through fix screws), specifically designed for passage door applications. The Half Dummy Lever comes with a fixed lever and timber mounting screws to be used on cupboard or wardrobe doors.



## Features and Specifications

- All fixings are concealed beneath a removable rose trim providing an aesthetically appealing installation.
- Lever range includes two AS1428.1 compliant levers
- The 54mm rose suits up to 45mm door preparations.

## Product Details

<b>Rose Dimensions</b>	54mm diameter x 12mm
<b>Materials</b>	All visible surfaces 304 stainless steel with durable PVD surface treatment.
<b>Latches</b>	Passage sets are available with a 60mm backset tubular latch. Privacy sets are supplied with a 60mm backset privacy latch which includes a privacy pin for the inside of the door and an external emergency release function. The latch is automatically released when the internal handle is operated and is easily adapted for both open in and open out applications. All latches are supplied with industry standard "T" strikes box.
<b>Door Thickness</b>	32-45mm hinged door for Privacy set 32-45mm hinged door for Passage set
<b>Finishes</b>	PVD Satin Brass ( <b>SB</b> ), PVD Satin Gun Metal ( <b>GM</b> ), PVD Satin Bronze ( <b>BZ</b> )


## Standards and Compliance


<b>D7</b>	Tested to AS4145.2 2008 for Durability passing D7 - 300,000 cycles.
	Tested to AS4145.2 2008 for Neutral Salt Spray, passing C6 - 168 hours.
	Vivid® Collection includes levers (as shown) that meet the requirements of AS1428.1-2009, Designed for access and mobility.




# Vivid® Collection Internal Door Leversets


## Lever 1 - Passage

<b>Part Number</b>	VIV1/V1SBPVD VIV1/V1GMPVD VIV1/V1BZPVD
<b>Length</b>	127mm
<b>Projection</b>	53mm
	Disabled Accessible AS1428.1 Compliant





## Lever 1 - Privacy

<b>Part Number</b>	VIV2/V1SBPVD VIV2/V1GMPVD VIV2/V1BZPVD
<b>Length</b>	127mm
<b>Projection</b>	53mm
	Disabled Accessible AS1428.1 Compliant



## Lever 1 - Dummy

<b>Part Number</b>	VIV3/V1BZPVD VIV3/V1GMPVD VIV3/V1SBPVD
<b>Length</b>	127mm
<b>Projection</b>	53mm
	Disabled Accessible AS1428.1 Compliant



# Vivid® Collection Internal Door Leversets

## Lever 2 - Passage



**Part Number** VIV1/V2SBPVD  
VIV1/V2GMPVD  
VIV1/V2BZPVD

**Length** 140mm

**Projection** 60mm



Disabled Accessible  
AS1428.1 Compliant



## Lever 2 - Privacy


**Part Number** VIV2/V2SBPVD  
VIV2/V2GMPVD  
VIV2/V2BZPVD

**Length** 140mm

**Projection** 60mm



Disabled Accessible  
AS1428.1 Compliant



## Lever 2 - Dummy



**Part Number** VIV3/V2SBPVD  
VIV3/V2GMPVD  
VIV3/V2BZPVD

**Length** 140mm

**Projection** 60mm



Disabled Accessible  
AS1428.1 Compliant





# Vivid® Collection Internal Door Leversets

## Lever 3 - Passage

**Part Number** VIV1/V3SBPVD  
VIV1/V3GMPVD  
VIV1/V3BZPVD

**Length** 130mm

**Projection** 57mm




## Lever 3 - Privacy

**Part Number** VIV2/V3SBPVD  
VIV2/V3GMPVD  
VIV2/V3BZPVD

**Length** 130mm

**Projection** 57mm





## Lever 3 - Dummy

**Part Number** VIV3/V3SBPVD  
VIV3/V3GMPVD  
VIV3/V3BZPVD

**Length** 130mm

**Projection** 57mm




# Vivid® Collection Internal Door Leversets

## Lever 4 - Passage

**Part Number** VIV1/V4SBPVD  
VIV1/V4GMPVD  
VIV1/V4BZPVD

**Length** 130mm

**Projection** 53mm




## Lever 4 - Privacy

**Part Number** VIV2/V4SBPVD  
VIV2/V4GMPVD  
VIV2/V4BZPVD

**Length** 130mm

**Projection** 53mm




## Lever 4 - Dummy

**Part Number** VIV3/V4SBPVD  
VIV3/V4GMPVD  
VIV3/V4BZPVD

**Length** 130mm

**Projection** 53mm



# Vivid® Collection Internal Door Leversets

## Vivid® Passage Set with Latch

Description	Quantity
Lever	2
Rose Trim	2
Passage Latch	1
Face Plate	1
Spindle	2
Spindle Springs	2
Through Fix Screws	2
Hex Inserts	2
Striker Plate with dust box	1
Timber Mounting screws	4

## Vivid® Privacy Set with Latch

Description	Quantity
Lever	2
Rose Trim	2
Privacy Latch	1
Face Plate	1
Privacy Pin	1
Pointed tool	1
Spindle	2
Spindle Springs	2
Through Fix Screws	2
Hex Inserts	2
Striker Plate with dust box	1
Timber Mounting screws	4

## Vivid® Half Dummy Lever

Description	Quantity
Lever	1
Rose Trim	1
Timber Mounting screws	4

# Metal Finishes


For Metal Finish sample refer to code under each image.




**Antique Copper (AC)**  
Sample Code: FIN-SAMPLEAC\*



**Architectural Bronze Unlacquered (AU)**  
Sample Code: FIN-SAMPLEAU\*



**Oil Rubbed Bronze (ORB)**  
Sample Code: FIN-SAMPLEORB\*



**Aged Brass (AG)**  
Sample Code: FIN-SAMPLEAG\*



**Architectural Bronze (AZ)**  
Sample Code: FIN-SAMPLEAZ\*\*



**Polished Brass (PB)**  
Sample Code: FIN-SAMPLEPB\*\*



**Satin Brass (SB)**  
Sample Code: FIN-SAMPLESB\*\*



**Polished Brass Unlacquered (BU)**  
Sample Code: FIN-SAMPLEBU\*



**Satin Brass Unlacquered (SBU)**  
Sample Code: FIN-SAMPLESBU\*



**Satin Chrome Plating (SC)**  
Sample Code: FIN-SAMPLESC



**Chrome Plating (CP)**  
Sample Code: FIN-SAMPLECP



**Stainless Steel (SS)**  
Sample Code: FIN-SAMPLESS



**Polished Stainless Steel (PS)**  
Sample Code: FIN-SAMPLEPS



**Natural Anodized Aluminium (NT)**  
Sample Code: FIN-SAMPLENT

**NOTE:** Not all decorative finishes apply to every Lockwood product. Refer to the table at the end of this document for specific decorative finishes applicable per series.

\*Unlacquered Metal Finish. This finish will naturally age and its appearance will change over time according to the environment and use it is exposed to. For more information on the aging effect of a particular finish contact your ASSA ABLOY representative.


\*\*Finish is protected by a top clear lacquer.

**Disclaimer:** Product Colours displayed in this catalogue have been matched to indoor viewing and colour appearance may vary according to light source and medium and as such should be used as indicative only. As actual colour on the end product may vary, always confirm your colour choice with production line prepared samples from your ASSA ABLOY representative for final colour approval. For warranty terms and conditions on Lockwood Products and its finishes, please visit [www.lockweb.com.au](http://www.lockweb.com.au) or call 1300WARRANTY

# Dulux Powdercoat Finishes

For Powdercoat Finish sample order code:

**FIN-SAMPLEPC** specify the desired color from the images below when placing order.



Dulux Duratec Eternity  
Eternity Charcoal Pearl  
Satin




Dulux Electro  
Black Ace  
Flat



Dulux Electro  
Dark Bronze  
Flat




Dulux Electro  
Medium Bronze  
Flat




Dulux Precious  
Charcoal Metallic Pearl  
Gloss




Dulux Precious  
Citi Pearl  
Matt




Dulux Precious  
Natural Pearl  
Matt




Dulux Duralloy  
Shoji White  
Satin




Dulux Alphatec  
White  
Matt



Dulux Duralloy  
White  
Satin



Dulux Surreal Effects Mannex  
Mannex Black  
Effect



Dulux Surreal Effects Scylla  
Red Brown Scylla  
Effect



Dulux Duralloy  
Black  
Gloss



Dulux Duralloy  
Monument®  
Satin

CB



Dulux Duralloy  
Black (C/B Night Sky®)  
Satin

CB



Dulux Duralloy  
Jasper®  
Satin

CB



Dulux Duralloy  
Monument®  
Matt

CB



Dulux Duralloy  
Deep Ocean®  
Satin

CB



Dulux Duralloy  
Dune®  
Satin

CB



Dulux Duralloy  
Woodland Grey®  
Satin

CB



Dulux Duralloy  
Woodland Grey®  
Matt

CB



Dulux Duralloy  
APO Grey  
Satin

**NOTE:** Not all Powdercoat Finishes apply to every Lockwood product. Refer to the notes at the end of this document for specific decorative finishes applicable per series.

**CB** Colorbond and the Colorbond colour names are registered trademarks of Bluescope Steel Limited



We recommend and use Dulux Powders

**Disclaimer:** Dulux, Duralloy, Anotec, Silver Kinetic, are registered trade marks of DuluxGroup (Australia) Pty Ltd. Monument, Night Sky, Dune, Woodland Grey, Jasper, Deep Ocean, Surfist, Pale Eucalypt, Paperbark, are registered trademarks of Bluescope Steel Limited. Product Colours displayed in this catalogue have been matched to indoor viewing and colour appearance may vary according to light source and medium and as such should be used as indicative only. As actual colour on the end product may vary, always confirm your colour choice with production line prepared samples from your ASSA ABLOY representative for final colour approval. For warranty terms and conditions on Lockwood Products and its finishes, please visit [www.lockweb.com.au](http://www.lockweb.com.au) or call 1300WARRANTY

# Dulux Powdercoat Finishes


For Powdercoat Finish sample order code:

**FIN-SAMPLEPC** specify the desired color from the images below when placing order.




Dulux Duralloy  
Surfmist®  
Matt

CB



Dulux Duralloy  
Anotec® Off White  
Matt




Dulux Duralloy  
Anotec® Mid Bronze  
Matt




Dulux Duralloy  
Dune®  
Matt

CB



Dulux Duralloy  
Anotec® Dark Grey  
Matt



Dulux Duralloy  
White Birch  
Gloss



Dulux Duralloy  
Stone Beige  
Matt



Dulux Duralloy  
Notre Dame  
Gloss



Dulux Duralloy  
Pale Eucalypt®  
Satin

CB



Dulux Duralloy  
Paperbark®  
Satin

CB




Dulux Duralloy  
Primrose  
Gloss




Dulux Duralloy  
Black (C/B Night Sky®)  
Matt

CB



Dulux Duralloy  
Pearl White  
Gloss



Dulux Duralloy  
Bright White  
Gloss



Dulux Duralloy  
Hammersley Brown  
Satin



Dulux Duralloy  
Metropolis Storm Pearl



Dulux Duralloy  
Charcoal

CB



Dulux Duralloy  
Oyster  
Matt



Dulux Duralloy  
Berry Grey  
Satin



Dulux Duralloy  
Zeus Charcoal  
Satin



Dulux Duralloy  
Manor Red  
Satin

**NOTE:** Not all Powdercoat Finishes apply to every Lockwood product. Refer to the notes at the end of this document for specific decorative finishes applicable per series.

CB

Colorbond and the Colorbond colour names are registered trademarks of Bluescope Steel Limited



We recommend and use Dulux Powders

**Disclaimer:** Dulux, Duralloy, Anotec, Silver Kinetic, are registered trade marks of DuluxGroup (Australia) Pty Ltd. Monument, Night Sky, Dune, Woodland Grey, Jasper, Deep Ocean, Surfmist, Pale Eucalypt, Paperbark, are registered trademarks of Bluescope Steel Limited. Product Colours displayed in this catalogue have been matched to indoor viewing and colour appearance may vary according to light source and medium and as such should be used as indicative only. As actual colour on the end product may vary, always confirm your colour choice with production line prepared samples from your ASSA ABLOY representative for final colour approval. For warranty terms and conditions on Lockwood Products and its finishes, please visit [www.lockweb.com.au](http://www.lockweb.com.au) or call 1300WARRANTY



# Interpon Powdercoat Finishes

For Powdercoat Finish sample order code:


**FIN-SAMPLEPC** specify the desired color from the images below when placing order.



Interpon Nuance  
Silver Pearl  
Satin



Interpon  
Metallic Lustre  
Matt



Interpon Vivica  
Snow Dust  
Matt



Interpon Sable  
Core Ten  
Fine Texture



Interpon Vivica  
Ultra Silver  
Gloss



Interpon Vivica  
Storm Front  
Matt



Interpon Hawthorn  
Green  
Gloss

**NOTE:** Not all Powdercoat Finishes apply to every Lockwood product. Refer to the notes at the end of this document for specific decorative finishes applicable per series.



We recommend and use Interpon Powders

**Disclaimer:** Interpon®, Sable™, Vivica™, Excel™ are registered trademarks of AkzoNobel Pty Ltd. Colors displayed on this color card are a guide only and have been matched as close as possible to Interpon production standards under daylight conditions. Due to the nature of the printing process some degree of color and gloss level variation may occur. Where more than one finish is available product color may vary. We recommend that you use production line prepared samples for final color selection or approval.

# Decorative Finishes Per Series

## Powdercoat Finishes

**Rose Door Handles:** Robert Watson, 1220, 1420, 1360, 1370, 260, 260SQ

**Plate Door Handles:** 1800, 2800, 4800, 5800, 200, 202, 212, 224

**Push/Pull Plates:** 218/219, 206/207, 208/209, 214/215, 216/217, 184, 185

## Metal Finishes

Use table below as a reference for the applicable finish to each Lockwood Series.  
Refer to the series catalogue for specific detailed information.

Reference Table									
	Brass Series Rose Door Handles 1220, 1420, 1360, 1370	Brass Series Plate Door Handles 1800, 2800, 4800, 5800	Artefact Series Rose Door Handles 260	Artefact Series Rose Door Handles 260SQ	Artefact Series Plate Door Handles 200, 202,	Artefact Series Plate Door Handles 212, 224	Push/Pull Plate Series 184, 185	Push/Pull Plate Series 214/215, 216/217, 218/219	Push/Pull Plate Series 206/207, 208/209
Antique Copper (AC)	✓	✓	✓	✗	✓	✗	✓	✓	✗
Architectural Bronze Unlacquered (AU)	✓	✓	✓	✗	✓	✗	✓	✓	✗
Oil Rubbed Bronze (ORB)	✓	✓	✓	✗	✓	✗	✓	✓	✗
Aged Brass (AG)	✓	✓	✓	✗	✓	✗	✓	✓	✗
Architectural Bronze (AZ)	✓	✓	✓	✗	✓	✗	✓	✓	✗
Polished Brass (PB)	✓	✓	✓	✗	✓	✗	✓	✓	✗
Satin Brass (SB)	✓	✓	✓	✗	✓	✗	✓	✓	✗
Polished Brass Unlacquered (BU)	✓	✓	✓	✗	✓	✗	✓	✓	✗
Satin Brass Unlacquered (SBU)	✓	✓	✓	✗	✓	✗	✓	✓	✗
Satin Chrome Plating (SC)	✓	✓	✗	✗	✗	✗	✓	✗	✗
Chrome Plating (CP)	✓	✓	✗	✗	✗	✗	✓	✗	✗
Stainless Steel (SS)	✗	✗	✓	✓	✓	✓	✗	✓	✓
Polished Stainless Steel (PS)	✗	✗	✓	✗	✓	✓	✗	✓	✓
Marine Grade Stainless Steel (MG)	✗	✗	✓	✗	✓	✓	✗	✓	✓
Natural Anodised Aluminium (NT)	✗	✗	✓	✗	✓	✓	✗	✗	✗

**Disclaimer:** Product Colours displayed in this catalogue have been matched to indoor viewing and colour appearance may vary according to light source and medium and as such should be used as indicative only. As actual colour on the end product may vary, always confirm your colour choice with production line prepared samples from your ASSA ABLOY representative for final colour approval. For warranty terms and conditions on Lockwood Products and its finishes, please visit [www.lockweb.com.au](http://www.lockweb.com.au) or call 1300WARRANTY

# Brass Furniture Series Special Finishes Pricing

## Standard Finish

Satin chrome brushed (SC)


## Non-Standard Finishes:

## Mark-Up Over Standard Finish\*


Chrome Plate (CP)	10%
Polished Brass (PB)	20%
Polished Brass Unlacquered (BU)	20%
Satin Brass (SB)	20%
Satin Brass Unlacquered (SBU)	20%
Polyester Powdercoat (PC)	20%
Architectural Bronze (AZ)	25%
Architectural Bronze Unlacquered (AU)	25%
Oil Rubbed Bronze (ORB)	25%
Aged Brass (AG)	25%
Antique Copper (AC)	25%

\*Applicable to Brass Furniture Series 1220, 1420, 1360, 1370, 1800, 2800, 4800 and 5800 Product Ranges


# Door Furniture Levers and Knob Options (Tier 1 Pricing)




20 Knob




47 Lever




59 Lever




70 Lever




74 Lever




76 Lever




77 Lever




90 Lever




97 Lever




101 Lever




102 Lever




104 Lever




106 Lever




111 Lever




112 Lever




115 Lever




116 Lever




118 Lever




122 Lever




123 Lever




124 Lever




131 Lever




132 Lever




133 Lever




142 Lever




144 Lever




145 Lever




153 Lever




155 Lever



166 Lever



178 Lever



180 Lever



**Lockwood** is the leading brand in the Australian locking industry. With an established reputation for high quality products, this iconic brand provides a wide range of locking solutions to residential housing, commercial, semi-commercial, building and industrial application markets. Lockwood is supported by an extensive distribution and after-sales support network. Our customers include retailers, architects, trade and industrial personnel, locksmiths and security dealers.

**ASSA ABLOY** is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience.

**ASSA ABLOY** is represented in all major regions, in both mature and emerging markets, with leading positions in Australia, Europe and North America.



### **The Lockwood 25 Year Mechanical Warranty**

Our belief that we manufacture the finest premium products available in today's market place is backed by the Lockwood 25 Year Mechanical Warranty, ensuring that Lockwood continues to keep Australians safe by delivering security and peace of mind.

For warranty terms and conditions, please visit [www.lockweb.com.au](http://www.lockweb.com.au) or call **1300WARRANTY**

**ASSA ABLOY Opening Solutions Australia**  
235 Huntingdale Road  
Oakleigh, Victoria, 3166  
Australia

**1300 LOCK UP (1300 562 587)**  
[lockweb.com.au](http://lockweb.com.au)

**ASSA ABLOY New Zealand Ltd**  
6 Armstrong Road  
Albany, Auckland, 0632  
New Zealand

[nzsales@assaabloy.com](mailto:nzsales@assaabloy.com)  
Telephone +64 9415 7111  
[assaabloyopeningsolutions.nz](http://assaabloyopeningsolutions.nz)

### **Disclaimer**

Whilst every effort has been made to ensure that the information (including product images and drawings) contained in this brochure is accurate at the time of publication, ASSA ABLOY Australia Pty Limited ("ASSA ABLOY") recommends that you consult ASSA ABLOY or its agents prior to placing an order to ascertain current information on specific products, as ASSA ABLOY reserves the right to make changes without notice. ASSA ABLOY will not be liable for any injury, loss or damage whatsoever, arising from any errors or omissions in the information contained in the brochure or arising from the use or application of the information contained herein. © 2023 copyright by ASSA ABLOY All rights reserved

